

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 12/05/2022 Version: 1..0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Ovol Baby Drops (NA GHS 2015)

Product Code: 40000152 **Synonyms:** Ovol Drops

<u>Intended Use of the Product</u> Fast, gentle infant colic relief.

Name, Address, and Telephone of the Responsible Party

Company

Church and Dwight Canada Corp.

5485 Ferrier

Montreal, Qc, H4P 1M6 www.churchdwight.ca

www.econsumeraffairs.com/churchdwight/contactus

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada) For

Chemical Emergency: VelocityEHS (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

The consumer variant of this product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC) and the Food and Drug Administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and FDA, and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

GHS-US/CA Classification

Label Elements

GHS-US/CA Labeling

No labeling applicable according to 29 CFR 1910.1200 and the Hazardous Products Regulations (HPR) SOR/2015-17.

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Sucrose	(CAS-No.) 57-50-1	5 - 10	Comb. Dust
Silica gel	(CAS-No.) 63231-67-4	0.1 - 1	Not classified
Cellulose	(CAS-No.) 9004-34-6	0.1 - 1	Comb. Dust
Hydrogen peroxide	(CAS-No.) 7722-84-1	0.007	Ox. Liq. 1, H271
			Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Inhalation:dust,mist), H332
			Skin Corr. 1A, H314
			Eye Dam. 1, H318
			STOT SE 3, H335
			Aquatic Acute 3, H402
			Aquatic Chronic 3, H412
Acetic acid	(CAS-No.) 64-19-7	< 0.002	Flam. Liq. 3, H226
			Met. Corr. 1, H290

12/05/2022 EN (English US) 1/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

		Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Wood dust, all soft and hard woods	(CAS-No.) Not applicable	Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 1A, H350 STOT SE 3, H335 STOT RE 1, H372 Comb. Dust

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: May cause slight irritation to eyes. **Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sodium oxides. Nitrogen oxides.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

12/05/2022 EN (English US) 2/11

^{*} The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200. Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

Fast, gentle infant colic relief.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Silica gel (63231-67-4)		
Québec	VEMP (OEL TWA)	6 mg/m³ (containing no Asbestos and <1% Crystalline
		silica-respirable dust)
Sucrose (57-50-1)		
USA ACGIH	ACGIH OEL TWA	10 mg/m ³
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m³ (total dust)
		5 mg/m³ (respirable fraction)
USA NIOSH	NIOSH REL (TWA)	10 mg/m³ (total dust)
		5 mg/m³ (respirable dust)
Alberta	OEL TWA	10 mg/m ³
British Columbia	OEL TWA	10 mg/m³ (total dust)
		3 mg/m³ (respirable fraction)
Manitoba	OEL TWA	10 mg/m ³
New Brunswick	OEL TWA	10 mg/m ³
Newfoundland & Labrador	OEL TWA	10 mg/m ³
Nova Scotia	OEL TWA	10 mg/m³
Nunavut	OEL STEL	20 mg/m³
Nunavut	OEL TWA	10 mg/m³

12/05/2022 EN (English US) 3/11

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

recording to reactar registery voil 77, 110	. 30 / Worlday, Waren 20, 2012 / Naics / Wa Negarations / War	iccording to the Hazardous Products Regulation (February 11, 2015).
Northwest Territories	OEL STEL	20 mg/m ³
Northwest Territories	OEL TWA	10 mg/m ³
Ontario	OEL TWA	10 mg/m ³
Prince Edward Island	OEL TWA	10 mg/m³
Québec	VEMP (OEL TWA)	10 mg/m³
Saskatchewan	OEL STEL	20 mg/m ³
Saskatchewan	OEL TWA	10 mg/m ³
Yukon	OEL STEL	20 mg/m ³
Yukon	OEL TWA	30 mppcf
		10 mg/m ³
Cellulose (9004-34-6)		-
USA ACGIH	ACGIH OEL TWA	10 mg/m³
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m³ (total dust)
	00:::::::::::::::::::::::::::::::::::::	5 mg/m³ (respirable fraction)
USA NIOSH	NIOSH REL (TWA)	10 mg/m³ (total dust)
	THOST NEE (TWY)	5 mg/m³ (respirable dust)
Alberta	OEL TWA	10 mg/m³
British Columbia	OEL TWA	10 mg/m³ (total dust)
2.10311 Columbia		3 mg/m³ (respirable fraction)
Manitoba	OEL TWA	10 mg/m³
New Brunswick	OEL TWA	10 mg/m³
Newfoundland & Labrador	OEL TWA	10 mg/m³
Nova Scotia	OEL TWA	10 mg/m³
Nunavut	OEL STEL	20 mg/m³
Nunavut	OEL TWA	10 mg/m ³
Northwest Territories	OEL STEL	20 mg/m³
Northwest Territories	OEL TWA	10 mg/m ³
Ontario	OEL TWA	10 mg/m ³
Prince Edward Island	OEL TWA	10 mg/m³
Québec	VEMP (OEL TWA)	10 mg/m³ (paper fibres-total dust)
Saskatchewan	OEL STEL	20 mg/m³
Saskatchewan	OEL TWA	10 mg/m ³
Yukon	OEL STEL	20 mg/m³
Yukon	OEL TWA	30 mppcf
Tanon	322 · · · · ·	10 mg/m³
Hydrogen peroxide (7722-84	I_1\	
USA ACGIH	ACGIH OEL TWA [ppm]	1 ppm
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to
OSA ACGITI	Acon chemical category	Humans
USA OSHA	OSHA PEL (TWA) [1]	1.4 mg/m³
USA OSHA	OSHA PEL (TWA) [2]	1 ppm
USA NIOSH	NIOSH REL (TWA)	1.4 mg/m ³
USA NIOSH	NIOSH REL TWA [ppm]	1 ppm
USA IDLH	IDLH [ppm]	75 ppm
Alberta	OEL TWA	1.4 mg/m³
Alberta	OEL TWA [ppm]	1 ppm
British Columbia	OEL TWA [ppm]	1 ppm
Manitoba	OEL TWA [ppm]	1 ppm
New Brunswick	OEL TWA [ppin]	1.4 mg/m ³
New Brunswick	OEL TWA [ppm]	1 ppm
Newfoundland & Labrador	OEL TWA [ppm]	1 ppm
Nova Scotia	OEL TWA [ppm]	1 ppm
11040 300110	OFF 1444 [bb]	1 + kk

12/05/2022 EN (English US) 4/11

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

		According to the Hazardous Products Regulation (February 11, 2015).
Nunavut	OEL STEL [ppm]	2 ppm
Nunavut	OEL TWA [ppm]	1 ppm
Northwest Territories	OEL STEL [ppm]	2 ppm
Northwest Territories	OEL TWA [ppm]	1 ppm
Ontario	OEL TWA [ppm]	1 ppm
Prince Edward Island	OEL TWA [ppm]	1 ppm
Québec	VEMP (OEL TWA) [ppm]	1 ppm
Saskatchewan	OEL STEL [ppm]	2 ppm
Saskatchewan	OEL TWA [ppm]	1 ppm
Yukon	OEL STEL	2.8 mg/m³
Yukon	OEL STEL [ppm]	2 ppm
Yukon	OEL TWA	1.5 mg/m ³
Yukon	OEL TWA [ppm]	1 ppm
Acetic acid (64-19-7)		
USA ACGIH	ACGIH OEL TWA [ppm]	10 ppm
USA ACGIH	ACGIH OEL STEL [ppm]	15 ppm
USA OSHA	OSHA PEL (TWA) [1]	25 mg/m³
USA OSHA	OSHA PEL (TWA) [2]	10 ppm
USA NIOSH	NIOSH REL (TWA)	25 mg/m³
USA NIOSH	NIOSH REL TWA [ppm]	10 ppm
USA NIOSH	NIOSH REL (STEL)	37 mg/m ³
USA NIOSH	NIOSH REL STEL [ppm]	15 ppm
USA IDLH	IDLH [ppm]	50 ppm
Alberta	OEL STEL	37 mg/m ³
Alberta	OEL STEL [ppm]	15 ppm
Alberta	OEL TWA	25 mg/m ³
Alberta	OEL TWA [ppm]	10 ppm
British Columbia	OEL STEL [ppm]	15 ppm
British Columbia	OEL TWA [ppm]	10 ppm
Manitoba	OEL STEL [ppm]	15 ppm
Manitoba	OEL TWA [ppm]	10 ppm
New Brunswick	OEL STEL	37 mg/m ³
New Brunswick	OEL STEL [ppm]	15 ppm
New Brunswick	OEL TWA	25 mg/m ³
New Brunswick	OEL TWA [ppm]	10 ppm
Newfoundland & Labrador	OEL STEL [ppm]	15 ppm
Newfoundland & Labrador	OEL TWA [ppm]	10 ppm
Nova Scotia	OEL STEL [ppm]	15 ppm
Nova Scotia	OEL TWA [ppm]	10 ppm
Nunavut	OEL STEL [ppm]	15 ppm
Nunavut	OEL TWA [ppm]	10 ppm
Northwest Territories	OEL STEL [ppm]	15 ppm
Northwest Territories	OEL TWA [ppm]	10 ppm
Ontario	OEL STEL [ppm]	15 ppm
Ontario	OEL TWA [ppm]	10 ppm
Prince Edward Island	OEL STEL [ppm]	15 ppm
Prince Edward Island	OEL TWA [ppm]	10 ppm
Québec	VECD (OEL STEL)	37 mg/m³
Québec	VECD (OEL STEL) [ppm]	15 ppm
Québec	VEMP (OEL TWA)	25 mg/m³
Québec	VEMP (OEL TWA) [ppm]	10 ppm

12/05/2022 EN (English US) 5/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Saskatchewan	OEL STEL [ppm]	15 ppm	
Saskatchewan	OEL TWA [ppm]	10 ppm	
Yukon	OEL STEL	43 mg/m³	
Yukon	OEL STEL [ppm]	25 ppm	
Yukon	OEL TWA	25 mg/m³	
Yukon	OEL TWA [ppm]	10 ppm	
Wood dust, all soft and hard	Wood dust, all soft and hard woods (Not applicable)		
USA NIOSH	NIOSH REL (TWA)	1 mg/m³	
Alberta	OEL TWA	5 mg/m³ (total)	
Québec	VEMP (OEL TWA)	5 mg/m³ (except red cedar, containing no Asbestos and	
		<1% Crystalline silica-total dust)	
Yukon	OEL STEL	10 mg/m³ (non-allergenic)	
		5 mg/m³ (allergenic, including cedar, mahogany, teak)	
Yukon	OEL TWA	5 mg/m³ (non-allergenic)	
		2.5 mg/m³ (allergenic, including cedar, mahogany, teak)	

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings: Wear protective gloves. **Eye Protection:** For occupational/workplace settings: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

Respiratory Protection: For occupational/workplace settings: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State : Liquid

Appearance : White peppermint flavored suspension with milk appearance. Absence

from foreign matter.

Odor Characteristic
Odor Threshold : Odor characteristic
No data available

pH : 4-6

Evaporation Rate No data available **Melting Point** No data available **Freezing Point** No data available **Boiling Point** No data available **Flash Point** No data available **Auto-ignition Temperature** No data available **Decomposition Temperature** No data available **Flammability** Not applicable **Lower Flammable Limit** No data available No data available **Upper Flammable Limit Vapor Pressure** No data available

12/05/2022 EN (English US) 6/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Relative Vapor Density at 20°C : No data available
Relative Density : No data available
Density : 1.0314 – 1.054 g/ml
Specific Gravity : No data available
Solubility : No data available
Partition Coefficient: N-Octanol/Water : No data available
Viscosity : No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

Hazardous reactions will not occur under normal conditions.

Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products:

Thermal decomposition may produce: Carbon oxides (CO, CO₂). Sodium oxides. Nitrogen oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data:

No additional information available **Skin Corrosion/Irritation:** Not classified

pH: 4 - 6

Eye Damage/Irritation: Not classified

pH: 4 – 6

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. **Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. **Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: None known.

<u>Information on Toxicological Effects - Ingredient(s)</u>

LD50 and LC50 Data:

Sucrose (57-50-1)	
LD50 Oral Rat	29700 mg/kg
Cellulose (9004-34-6)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	> 5800 mg/m³ (Exposure time: 4 h)
Hydrogen peroxide (7722-84-1)	

12/05/2022 EN (English US) 7/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

LD50 Oral Rat	1193 mg/kg (Species: Sprague-Dawley; Exposure time: 4 h)	
LD50 Dermal Rat	4060 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
Acetic acid (64-19-7)		
LD50 Oral Rat	3310 mg/kg	
Hydrogen peroxide (7722-84-1)		
IARC Group	3	
Wood dust, all soft and hard woods (Not applicable)		
IARC Group	1	
National Toxicology Program (NTP) Status	Known Human Carcinogens.	

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Not classified.

Hydrogen peroxide (7722-84-1)	
LC50 Fish 1	16.4 mg/L (Exposure time: 96 h - Species: Pimephales promelas)
EC50 - Crustacea [1]	18 – 32 mg/L (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 Fish 2	18 – 56 mg/L (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Acetic acid (64-19-7)	
LC50 Fish 1	79 mg/L (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	65 mg/L (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 Fish 2	75 mg/L (Exposure time: 96 h - Species: Lepomis macrochirus [static])

Persistence and Degradability

Ovol Baby Drops (NA GHS 2015)	
Persistence and Degradability	Not established.

Bioaccumulative Potential

Ovol Baby Drops (NA GHS 2015)	
Bioaccumulative Potential	Not established.
Hydrogen peroxide (7722-84-1)	
BCF Fish 1	(no bioaccumulation)
Acetic acid (64-19-7)	
Log POW	-0.17 at 25 °C (77 °F) (at pH 7)

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT

Not regulated for transport

In Accordance with IMDG

Not regulated for transport

In Accordance with IATA

Not regulated for transport

In Accordance with TDG

Not regulated for transport

12/05/2022 EN (English US) 8/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

Silica gel (63231-67-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

Sucrose (57-50-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

Cellulose (9004-34-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Hydrogen peroxide (7722-84-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on the United States SARA Section 302

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

12/05/2022 EN (English US) 9/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Japanese Poisonous and Deleterious Substances Control Law

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

SARA Section 302 Threshold Planning Quantity (TPQ)

1000 lb (concentration >52%)

Acetic acid (64-19-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

CERCLA RQ 5000 lb

Wood dust, all soft and hard woods (Not applicable)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

US State Regulations

Silica gel (63231-67-4)

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Sucrose (57-50-1)

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Cellulose (9004-34-6)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Hydrogen peroxide (7722-84-1)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

Acetic acid (64-19-7)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

Canadian Regulations

Silica gel (63231-67-4)

Listed on the Canadian DSL (Domestic Substances List)

Sucrose (57-50-1)

12/05/2022 EN (English US) 10/11

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on the Canadian DSL	(Domestic Substances List)
Listed Oil the Calladian DSL	(Donnestic Substances List)

Cellulose (9004-34-6)

Listed on the Canadian DSL (Domestic Substances List)

Hydrogen peroxide (7722-84-1)

Listed on the Canadian DSL (Domestic Substances List)

Acetic acid (64-19-7)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision Other Information

- : 12/05/2022
- : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

The consumer variant of this product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC) and the Food and Drug Administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and FDA, and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

GHS Full Text Phrases:

H226	Flammable liquid and vapor
H271	May cause fire or explosion; strong oxidizer
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H332	Harmful if inhaled
H334	May cause an allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Church&Dwight NA GHS SDS 2015

12/05/2022 EN (English US) 11/11