

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous

Products Regulation (February 11, 2015).

Revision Date: 08/16/2022 Date of Issue: 10/16/2018 Supersedes Date: 10/16/2018 Version: 2.0

SECTION 1: IDENTIFICATION

<u>Product Identifier</u> <u>Product Form: Mixture</u>

Product Name: OxiClean™ Dark Protect™ Powder Laundry Booster (NA GHS 2015)

Product Code: 42011773
Intended Use of the Product

Laundry booster

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight Co. Inc. 500 Charles Ewing Blvd Ewing Township, NJ 08628

T 1-800-524-1328

www.churchdwight.com
Emergency Telephone Number

Emergency Number: For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)

For Chemical Emergency: ChemTel LLC (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

GHS-US/CA Classification

Serious eye damage/eye irritation Category 1 H318
Hazardous to the aquatic environment - Acute Hazard Category 2 H401

<u>Label Elements</u> GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)



Signal Word (GHS-US/CA) : Danger

Hazard Statements (GHS-US/CA) : H318 - Causes serious eye damage.

H401 - Toxic to aquatic life.

Precautionary Statements (GHS-US/CA): P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor.

P501 - Dispose of contents/container in accordance with local, regional, national, and

international regulations.

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

08/16/2022 EN (English US) 1/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Disodium carbonate	(CAS-No.) 497-19-8	10-30	Acute Tox. 4 (Inhalation:dust,mist), H332
- I	(0.5.1) 15500.00 1	5.40	Eye Irrit. 2A, H319
Sodium percarbonate	(CAS-No.) 15630-89-4	5-10	Ox. Sol. 2, H272
			Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
			Aquatic Acute 2, H401
Alcohols, C12-15, ethoxylated	(CAS-No.) 68131-39-5	≤ 2	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
			Aquatic Acute 2, H401
			Aquatic Chronic 3, H412
Alcohols, C10-16, ethoxylated	(CAS-No.) 68002-97-1	≤ 2	Acute Tox. 4 (Oral), H302
			Skin Irrit. 2, H315
			Eye Dam. 1, H318
			Aquatic Acute 1, H400
Alcohols, C12-16, ethoxylated	(CAS-No.) 68551-12-2	≤ 2	Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			Aquatic Acute 2, H401
Silica, amorphous, precipitated and gel	(CAS-No.) 112926-00-8	0.1-1	Not classified
Kaolin	(CAS-No.) 1332-58-7	0.09 - 0.25	Not classified
Cellulose	(CAS-No.) 9004-34-6	0.05 - 0.11	Comb. Dust
Titanium dioxide	(CAS-No.) 13463-67-7	0.03 - 0.09	Carc. 2, H351
Subtilisin	(CAS-No.) 9014-01-1	< 0.1	Acute Tox. 4 (Oral), H302
	,		Skin Irrit. 2, H315
			Eye Dam. 1, H318
			Resp. Sens. 1, H334
			STOT SE 3, H335
			Aquatic Acute 1, H400
			Aquatic Chronic 2, H411
Sucrose	(CAS-No.) 57-50-1	0.007 -	Comb. Dust
	, ,	0.07	
Polyethylene glycol	(CAS-No.) 25322-68-3	0.02 - 0.05	STOT SE 3, H335
Carbonic acid, calcium salt (1:1)	(CAS-No.) 471-34-1	< 0.003	Not classified
Ethylene oxide	(CAS-No.) 75-21-8	< 0.00013	Flam. Gas 1, H220
·			Press. Gas (Comp.), H280
			Acute Tox. 3 (Oral), H301
			Acute Tox. 3 (Inhalation:gas), H331
			Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			Muta. 1B, H340
			Carc. 1B, H350
			STOT SE 3, H335
			STOT RE 1, H372
			Aquatic Acute 3, H402
			Aquatic Chronic 3, H412

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

08/16/2022 EN (English US) 2/18

^{*}Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye damage.

Inhalation: Prolonged exposure may cause irritation. **Skin Contact:** Prolonged exposure may cause skin irritation.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire. Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Contains hydrogen peroxide which generates oxygen which can ehance the burning rate of fires; and can intiate fire with combustible materials. Hydrogen peroxide releases oxygen which may cause reactions with other materials. Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Sodium oxides. Carbon oxides (CO, CO₂).

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe dust. Do not get in eyes, on skin, or on clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

08/16/2022 EN (English US) 3/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Methods for Cleaning Up: Clean up spills and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing dust. Do not get in eyes, on skin, or on clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight,

extremely high or low temperatures and incompatible materials. **Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

Specific End Use(s)
Laundry booster

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

USA OSHA OSHA PEL (TWA) [1] 20 mppcf USA OSHA OSHA PEL (TWA) [2] 20 mppcf , 80/(SiO ₂) mg/m³ (See 29 CFR 1910.1000 TABLE Z-3) (See 29 CFR 1910.1000 TABLE Z-3) British Columbia 0EL TWA 4 mg/m³ (total) 1.5 mg/m³ (respirable) 10 mg/m³ (Silica - amorphous, precipitated silica gel) Nunavut 0EL STEL 20 mg/m³ (Silica amorphous) Nunavut 0EL TWA 10 mg/m³ (Silica amorphous) Northwest Territories 0EL STEL 20 mg/m³ (Silica amorphous) Northwest Territories 0EL TWA 10 mg/m³ (Silica amorphous)	and silica
See 29 CFR 1910.1000 TABLE Z-3) British Columbia	and silica
British Columbia OEL TWA 4 mg/m³ (total) 1.5 mg/m³ (respirable) New Brunswick OEL TWA 10 mg/m³ (Silica - amorphous, precipitated silica gel) Nunavut OEL STEL 20 mg/m³ (Silica amorphous) Nunavut OEL TWA 10 mg/m³ (Silica amorphous) Northwest Territories OEL STEL 20 mg/m³ (Silica amorphous) Northwest Territories OEL TWA 10 mg/m³ (Silica amorphous)	and silica
1.5 mg/m³ (respirable) New Brunswick	and silica
New Brunswick OEL TWA 10 mg/m³ (Silica - amorphous, precipitated silica gel) Nunavut OEL STEL 20 mg/m³ (Silica amorphous) Nunavut OEL TWA 10 mg/m³ (Silica amorphous) Northwest Territories OEL STEL 20 mg/m³ (Silica amorphous) Northwest Territories OEL TWA 10 mg/m³ (Silica amorphous)	and silica
gel Nunavut OEL STEL 20 mg/m³ (Silica amorphous) Nunavut OEL TWA 10 mg/m³ (Silica amorphous) Northwest Territories OEL STEL 20 mg/m³ (Silica amorphous) Northwest Territories OEL TWA 10 mg/m³ (Silica amorphous)	and silica
Nunavut OEL STEL 20 mg/m³ (Silica amorphous) Nunavut OEL TWA 10 mg/m³ (Silica amorphous) Northwest Territories OEL STEL 20 mg/m³ (Silica amorphous) Northwest Territories OEL TWA 10 mg/m³ (Silica amorphous)	
Nunavut OEL TWA 10 mg/m³ (Silica amorphous) Northwest Territories OEL STEL 20 mg/m³ (Silica amorphous) Northwest Territories OEL TWA 10 mg/m³ (Silica amorphous)	
Northwest Territories OEL STEL 20 mg/m³ (Silica amorphous) Northwest Territories OEL TWA 10 mg/m³ (Silica amorphous)	
Northwest Territories OEL TWA 10 mg/m³ (Silica amorphous)	
9 . , , , ,	
Québec VEMP (OEL TWA) 6 mg/m³ (containing no Asbestos and <1% Crysta	ılline
silica-respirable dust)	
SaskatchewanOEL STEL20 mg/m³ (Silica amorphous)	
Saskatchewan OEL TWA 10 mg/m³ (Silica amorphous)	
Ethylene oxide (75-21-8)	
USA ACGIH ACGIH OEL TWA [ppm] 1 ppm	
USA ACGIH ACGIH chemical category Suspected Human Carcinogen	
USA ACGIH BEI (BLV) Parameter: N-(2-Hydroxyethyl)valine (HEV) hemology	oglobin
adducts - Medium: blood - Sampling time: not cr	itical
(nonspecific)	
Parameter: S-(2-Hydroxyethyl)mercapturic acid (
Medium: urine - Sampling time: end of shift (nor	specific,
population based)	
USA OSHA OSHA PEL (TWA) [2] 1 ppm	
USA OSHA OSHA PEL (STEL) [2] 5 ppm (see 29 CFR 1910.1047)	
USA OSHA OSHA OSHA Action Level/Excursion Limit 0.5 ppm (Action Level, see 29 CFR 1910.1047)	
5 ppm (Excursion Limit, see 29 CFR 1910.1047)	
USA NIOSH NIOSH REL (TWA) 0.18 mg/m³ (less than stated value)	
USA NIOSH NIOSH REL TWA [ppm] 0.1 ppm (less than stated value)	

08/16/2022 EN (English US) 4/18

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

According to rederal negister / voi. 77, to	. 38 / Worlday, Waren 20, 2012 / Rules And Regulations And A	iccording to the nazardous Products Regulation (February 11, 2015).
USA NIOSH	NIOSH REL (Ceiling)	9 mg/m³
USA NIOSH	NIOSH REL C [ppm]	5 ppm
USA IDLH	IDLH [ppm]	800 ppm
Alberta	OEL TWA	1.8 mg/m³
Alberta	OEL TWA [ppm]	1 ppm
British Columbia	OEL STEL [ppm]	1 ppm
British Columbia	OEL TWA [ppm]	0.1 ppm
Manitoba	OEL TWA [ppm]	1 ppm
New Brunswick	OEL TWA	1.8 mg/m³
New Brunswick	OEL TWA [ppm]	1 ppm
Newfoundland & Labrador	OEL TWA [ppm]	1 ppm
Nova Scotia	OEL TWA [ppm]	1 ppm
Nunavut	OEL STEL [ppm]	2 ppm
Nunavut	OEL TWA [ppm]	1 ppm
Northwest Territories	OEL STEL [ppm]	2 ppm
Northwest Territories	OEL TWA [ppm]	1 ppm
Ontario	OEL STEL	18 mg/m³ (designated substances regulation)
Ontario	OEL STEL [ppm]	10 ppm (designated substances regulation)
Ontario	OEL TWA	1.8 mg/m³ (designated substances regulation)
Ontario	OEL TWA [ppm]	1 ppm (designated substances regulation)
		1 ppm (applies to workplaces to which the designated
		substances regulation does not apply)
Prince Edward Island	OEL TWA [ppm]	1 ppm
Québec	VEMP (OEL TWA)	1.8 mg/m³
Québec	VEMP (OEL TWA) [ppm]	1 ppm
Saskatchewan	OEL STEL [ppm]	2 ppm
Saskatchewan	OEL TWA [ppm]	1 ppm
Yukon	OEL STEL	135 mg/m³
Yukon	OEL STEL [ppm]	75 ppm
Yukon	OEL TWA	90 mg/m³
Yukon	OEL TWA [ppm]	50 ppm
Cellulose (9004-34-6)		
USA ACGIH	ACGIH OEL TWA	10 mg/m³
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m³ (total dust)
		5 mg/m³ (respirable fraction)
USA NIOSH	NIOSH REL (TWA)	10 mg/m³ (total dust)
		5 mg/m³ (respirable dust)
Alberta	OEL TWA	10 mg/m³
British Columbia	OEL TWA	10 mg/m³ (total dust)
		3 mg/m³ (respirable fraction)
Manitoba	OEL TWA	10 mg/m³
New Brunswick	OEL TWA	10 mg/m³
Newfoundland & Labrador	OEL TWA	10 mg/m³
Nova Scotia	OEL TWA	10 mg/m³
Nunavut	OEL STEL	20 mg/m ³
Nunavut	OEL TWA	10 mg/m ³
Northwest Territories	OEL STEL	20 mg/m ³
Northwest Territories	OEL TWA	10 mg/m ³
Ontario	OEL TWA	10 mg/m³
Prince Edward Island	OEL TWA	10 mg/m³
Québec	VEMP (OEL TWA)	10 mg/m³ (paper fibres-total dust)
Saskatchewan	OEL STEL	20 mg/m ³

08/16/2022 EN (English US) 5/18

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

	OF TAKE	40 / 3
Saskatchewan	OEL TWA	10 mg/m ³
Yukon	OEL STEL	20 mg/m ³
Yukon	OEL TWA	30 mppcf
		10 mg/m ³
Titanium dioxide (13463-67-	7)	
USA ACGIH	ACGIH OEL TWA	10 mg/m ³
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m³ (total dust)
USA NIOSH	NIOSH REL (TWA)	2.4 mg/m³ (CIB 63-fine)
		0.3 mg/m³ (CIB 63-ultrafine, including engineered
		nanoscale)
USA IDLH	IDLH	5000 mg/m ³
Alberta	OEL TWA	10 mg/m³
British Columbia	OEL TWA	10 mg/m³ (total dust)
		3 mg/m³ (respirable fraction)
Manitoba	OEL TWA	10 mg/m³
New Brunswick	OEL TWA	10 mg/m ³
Newfoundland & Labrador	OEL TWA	10 mg/m ³
Nova Scotia	OEL TWA	10 mg/m ³
Nunavut	OEL STEL	20 mg/m ³
Nunavut	OEL TWA	10 mg/m³
Northwest Territories	OEL STEL	20 mg/m ³
Northwest Territories	OEL TWA	10 mg/m³
Ontario	OEL TWA	10 mg/m ³
Prince Edward Island	OEL TWA	10 mg/m ³
Québec	VEMP (OEL TWA)	10 mg/m³ (containing no Asbestos and <1% Crystalline
		silica-total dust)
Saskatchewan	OEL STEL	20 mg/m ³
Saskatchewan	OEL TWA	10 mg/m³
Yukon	OEL STEL	20 mg/m ³
Yukon	OEL TWA	30 mppcf
		10 mg/m ³
Sucrose (57-50-1)		
USA ACGIH	ACGIH OEL TWA	10 mg/m ³
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m³ (total dust)
		5 mg/m³ (respirable fraction)
USA NIOSH	NIOSH REL (TWA)	10 mg/m³ (total dust)
All .	OSI TWA	5 mg/m³ (respirable dust)
Alberta	OEL TWA	10 mg/m³
British Columbia	OEL TWA	10 mg/m³ (total dust)
8.6	OF TWA	3 mg/m³ (respirable fraction)
Manitoba	OEL TWA	10 mg/m³
New Brunswick	OEL TWA	10 mg/m³
Newfoundland & Labrador	OEL TWA	10 mg/m³
Nova Scotia	OEL TWA	10 mg/m³
Nunavut	OEL STEL	20 mg/m³
Nunavut	OEL TWA	10 mg/m³
Northwest Territories	OEL STEL	20 mg/m³
Northwest Territories	OEL TWA	10 mg/m³
Ontario	OEL TWA	10 mg/m ³
Prince Edward Island	OEL TWA	10 mg/m ³

08/16/2022 EN (English US) 6/18

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

	EMP (OEL TWA)	10 mg/m³
	EL STEL	20 mg/m³
Saskatchewan OE	EL TWA	10 mg/m ³
Yukon OE	EL STEL	20 mg/m ³
Yukon OE	EL TWA	30 mppcf
		10 mg/m³
Polyethylene glycol (25322-68-3	3)	
USA AIHA W	/EEL TWA	10 mg/m³ (molecular weight>200-aerosol)
Carbonic acid, calcium salt (1:1)	(471-34-1)	
USA NIOSH NI	IOSH REL (TWA)	10 mg/m³ (total dust)
	. ,	5 mg/m³ (respirable dust)
Alberta OE	EL TWA	10 mg/m ³
Nunavut OE	EL STEL	20 mg/m³ (Limestone)
	EL TWA	10 mg/m³ (Limestone)
	EL STEL	20 mg/m³ (Limestone)
	EL TWA	10 mg/m³ (Limestone)
Québec VE	EMP (OEL TWA)	10 mg/m³ (total dust)
7	EL STEL	20 mg/m³ (Limestone)
	EL TWA	10 mg/m³ (Limestone)
	EL STEL	20 mg/m³
	EL TWA	30 mppcf
		10 mg/m³
Kaolin (1332-58-7)		- 0
	CGIH OEL TWA	2 mg/m³ (particulate matter containing no asbestos and
Joseph Action	COM OLL TWA	<1% crystalline silica, respirable particulate matter)
USA ACGIH AC	CGIH chemical category	Not Classifiable as a Human Carcinogen
	SHA PEL (TWA) [1]	15 mg/m³ (total dust)
	5	5 mg/m³ (respirable fraction)
USA NIOSH NI	IOSH REL (TWA)	10 mg/m³ (total dust)
	(5 mg/m³ (respirable dust)
Alberta OE	EL TWA	2 mg/m³ (respirable)
	EL TWA	2 mg/m³ (particulate matter containing no Asbestos and
		<1% Crystalline silica-respirable particulate)
Manitoba OE	EL TWA	2 mg/m³ (particulate matter containing no Asbestos and
		<1% Crystalline silica, respirable particulate matter-
		particulate matter, respirable particulate matter)
New Brunswick OE	EL TWA	2 mg/m³ (particulate matter containing no Asbestos and
		<1% Crystalline silica, respirable fraction)
Newfoundland & Labrador OF	EL TWA	2 mg/m³ (particulate matter containing no Asbestos and
		<1% Crystalline silica, respirable particulate matter-
		particulate matter, respirable particulate matter)
Nova Scotia OE	EL TWA	2 mg/m³ (particulate matter containing no Asbestos and
		<1% Crystalline silica, respirable particulate matter-
		particulate matter, respirable particulate matter)
	EL STEL	4 mg/m³ (respirable fraction)
	EL TWA	2 mg/m³ (respirable fraction)
	EL STEL	4 mg/m³ (respirable fraction)
	EL TWA	2 mg/m³ (respirable fraction)
Ontario OE	EL TWA	2 mg/m³ (particulate matter containing no Asbestos and
		<1% Crystalline silica-respirable particulate matter)
1		
Prince Edward Island OF	EL TWA	2 mg/m³ (particulate matter containing no Asbestos and <1% Crystalline silica, respirable particulate matter-

08/16/2022 EN (English US) 7/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

		particulate matter, respirable particulate matter)
Québec	VEMP (OEL TWA)	2 mg/m³ (containing no Asbestos and <1% Crystalline
Quebee	VEIVII (OLL IVVA)	silica-respirable dust)
Saskatchewan	OEL STEL	4 mg/m³ (respirable fraction)
Saskatchewan	OEL TWA	2 mg/m³ (respirable fraction)
Yukon	OEL STEL	20 mg/m ³
Yukon	OEL TWA	30 mppcf
		10 mg/m³
Subtilisin (9014-01-1)		
USA ACGIH	ACGIH OEL Ceiling	0.00006 mg/m³ (Subtilisins)
USA NIOSH	NIOSH REL (STEL)	0.00006 mg/m³ (Subtilisins)
Alberta	OEL C	0.00006 mg/m³
British Columbia	OEL C	0.00006 mg/m³
Manitoba	OEL C	0.00006 mg/m³ (Subtilisins)
New Brunswick	OEL C	0.00006 mg/m³ (proteolytic enzymes)
Newfoundland & Labrador	OEL C	0.00006 mg/m³ (Subtilisins)
Nova Scotia	OEL C	0.00006 mg/m³ (Subtilisins)
Nunavut	OEL C	0.00006 mg/m³
Northwest Territories	OEL C	0.00006 mg/m³
Ontario	OEL C	0.00006 mg/m³
Prince Edward Island	OEL C	0.00006 mg/m³ (Subtilisins)
Québec	Plafond (OEL Ceiling)	0.00006 mg/m³ (Proteolytic enzymes)
Saskatchewan	OEL C	0.00006 mg/m ³
Yukon	OEL C	0.00006 mg/m³ (Proteolytic enzymes)

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings: Wear protective gloves. **Eye Protection:** For occupational/workplace settings: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties Physical State : Solid

Physical State: SolidAppearance: Indigo PowderOdor: Fresh ScentOdor Threshold: No data available

pH : 10.5

Evaporation Rate: No data availableMelting Point: No data availableFreezing Point: No data available

08/16/2022 EN (English US) 8/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Boiling Point No data available **Flash Point** No data available **Auto-ignition Temperature** No data available **Decomposition Temperature** No data available No data available Flammability (solid, gas) **Lower Flammable Limit** No data available **Upper Flammable Limit** No data available **Vapor Pressure** No data available Relative Vapor Density at 20°C No data available **Relative Density** No data available

Specific Gravity : 1

Solubility : Complete in water.

Partition Coefficient: N-Octanol/Water : No data available

Viscosity : No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

Contains hydrogen peroxide which generates oxygen which can ehance the burning rate of fires; and can intiate fire with combustible materials. Hydrogen peroxide releases oxygen which may cause reactions with other materials. Hazardous reactions will not occur under normal conditions.

Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products:

None expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data:

No additional information available **Skin Corrosion/Irritation:** Not classified

pH: 10.5

Eye Damage/Irritation: Causes serious eye damage.

pH: 10.5

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. **Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

08/16/2022 EN (English US) 9/18

Safety Data Sheet
According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

LD50 and LC50 Data:

Sodium percarbonate (15630-89-4)			
LD50 Oral Rat	1034 mg/kg		
LD50 Dermal Rabbit	> 2000 mg/kg		
Alcohols, C12-15, ethoxylated (68131-39-5)			
LD50 Oral Rat	1600 – 2700 mg/kg		
LD50 Dermal Rat	5000 mg/kg		
Ethylene oxide (75-21-8)			
LD50 Oral Rat	72 mg/kg		
LC50 Inhalation Rat	800 ppm/4h		
Cellulose (9004-34-6)	11 7		
LD50 Oral Rat	> 5000 mg/kg		
LD50 Dermal Rabbit	> 2000 mg/kg		
LC50 Inhalation Rat	> 5800 mg/m³ (Exposure time: 4 h)		
Titanium dioxide (13463-67-7)			
LD50 Oral Rat	> 10000 mg/kg		
LC50 Inhalation Rat	5.09 mg/l/4h		
Sucrose (57-50-1)			
LD50 Oral Rat	29700 mg/kg		
Polyethylene glycol (25322-68-3)			
LD50 Oral Rat	22 g/kg		
LD50 Dermal Rabbit	> 20 g/kg		
Carbonic acid, calcium salt (1:1) (471-34-1)			
LD50 Oral Rat	6450 mg/kg		
LD50 Dermal Rat	> 2000 mg/kg		
Kaolin (1332-58-7)			
LD50 Oral Rat	> 5000 mg/kg		
LD50 Dermal Rat	> 5000 mg/kg		
LD50 Dermal Rabbit	> 5000 mg/kg		
Subtilisin (9014-01-1)			
LD50 Oral Rat	1800 mg/kg (Species: Wistar)		
Disodium carbonate (497-19-8)			
LD50 Oral Rat	4090 mg/kg		
LD50 Dermal Rabbit	> 2000 mg/kg		
LC50 Inhalation Rat	2300 mg/m³ (Exposure time: 2 h)		
Alcohols, C10-16, ethoxylated (68002-97-1)			
ATE US/CA (oral)	500.00 mg/kg body weight		
Silica, amorphous, precipitated and gel (112926-00-8)			
IARC Group	3		
Ethylene oxide (75-21-8)			
IARC Group	1		
National Toxicology Program (NTP) Status	Known Human Carcinogens.		
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.		
OSHA Specifically Regulated Carcinogen List	In OSHA Specifically Regulated Carcinogen list.		
Titanium dioxide (13463-67-7)			
IARC Group	2B		
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.		

08/16/2022 EN (English US) 10/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Toxic to aquatic life.

Sodium percarbonate (15630-89-4)		
LC50 Fish 1	70.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	4.9 mg/l (Exposure time: 48 h - Species: Daphnia pulex)	
NOEC Chronic Fish	7.4 mg/l	
NOEC Chronic Crustacea	2 mg/l	
Silica, amorphous, precipitated and gel	(112926-00-8)	
LC50 Fish 1	10000 mg/l	
Ethylene oxide (75-21-8)		
LC50 Fish 1	73 – 96 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	
EC50 - Crustacea [1]	137 – 300 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Subtilisin (9014-01-1)		
LC50 Fish 1	14.6 mg/l	
EC50 - Crustacea [1]	0.306 mg/l	
ErC50 algae	0.513 (0.513 – 1.48) mg/l	
NOEC Chronic Fish	2 mg/l	
NOEC Chronic Crustacea	0.019 mg/l	
Disodium carbonate (497-19-8)		
LC50 Fish 1	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 - Crustacea [1]	265 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 Fish 2	310 – 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	

Persistence and Degradability

OxiClean™ Dark Protect™ Powder Laundry Booster (NA GHS 2015)	
Persistence and Degradability	Not established.

Bioaccumulative Potential

OxiClean™ Dark Protect™ Powder Laundry Booster (NA GHS 2015)		
Bioaccumulative Potential	Not established.	
Sodium percarbonate (15630-89-4)		
BCF Fish 1	(no bioaccumulation)	
Ethylene oxide (75-21-8)		
Log POW	-0.3 (at 25 °C)	
Carbonic acid, calcium salt (1:1) (471-34-1)		
BCF Fish 1	(no bioaccumulation)	
Disodium carbonate (497-19-8)		
BCF Fish 1	(no bioaccumulation)	

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

08/16/2022 EN (English US) 11/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

In Accordance with DOT

Not regulated for transport

In Accordance with IMDG

Not regulated for transport

In Accordance with IATA

Not regulated for transport

In Accordance with TDG

Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

OxiClean™ Dark Protect™ Powder Laundry Booster (NA GHS 2015)

SARA Section 311/312 Hazard Classes Health hazard - Serious eye damage or eye irritation

Sodium percarbonate (15630-89-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

Silica, amorphous, precipitated and gel (112926-00-8)

Listed on the Canadian DSL (Domestic Substances List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

Alcohols, C12-15, ethoxylated (68131-39-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EU NLP (No Longer Polymers) inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

08/16/2022 EN (English US) 12/18

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the	
	Chemical Data Reporting Rule, (40 CFR 711).	
Ethylene oxide (75-21-8)		
Listed on the United States TSCA (Toxic Substances Control Act	t) inventory - Status: Active	
Listed on the Canadian DSL (Domestic Substances List)		
Listed on IARC (International Agency for Research on Cancer)		
Listed on the EEC inventory EINECS (European Inventory of Exis	sting Commercial Chemical Substances)	
Listed on the Canadian IDL (Ingredient Disclosure List)		
Listed as carcinogen on NTP (National Toxicology Program)		
Listed on the United States SARA Section 302		
Subject to reporting requirements of United States SARA Section	on 313	
Listed on EPA Hazardous Air Pollutant (HAPS)		
Listed introduction on Australian Industrial Chemicals Introduc	tion Scheme (AICIS Inventory)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemicals	•	
Listed on the Japanese ENCS (Existing & New Chemical Substar	nces) inventory	
Listed on KECL/KECI (Korean Existing Chemicals Inventory)		
Listed on IECSC (Inventory of Existing Chemical Substances Pro	duced or Imported in China)	
Japanese Poisonous and Deleterious Substances Control Law		
Japanese Pollutant Release and Transfer Register Law (PRTR La	aw)	
Listed on NZIoC (New Zealand Inventory of Chemicals)		
Listed on the Japanese ISHL (Industrial Safety and Health Law)		
Listed on INSQ (Mexican National Inventory of Chemical Substa	ances)	
Listed on the TCSI (Taiwan Chemical Substance Inventory)		
Listed on the NCI (Vietnam - National Chemicals Inventory)		
CERCLA RQ	10 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb	
SARA Section 313 - Emission Reporting	0.1 %	
Cellulose (9004-34-6)		
Listed on the United States TSCA (Toxic Substances Control Act	t) inventory - Status: Active	
Listed on the Canadian DSL (Domestic Substances List)		
Listed on the EEC inventory EINECS (European Inventory of Exis	= :	
Listed introduction on Australian Industrial Chemicals Introduc	, , , , , , , , , , , , , , , , , , , ,	
Listed on PICCS (Philippines Inventory of Chemicals and Ch	cal Substances)	
Listed on KECL/KECI (Korean Existing Chemicals Inventory)		
Listed on IECSC (Inventory of Existing Chemical Substances Pro	aucea or imported in China)	
Listed on NZIoC (New Zealand Inventory of Chemicals)		
Listed on the Japanese ISHL (Industrial Safety and Health Law)		
Listed on INSQ (Mexican National Inventory of Chemical Substa	ances)	
Listed on the TCSI (Taiwan Chemical Substance Inventory)		
Listed on the NCL (Vietname, Netional Clausical Lucy, 1		
	MIL MIL to disease a substance of the control of th	
Listed on the NCI (Vietnam - National Chemicals Inventory) EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).	

Titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

08/16/2022 EN (English US) 13/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

Sucrose (57-50-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

Polyethylene glycol (25322-68-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EU NLP (No Longer Polymers) inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Carbonic acid, calcium salt (1:1) (471-34-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

Kaolin (1332-58-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

08/16/2022 EN (English US) 14/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

Subtilisin (9014-01-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the

Chemical Data Reporting Rule, (40 CFR 711).

Disodium carbonate (497-19-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

Alcohols, C10-16, ethoxylated (68002-97-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EU NLP (No Longer Polymers) inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Alcohols, C12-16, ethoxylated (68551-12-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on the EU NLP (No Longer Polymers) inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

08/16/2022 EN (English US) 15/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemicals Inventory)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

US State Regulations

Silica, amorphous, precipitated and gel (112926-00-8)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Ethylene oxide (75-21-8)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

Cellulose (9004-34-6)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Titanium dioxide (13463-67-7)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Sucrose (57-50-1)

- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Kaolin (1332-58-7)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Massachusetts Right To Know List

Canadian Regulations

Sodium percarbonate (15630-89-4)

Listed on the Canadian DSL (Domestic Substances List)

Silica, amorphous, precipitated and gel (112926-00-8)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-15, ethoxylated (68131-39-5)

Listed on the Canadian DSL (Domestic Substances List)

Ethylene oxide (75-21-8)

Listed on the Canadian DSL (Domestic Substances List)

Cellulose (9004-34-6)

Listed on the Canadian DSL (Domestic Substances List)

Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

08/16/2022 EN (English US) 16/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on the Canadian DSL (Domestic Substances List)

Polyethylene glycol (25322-68-3)

Listed on the Canadian DSL (Domestic Substances List)

Carbonic acid, calcium salt (1:1) (471-34-1)

Listed on the Canadian DSL (Domestic Substances List)

Kaolin (1332-58-7)

Listed on the Canadian DSL (Domestic Substances List)

Disodium carbonate (497-19-8)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C10-16, ethoxylated (68002-97-1)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-16, ethoxylated (68551-12-2)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision Other Information

- : 08/16/2022
- : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

GHS Full Text Phrases:

H220	Extremely flammable gas
H272	May intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated
H301	Toxic if swallowed
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H334	May cause an allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H340	May cause genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

08/16/2022 EN (English US) 17/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

Church&Dwight NA GHS SDS 2015

08/16/2022 EN (English US) 18/18