

Nair™ Nourish Shower Power™ Cream - (EU GHS - EN)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision Date: 26/06/2022 Date of issue: 21/11/2019 Supersedes Date: 28/06/2021

/06/2021 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product Name : Nair™ Nourish Shower Power™ Cream - (EU GHS - EN)

Product code : 300580

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Depilatory cream

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company

Church & Dwight UK Wear Bay Road, CT19 6PG

Folkestone, Kent – United Kingdom

+ 44 0800 121 6080 (Mon - Friday 9am - 4:30pm)

www.churchdwight.com

consumer.relationsUK@churchdwight.com

1.4. Emergency telephone number

Emergency number :For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)

For Chemical Emergency: ChemTel LLC (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315
Eye Dam. 1 H318
Skin Sens. 1 H317
Full text of hazard classes and H-statements : see section 16

2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





Signal word (CLP) : Danger

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

Precautionary statements (CLP) : P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor. P321 - Specific treatment (see section 4 on this SDS).

26/06/2022 EN (English) 1/11

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Other hazards not contributing to the classification

: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
White mineral oil, petroleum substance with national workplace exposure limit(s) (CH, DE, LV)	(CAS-No.) 8042-47-5 (EC-No.) 232-455-8;265- 148-2	1 - 10	Asp. Tox. 1, H304
Acetic acid, mercapto-, calcium salt (1:1), trihydrate	(CAS-No.) 65208-41-5 (EC-No.) 613-757-2	1 - 10	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335
Calcium hydroxide	(CAS-No.) 1305-62-0 (EC-No.) 215-137-3	1-5	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
Alcohols, C16-18, ethoxylated	(CAS-No.) 68439-49-6 (EC-No.) 500-212-8;939- 518-5	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400
Sodium hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002- 00-6	< 2	Skin Corr. 1A, H314
Silica, amorphous	(CAS-No.) 7631-86-9 (EC-No.) 231-545-4	<1	Not classified
2,6-Di-tert-butyl-p-cresol	(CAS-No.) 128-37-0 (EC-No.) 204-881-4	0,005 - 0,025	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Sodium hydroxide	(CAS-No.) 1310-73-2	(0,5 = <c 2)="" 2,="" <="" h315<="" irrit.="" skin="" td=""></c>
	(EC-No.) 215-185-5	(0,5 = <c 2)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>
	(EC Index-No.) 011-002-	(2 = <c 1b,<="" 5)="" <="" corr.="" skin="" td=""></c>
	00-6	H314
		(5 = <c 100)="" 1a,<="" <="" corr.="" skin="" td=""></c>
		H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

First-aid measures after inhalation : When symptoms occur: go into open air and ventilate suspected area. Obtain

medical attention if breathing difficulty persists.

First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 15

minutes. Obtain medical attention if irritation develops or persists.

26/06/2022 EN (English) 2/11

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after eye contact : Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes skin irritation. Causes serious eye damage. Skin sensitisation.

Symptoms/effects after inhalation : Prolonged exposure may cause irritation.

Symptoms/effects after skin contact : Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an

allergic skin reaction.

Symptoms/effects after eye contact : Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/effects after ingestion : Ingestion may cause adverse effects.

Chronic symptoms : None expected under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, dry chemical, foam, carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not considered flammable but may burn at high temperatures.

Explosion hazard : Product is not explosive.

Reactivity : Hazardous reactions will not occur under normal conditions.

Hazardous decomposition products in

case of fire

: Carbon oxides (CO, CO₂). Sulphur oxides. Calcium oxides. Sodium oxides.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protective equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into

sewers or streams.

Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

EN (English)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

26/06/2022

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray.

3/11

Do not get in eyes, on skin, or on clothing.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage conditions

: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

: Strong acids. Strong oxidizers. Metals.

7.3. Specific end use(s)

Incompatible materials

Depilatory cream

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Calcium hydroxide (1305-6	(2-0)	_
EU	IOELV TWA (mg/m³)	1 mg/m³ (respirable fraction)
EU	IOELV STEL (mg/m³)	4 mg/m³ (respirable fraction)
Austria	MAK (mg/m³)	1 mg/m³ (inhalable fraction)
Austria	MAK Short time value (mg/m³)	4 mg/m³ (inhalable fraction)
Belgium	Limit value (mg/m³)	1 mg/m³ (alveolar fraction)
Belgium	Short time value (mg/m³)	4 mg/m³
Bulgaria	OEL TWA (mg/m³)	1 mg/m³ (respirable fraction)
Bulgaria	OEL STEL (mg/m³)	4 mg/m³ (respirable fraction)
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	1 mg/m³ (respirable dust)
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	4 mg/m³ (respirable dust)
Cyprus	OEL TWA (mg/m³)	1 mg/m³ (respirable fraction)
Cyprus	OEL STEL (mg/m³)	4 mg/m³ (respirable fraction)
France	VME (mg/m³)	5 mg/m ³
Germany	Occupational exposure limit value (mg/m³)	1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)
Gibraltar	Eight hours mg/m3	1 mg/m³ (respirable fraction)
Gibraltar	Short-term mg/m3	4 mg/m³ (respirable fraction)
Greece	OEL TWA (mg/m³)	1 mg/m³ (respirable fraction)
Greece	OEL STEL (mg/m³)	4 mg/m³ (respirable fraction)
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³
Latvia	OEL TWA (mg/m³)	1 mg/m³ (respirable fraction)
Spain	VLA-ED (mg/m³)	1 mg/m³ (respirable fraction)
Spain	VLA-EC (mg/m³)	4 mg/m³ (respirable fraction)
Switzerland	MAK (mg/m³)	5 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m³)	1 mg/m³ (respirable dust)
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	4 mg/m³ (respirable dust)
United Kingdom	WEL TWA (mg/m³)	1 mg/m³ (respirable fraction) 5 mg/m³
United Kingdom	WEL STEL (mg/m³)	4 mg/m³ (respirable fraction) 15 mg/m³ (calculated)
Czech Republic	Expoziční limity (PEL) (mg/m³)	1 mg/m³ (respirable fraction of aerosol)
 Denmark	Grænseværdie (langvarig) (mg/m³)	1 mg/m³ (respirable fraction)
Estonia	OEL TWA (mg/m³)	1 mg/m³
Estonia	OEL STEL (mg/m³)	4 mg/m³
Finland	HTP-arvo (8h) (mg/m³)	1 mg/m³
Finland	HTP-arvo (15 min)	4 mg/m ³
Hungary	AK-érték	1 mg/m³ (respirable dust)
Hungary	CK-érték	4 mg/m³

26/06/2022 EN (English) 4/11

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Calcium hydroxide (1305-62	2-0)	
Ireland	OEL (8 hours ref) (mg/m³)	1 mg/m³ (respirable dust)
Ireland	OEL (15 min ref) (mg/m3)	4 mg/m³ (respirable dust)
Lithuania	IPRV (mg/m³)	1 mg/m³ (respirable fraction)
Lithuania	TPRV (mg/m³)	4 mg/m³ (respirable fraction)
Lithuania	OEL chemical category (LT)	Skin notation respirable fraction
Luxembourg	OEL TWA (mg/m³)	1 mg/m³ (inhalable fraction)
Malta	OEL TWA (mg/m³)	1 mg/m³ (respirable fraction)
Malta	OEL STEL (mg/m³)	4 mg/m³ (respirable fraction)
Norway	Grenseverdier (AN) (mg/m³)	1 mg/m³ (respirable dust)
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	2 mg/m³ (value calculated-respirable dust)
Poland	NDS (mg/m³)	2 mg/m³ (inhalable fraction)
		1 mg/m³ (respirable fraction)
Poland	NDSCh (mg/m³)	4 mg/m³ (respirable fraction) 6 mg/m³ (inhalable fraction)
Romania	OEL TWA (mg/m³)	1 mg/m³ (for gaseous or vapor phase chemicals,
Nomumu	ozz (w/ (mg/m /	the limit value is expressed at 20°C and 101.3
Romania	OEL STEL (mg/m³)	kPa-respirable fraction) 4 mg/m³ (for gaseous or vapor phase chemicals)
NOITIATIIA	OEL STEL (IIIg/III)	the limit value is expressed at 20°C and 101.3
		kPa-respirable fraction)
Slovakia	NPHV (priemerná) (mg/m³)	5 mg/m³ (respirable fraction)
Slovenia	OEL TWA (mg/m³)	1 mg/m³ (respirable fraction)
Slovenia	OEL STEL (mg/m³)	4 mg/m³ (respirable fraction)
Sweden	nivågränsvärde (NVG) (mg/m³)	1 mg/m³ (respirable fraction)
Sweden	kortidsvärde (KTV) (mg/m³)	4 mg/m³ (respirable fraction)
Portugal	OEL TWA (mg/m³)	5 mg/m³ (indicative limit value)
Sodium hydroxide (1310-73	-2)	
Austria	MAK (mg/m³)	2 mg/m³ (inhalable fraction)
Austria	MAK Short time value (mg/m³)	4 mg/m³ (inhalable fraction)
Bulgaria	OEL TWA (mg/m³)	2 mg/m³ (alkaline aerosols)
Croatia	KGVI (kratkotrajna granična vrijednost	,
	izloženosti) (mg/m³)	2 mg/m ³
France	VME (mg/m³)	2 mg/m³
Greece	OEL TWA (mg/m³)	2 mg/m³
Greece	OEL STEL (mg/m³)	2 mg/m³
USA ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³
Latvia	OEL TWA (mg/m³)	0,5 mg/m ³
Spain	VLA-EC (mg/m³)	2 mg/m³
Switzerland	KZGW (mg/m³)	2 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	2 mg/m³ (inhalable dust)
United Kingdom	WEL STEL (mg/m³)	2 mg/m³
Czech Republic	Expoziční limity (PEL) (mg/m³)	1 mg/m³
Denmark	Grænseværdie (ceiling) (mg/m³)	2 mg/m³
Estonia	OEL TWA (mg/m³)	1 mg/m³
Estonia	OEL TWA (IIIg/III) OEL STEL (mg/m³)	2 mg/m³
LJUING		
	OFI Cailing (mg/m³)	1.2 mg/m ³
Finland Hungary	OEL Ceiling (mg/m³) AK-érték	2 mg/m ³ 2 mg/m ³

26/06/2022 EN (English) 5/11

Safety Data Sheet
According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Sodium hydroxide (1310-73-2)		
Ireland	OEL (15 min ref) (mg/m3)	2 mg/m³
Lithuania	NRV (mg/m³)	2 mg/m³
Norway	Grenseverdier (Takverdi) (mg/m³)	2 mg/m³
Poland	NDS (mg/m³)	0,5 mg/m³
Poland	NDSCh (mg/m³)	1 mg/m³
Slovakia	NPHV (priemerná) (mg/m³)	2 mg/m³
Sweden	nivågränsvärde (NVG) (mg/m³)	1 mg/m³ (inhalable fraction)
Sweden	kortidsvärde (KTV) (mg/m³)	2 mg/m³ (inhalable fraction)
Portugal	OEL - Ceilings (mg/m³)	2 mg/m³
2,6-Di-tert-butyl-p-cresol (128-37-0		
Austria	MAK (mg/m³)	10 mg/m³
Belgium	Limit value (mg/m³)	2 mg/m³ (aerosol and vapor)
Bulgaria	OEL TWA (mg/m³)	10 mg/m³
Bulgaria	OEL STEL (mg/m³)	50 mg/m ³
Croatia	GVI (granična vrijednost izloženosti)	
	(mg/m³)	10 mg/m ³
France	VME (mg/m³)	10 mg/m³
Germany	Occupational exposure limit value	10 mg/m³ (the risk of damage to the embryo or
	(mg/m³)	fetus can be excluded when AGW and BGW
		values are observed-inhalable fraction)
Greece	OEL TWA (mg/m³)	10 mg/m ³
USA ACGIH	ACGIH TWA (mg/m³)	2 mg/m³ (inhalable fraction and vapor)
Spain	VLA-ED (mg/m³)	10 mg/m ³
Switzerland	KZGW (mg/m³)	40 mg/m³ (aerosol, inhalable dust, vapour)
Switzerland	MAK (mg/m³)	10 mg/m³ (aerosol, inhalable dust, vapour)
Switzerland	OEL chemical category (CH)	Category C1B carcinogen
United Kingdom	WEL TWA (mg/m³)	10 mg/m ³
United Kingdom	WEL STEL (mg/m³)	30 mg/m³ (calculated)
Denmark	Grænseværdie (langvarig) (mg/m³)	10 mg/m ³
Finland	HTP-arvo (8h) (mg/m³)	10 mg/m ³
Finland	HTP-arvo (15 min)	20 mg/m³
Ireland	OEL (8 hours ref) (mg/m³)	2 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	6 mg/m³ (calculated)
Portugal	OEL TWA (mg/m³)	2 mg/m³ (inhalable fraction, aerosol and vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen
Silica, amorphous (7631-86-9)		
Austria	MAK (mg/m³)	4 mg/m³ (also Silica manufactured through wet process-inhalable fraction)
Germany	Occupational exposure limit value (mg/m³)	4 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)
Latvia	OEL TWA (mg/m³)	1 mg/m³
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,075 mg/m³ (respirable dust of Quartz, Cristobalite and Tridymite-respirable dust)
United Kingdom	WEL TWA (mg/m³)	6 mg/m³ (inhalable dust) 2,4 mg/m³ (respirable dust)
United Kingdom	WEL STEL (mg/m³)	18 mg/m³ (calculated-inhalable dust) 7,2 mg/m³ (calculated-respirable dust)

26/06/2022 EN (English) 6/11

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Silica, amorphous (7631-8	36-9)	
Czech Republic	Expoziční limity (PEL) (mg/m³)	0,1 mg/m³ (respirable fraction) 4 mg/m³
Estonia	OEL TWA (mg/m³)	2 mg/m³ (respirable dust)
Estonia	OEL chemical category (ET)	Carcinogenic substance respirable dusts
Finland	HTP-arvo (8h) (mg/m³)	5 mg/m³ (Silicon dioxide, amorphous)
Ireland	OEL (8 hours ref) (mg/m³)	6 mg/m³ (total inhalable dust) 2,4 mg/m³ (respirable dust)
Ireland	OEL (15 min ref) (mg/m3)	18 mg/m³ (calculated-respirable dust) 7,2 mg/m³ (calculated-respirable dust)
Norway	Grenseverdier (AN) (mg/m³)	1,5 mg/m³ (respirable dust)
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	3 mg/m³ (value calculated-respirable dust)
Slovenia	OEL TWA (mg/m³)	4 mg/m³ (inhalable fraction, gel)
White mineral oil, petrole	eum (8042-47-5)	
Germany	Occupational exposure limit value (mg/m³)	5 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-respirable fraction)
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ (mist)
Latvia	OEL TWA (mg/m³)	5 mg/m ³
Switzerland	MAK (mg/m³)	5 mg/m³ (inhalable dust)

8.2. Exposure controls

Appropriate engineering controls

: For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal protective equipment

: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles.







Materials for protective clothing

Hand protection Eye protection

Other information

Skin and body protection

Respiratory protection

: For occupational/workplace settings: Chemically resistant materials and fabrics.

: For occupational/workplace settings: Wear protective gloves.: For occupational/workplace settings: Chemical safety goggles.

To occupational, workplace settings, electrical safety goggless.

: For occupational/workplace settings: Wear suitable protective clothing.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : White

Odour : Fragranced product
Odour threshold : No data available
pH : 12,1 - 12,7

Evaporation rate : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available

26/06/2022 EN (English) 7/11

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : 1,01 - 1,055 (water = 1) : No data available Solubility Partition coefficient: n-octanol/water : No data available Viscosity : > 70000 cP **Explosive properties** : No data available Oxidising properties : No data available **Explosive limits** : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible materials

Strong acids. Strong oxidizers. Metals.

10.6. Hazardous decomposition products

None expected under normal conditions of use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met.)

ricate tomorty	. Hot diassined (Based on available data) the diassination officing are not met.	
Acetic acid, mercapto-, calcium salt (1:1), trihydrate (65208-41-5)		
ATE CLP (oral)	500,00 mg/kg bodyweight	
Calcium hydroxide (1305-62-0)		
LD50 oral rat	7340 mg/kg	
Sodium hydroxide (1310-73-2)		
LD50 oral rat	325 mg/kg	
2,6-Di-tert-butyl-p-cresol (128-37-0)		
LD50 oral rat	> 2930 mg/kg (Species: Sprague-Dawley)	
LD50 dermal rat	> 2000 mg/kg	
Alcohols, C16-18, ethoxylated (68439-49-6)		
LD50 oral rat	1260 mg/kg	
Silica, amorphous (7631-86-9)		
LD50 oral rat	7900 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
White mineral oil, petroleum (8042-47-5)		
LD50 oral rat	> 5000 mg/kg	

Skin corrosion/irritation : Causes skin irritation.

pH: 12,1 - 12,7

Serious eye damage/irritation : Causes serious eye damage.

pH: 12,1 - 12,7

Respiratory or skin sensitisation : May cause an allergic skin reaction.

26/06/2022 EN (English) 8/11

Safety Data Sheet

. According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ccording to Regulation (EC) No. 1907/2006 (REACH) with its a	menament Ke	Rangini (En) 2012/020
Germ cell mutagenicity		: Not classified (Based on available data, the classification criteria are not met.)
Carcinogenicity		: Not classified (Based on available data, the classification criteria are not met.)
2,6-Di-tert-butyl-p-cresol (128-37-0)		
IARC group	3	
Silica, amorphous (7631-86-9)		
IARC group	3	
Reproductive toxicity	·	: Not classified (Based on available data, the classification criteria are not met.)
STOT-single exposure		: Not classified (Based on available data, the classification criteria are not met.)
STOT-repeated exposure		: Not classified (Based on available data, the classification criteria are not met.)
Aspiration hazard		: Not classified (Based on available data, the classification criteria are not met.)
Symptoms/Injuries After Inhalation		: Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact		: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction.
Symptoms/Injuries After Eye Contact		: Causes permanent damage to the cornea, iris, or conjunctiva.

SECTION 12: Ecological information

Symptoms/Injuries After Ingestion

12.1. Toxicity

Chronic Symptoms

Ecology - general : Not classified.

Sodium hydroxide (1310-73-2)	
LC50 fish 1	45,4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	40 mg/l
2,6-Di-tert-butyl-p-cresol (128-37-0)	
EC50 Daphnia 1	0,48 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 2	0,43 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
NOEC chronic fish	0,053 mg/l
NOEC chronic crustacea	0,069 mg/l (Species: Daphnia magna)
Silica, amorphous (7631-86-9)	
LC50 fish 1	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)
White mineral oil, petroleum (8042-4	7-5)
LC50 fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)

: Ingestion may cause adverse effects.

: None expected under normal conditions of use.

12.2. Persistence and degradability

Nair™ Nourish Shower Power™ Cream		
Persistence and degradability	Not established.	

12.3. Bioaccumulative potential

	•	
Nair™ Nourish Shower Power™ Cro	am	
Bioaccumulative potential	Not established.	
Calcium hydroxide (1305-62-0)		
BCF fish 1	(no bioaccumulation)	
2,6-Di-tert-butyl-p-cresol (128-37-0)		
BCF fish 1	230 - 2500	
Log POW	4,17	

26/06/2022 EN (English) 9/11

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Silica, amorphous (7631-86-9)		
BCF fish 1	(no bioaccumulation expected)	
White mineral oil, petroleum (8042-47-5)		
Log POW	> 6	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, recommendations territorial, provincial, and international regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	IATA	ADN	RID	
14.1. UN	N number					
Not regulat	ed for transp	ort				
14.2. UN proper shipping name						
Not applica	ble	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)						
Not applica	ble	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group						
Not applica	ble	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards						
Dangerous	for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	
environme	nt : No	environment : No	environment : No	environment : No	environment : No	
		Marine pollutant : No				

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Calcium h	vdroxide ((1305-62-0)
Calciulii	IVUIUNIUE	1303-02-01

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium hydroxide (1310-73-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

26/06/2022 EN (English) 10/11

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2,6-Di-tert-butyl-p-cresol (128-37-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Silica, amorphous (7631-86-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

White mineral oil, petroleum (8042-47-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Date of Preparation or Latest Revision :

: 26/06/2022

Data sources

: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2015/830

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Indication of Changes

Section Change Date Changed Version
1 Modified product name and emergency telephone number 26/06/2022 1.2

Church&Dwight EU GHS SDS

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

26/06/2022 EN (English) 11/11