

# **SAFETY DATA SHEET**

**United States** 

Section 1. Identification

**Product name** 

Ni<sup>2+</sup> solution; part of 'NTA Reagent Kit'

**Catalogue Number** 

28995043

Other means of identification

Liquid.

Not available. Product type

# Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Analytical chemistry. Laboratory chemicals

Scientific research and development

Consumer use

Supplier Cytiva

Amersham Place Little Chalfont Buckinghamshire

HP7 9NA United Kingdom +44 1494 508000

Cvtiva USA 100 Results Way Marlborough, MA 01752

1-800-526-3593

In case of emergency

INFOTRAC - 24 Hour number: 1-800-535-5053

Outside of the United States, call 24 Hour number: 001-352-323-3500 (Call Collect)

# Section 2. Hazards identification

**OSHA/HCS** status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR

1910.1200).

Classification of the substance

or mixture

SKIN SENSITIZATION - Category 1

# **GHS label elements**

**Hazard pictograms** 



Signal word

**Hazard statements** May cause an allergic skin reaction.

**Precautionary statements** 

Prevention Wear protective gloves. Avoid breathing vapor. Contaminated work clothing must not be allowed

out of the workplace.

Response IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or

attention. Take off contaminated clothing and wash it before reuse.

Storage Not applicable.

Disposal Dispose of contents and container in accordance with all local, regional, national and international

regulations. None known.

Hazards not otherwise

classified

Hazards identified when used

No known significant effects or critical hazards.

# Section 3. Composition/information on ingredients

Substance/mixture Mixture
Other means of identification Not available.

Ingredient nameSynonyms%IdentifiersNickel chloride (NiCl2), hexahydrateNickel dichloride, hexahydrate; Nickel ≤0.1CAS: 7791-20-0

(II) chloride, hexahydrate; nickel(II) chloride hexahydrate; Nickel(II) chloride, hexahydrate (1:2:6); NICKEL CHLORIDE HEXAHYDRATE; Nickel chloride,

hexahydrate; Nickel chloride, hexahydrate; Nickel chloride hexahydrate (NiCl2.6H2O); Nickel chloride (NiCl2), hexahydrate; Nickel

(II)chloride; Nickel dichloride

hexahydrate

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

## **Description of necessary first aid measures**

**Eye contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check

for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention

if irritation occurs

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing,

if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen

tight clothing such as a collar, tie, belt or waistband.

Skin contact Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash

contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid

further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion**Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person

exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband.

# Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact**No known significant effects or critical hazards. **Inhalation**No known significant effects or critical hazards.

**Skin contact** May cause an allergic skin reaction.

**Ingestion** No known significant effects or critical hazards.

### Over-exposure signs/symptoms

**Eye contact** No specific data. **Inhalation** No specific data.

**Skin contact** Adverse symptoms may include the following:

irritation redness

**Ingestion** No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have

been ingested or inhaled.

**Specific treatments** No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. It may be

dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated

clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Article Number: 28995043-1 Page: 2/9

# Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products No specific data.

Special protective actions for

fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without suitable training

Special protective equipment

**Environmental precautions** 

for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective

For emergency responders If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

#### Methods and materials for containment and cleaning up

Small spill Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in

an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent

treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

# Section 7. Handling and storage

# Precautions for safe handling

**Protective measures** Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin

sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also

Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits

Ingredient name

**Exposure limits** 

Nickel chloride (NiCl2), hexahydrate

NIOSH REL (United States, 10/2020) [nickel metal and other compounds] NIA.

TWA 10 hours: 0.015 mg/m3 (as Ni)

CAL OSHA PEL (United States, 1/2025) [nickel,

soluble compounds]

TWA 8 hours: 0.05 mg/m³ (as Ni).

OSHA PEL (United States, 5/2018) [Nickel,

soluble compounds]

TWA 8 hours: 1 mg/m³ (as Ni).

OSHA PEL 1989 (United States, 3/1989) [Nickel,

soluble compounds (as Ni)]

TWA 8 hours: 0.1 mg/m³ (as Ni). Form: Soluble. ACGIH TLV (United States, 1/2024) [Nickel, soluble inorganic compounds] A4.

TWA 8 hours: 0.1 mg/m³ (as Ni). Form: Inhalable

fraction

#### **Biological exposure indices**

Ingredient name

Nickel chloride (NiCl2), hexahydrate

**Exposure indices** 

ACGIH BEI (United States, 1/2024) [nickel and inorganic compounds]

BEI: 30 µg/l, nickel [in urine after exposure to soluble compounds]. Sampling time: post-shift at end of workweek

BEI: 5 µg/l, nickel [in urine after exposure to elemental nickel and poorly soluble compounds]. Sampling time: post-shift at end of workweek.

Appropriate engineering

controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection measures** 

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. Color Colorless. Odor Odorless. Odor threshold Not available

рΗ 6 to 8 [Conc. (% w/w): 100%]

Melting point/freezing point Boiling point or initial boiling point and boiling range

0°C (32°F) 100°C (212°F)

Flash point Not applicable.

28995043-1 Article Number:

Page: 4/9

**Burning time** Not applicable. **Burning rate** Not applicable. Not available. **Evaporation rate** Not available. **Flammability** Not available. Lower and upper explosive

(flammable) limits

Vapor pressure Not available.

> Vapor Pressure at 20°C Vapor pressure at 50°C

Ingredient name kPa Method kPa Method mm Ha mm Hg

water 17.5 23

Relative vapor density Relative density

Not available. Not available

Solubility(ies)

Media Result cold water Easily soluble

Solubility in water Partition coefficient: n-octanol/

Not available. Not applicable.

water

Auto-ignition temperature Not available. **Decomposition temperature** Not available.

SADT Not available. Dynamic (room temperature): Not available. **Viscosity** 

Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not available.

Flow time (ISO 2431) Not available.

Particle characteristics

Median particle size Not applicable.

# Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials

Hazardous decomposition

No specific data. Under normal conditions of storage and use, hazardous decomposition products should not be

products

produced.

# Section 11. Toxicological information

### Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name Nickel chloride (NiCl2), hexahydrate

Result Rat - Oral - LD50

105 mg/kg

Toxic effects: Olfaction - Other changes Behavioral - Somnolence (general depressed activity) Gastrointestinal - Hypermotility, diarrhea

Conclusion/Summary

[Product]

Not available.

# Skin corrosion/irritation

Not available.

Conclusion/Summary

[Product]

Not available.

#### Serious eye damage/eye irritation

Not available.

Conclusion/Summary

[Product]

Not available.

28995043-1 Article Number:



# Respiratory corrosion/irritation

Not available.

Conclusion/Summary

[Product]

Not available.

### Respiratory or skin sensitization

Not available.

Skin

Conclusion/Summary

[Product]

Not available.

Respiratory

Conclusion/Summary

[Product]

Not available.

Germ cell mutagenicity

Not available.

Conclusion/Summary

[Product]

Not available.

Carcinogenicity

Not available.

Conclusion/Summary

[Product]

Not available.

Classification

Product/ingredient name

Nickel chloride (NiCl2),

hexahydrate

OSHA IARC NTP

(NiCl2), - 1 Known to be a human carcinogen.

Reproductive toxicity

Not available.

Conclusion/Summary

[Product]

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Product/ingredient name
Nickel chloride (NiCl2), hexahydrate

Result

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) -

Category 1

**Aspiration hazard** 

Not available.

Information on the likely routes

of exposure

Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

Potential acute health effects

**Eye contact**No known significant effects or critical hazards. **Inhalation**No known significant effects or critical hazards.

**Skin contact** May cause an allergic skin reaction.

Article Number: 28995043-1

Page: 6/9

**Ingestion** No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contactNo specific data.InhalationNo specific data.

**Skin contact** Adverse symptoms may include the following:

irritation

redness

**Ingestion** No specific data.

# Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

Long term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

### Potential chronic health effects

Not available.

Conclusion/Summary

[Product]

Not available.

**General** Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.Reproductive toxicityNo known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
Nickel chloride (NiCl2), hexahydrate	105	N/A	N/A	3	Ń/A

# Section 12. Ecological information

#### **Toxicity**

Not available.

Conclusion/Summary

[Product]

Not available.

# Persistence and degradability

Not available.

# **Bioaccumulative potential**

Not available.

Mobility in soil

Soil/Water partition coefficient Not available.

Other adverse effects No known significant effects or critical hazards.

Page: 7/9

# Section 13. Disposal considerations

#### Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

Product is not regulated as dangerous goods for transport.

# Section 15. Regulatory information

U.S. Federal regulations TSCA 8(a) CDR Exempt/Partial exemption: Not determined

> Clean Water Act (CWA) 307: Nickel chloride (NiCl2), hexahydrate Clean Water Act (CWA) 311: Nickel chloride (NiCl2), hexahydrate

> > Listed

### TSCA 12(b) - Chemical export notification

Not applicable.

Clean Air Act Section 112(b) Hazardous Air Pollutants

(HAPs)

Clean Air Act Section 602 Class I Substances Not listed Clean Air Act Section 602 Class II Substances Not listed Not listed **DEA List I Chemicals (Precursor Chemicals)** Not listed **DEA List II Chemicals (Essential Chemicals)** 

SARA 302/304

#### Composition/information on ingredients

No products were found.

SARA 304 RQ Not applicable.

**SARA 311/312** 

SKIN SENSITIZATION - Category 1 Classification

# Composition/information on ingredients

Name % Classification

Nickel chloride (NiCl2), hexahydrate < 0.1 ACUTE TOXICITY (oral) - Category 3

ACUTE TOXICITY (inhalation) - Category 3

SKIN IRRITATION - Category 2

RESPIRATORY SENSITIZATION - Category 1

SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2 CARCINOGENICITY - Category 1A
TOXIC TO REPRODUCTION - Category 1B

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) -

Category 1

### State regulations

Massachusetts None of the components are listed. **New York** None of the components are listed. **New Jersey** None of the components are listed. Pennsylvania None of the components are listed.

#### California Prop. 65

WARNING: This product can expose you to Nickel compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name No significant risk Maximum acceptable level dosage level

Nickel compounds

#### International regulations

# Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

28995043-1 Article Number : Page: 8/9

#### **Montreal Protocol**

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed

### **Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed

# **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed

#### **Inventory list**

United States All components are active or exempted.

Canada inventory All components are listed or exempted.

### Section 16. Other information

### National Fire Protection Association (U.S.A.)



#### Procedure used to derive the classification

Classification Justification

SKIN SENSITIZATION - Category 1 Calculation method

#### **History**

Date of printing9/8/2025Date of issue/Date of revision9/8/2025Date of previous issue10/18/2023

Version 7

sds\_author@cytiva.com

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified

by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

References Not available.

Indicates information that has changed from previously issued version.

#### Notice to reader

Key to abbreviations

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.