

## INTEROX® AG Spray 34-SR

Revision Date 06/25/2020

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

- Trade name INTEROX® AG Spray 34-SR

**1.2 Relevant identified uses of the substance or mixture and uses advised against****Uses of the Substance / Mixture**

- Disinfectants

**1.3 Details of the supplier of the safety data sheet****Company**

SOLVAY CHEMICALS, INC.  
 3737 Buffalo Speedway,  
 Suite 800,  
 Houston, TX 77098  
 USA  
 Tel: +1-800-7658292; +1-713-5256800  
 Fax: +1-713-5257804

**1.4 Emergency telephone**

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CONTACT CHEMTREC (24-Hour Number): 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

**SECTION 2: Hazards identification**

Although WHMIS has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects

**2.1 Classification of the substance or mixture****Hazardous Products Regulations (WHMIS 2015)**

Acute toxicity, Category 4  
 Serious eye damage, Category 1

H302: Harmful if swallowed.  
 H318: Causes serious eye damage.

**2.2 Label elements****Hazardous Products Regulations (WHMIS 2015)****Pictogram****Signal Word**

- Danger

**Hazard Statements**

- H302 Harmful if swallowed.
- H318 Causes serious eye damage.

P00000228714

Version : 1.00 / CA ( Z8 )

[www.solvay.com](http://www.solvay.com)

**INTEROX® AG Spray 34-SR**

Revision Date 06/25/2020

**Precautionary Statements**Prevention

- P264
- P270
- P280

Wash skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear eye protection/ face protection.

Response

- P301 + P312 + P330
- P305 + P351 + P338 + P310

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Disposal

- P501

Dispose of contents/ container to an approved waste disposal plant.

**2.3 Other hazards which do not result in classification**

- H401: Toxic to aquatic life.

**SECTION 3: Composition/information on ingredients****3.1 Substance**

- Not applicable, this product is a mixture.

**3.2 Mixture****WHMIS Hazardous Ingredients and Impurities**

Chemical name	Identification number CAS-No.	Concentration [% wt/wt or V/V]
Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )	7722-84-1	>= 33.5 - <= 34.5

**SECTION 4: First aid measures****4.1 Description of first-aid measures**General advice

- Show this material safety data sheet to the doctor in attendance.

In case of inhalation

- Move to fresh air.
- Oxygen or artificial respiration if needed.
- Victim to lie down in the recovery position, cover and keep him warm.
- Call a physician immediately.

In case of skin contact

- Remove and wash contaminated clothing before re-use.
- Wash off with soap and water.
- If symptoms persist, call a physician.

In case of eye contact

- Call a physician or poison control center immediately.
- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

P0000228714

Version : 1.00 / CA ( Z8 )

[www.solvay.com](http://www.solvay.com)

**INTEROX® AG Spray 34-SR**

Revision Date 06/25/2020

- In the case of difficulty of opening the lids, administer an analgesic eye wash (oxybuprocaine).
- Take victim immediately to hospital.

**In case of ingestion**

- Call a physician or poison control center immediately.
- Take victim immediately to hospital.
- If swallowed, rinse mouth with water (only if the person is conscious).
- Do NOT induce vomiting.
- Artificial respiration and/or oxygen may be necessary.
  
- If victim is conscious:
- If swallowed, rinse mouth with water (only if the person is conscious).
- Do NOT induce vomiting.
  
- If victim is unconscious:
- Artificial respiration and/or oxygen may be necessary.

**4.2 Most important symptoms and effects, both acute and delayed****In case of inhalation****Symptoms**

- Breathing difficulties
- Cough
- pulmonary edema
- Nausea
- Vomiting

**Effects**

- Corrosive to respiratory system.

***Repeated or prolonged exposure***

- Nose bleeding
- Risk of chronic bronchitis

**In case of skin contact****Symptoms**

- Redness
- Swelling of tissue

**Effects**

- Prolonged skin contact may cause skin irritation.

**In case of eye contact****Symptoms**

- Redness
- Lachrymation
- Swelling of tissue

**Effects**

- Corrosive
- Causes severe burns.
- Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

**In case of ingestion****Symptoms**

- Nausea
- Abdominal pain

**INTEROX® AG Spray 34-SR**

Revision Date 06/25/2020

- Bloody vomiting
- Diarrhea
- Suffocation
- Cough
- Severe shortness of breath

**Effects**

- If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.
- Risk of respiratory disorder

**4.3 Indication of any immediate medical attention and special treatment needed****Notes to physician**

- Take victim immediately to hospital.
- Immediate medical attention is required.
- Consult with an ophthalmologist immediately in all cases.
- If swallowed
- Avoid gastric lavage (risk of perforation).
- Keep under medical supervision for at least 48 hours.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

- Water
- Water spray

**Unsuitable extinguishing media**

- None.

**5.2 Special hazards arising from the substance or mixture****Specific hazards during fire fighting**

- Decomposition will cause oxygen release which may intensify fire
- Contact with combustible material may cause fire.
- Contact with flammables may cause fire or explosions.
- Risk of explosion if heated under confinement.

**Hazardous combustion products:**

- Oxygen

**5.3 Advice for firefighters****Special protective equipment for fire-fighters**

- In the event of fire, wear self-contained breathing apparatus.
- Use personal protective equipment.
- Wear chemical resistant oversuit

**Further information**

- Keep product and empty container away from heat and sources of ignition.
- Keep containers and surroundings cool with water spray.
- Approach from upwind.

P00000228714

Version : 1.00 / CA ( Z8 )

[www.solvay.com](http://www.solvay.com)

**INTEROX® AG Spray 34-SR**

Revision Date 06/25/2020

- Prevent fire extinguishing water from contaminating surface water or the ground water system.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures****Advice for non-emergency personnel**

- Evacuate personnel to safe areas.
- Keep people away from and upwind of spill/leak.

**Advice for emergency responders**

- Use personal protective equipment.
- Drying of this product on clothing or combustible materials may cause fire.
- Keep wetted with water.
- Prevent further leakage or spillage.
- Keep away from incompatible products

**6.2 Environmental precautions**

- Should not be released into the environment.
- If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3 Methods and materials for containment and cleaning up**

- Dilute with plenty of water.
- Dam up.
- Do not mix waste streams during collection.
- Soak up with inert absorbent material.
- Keep in properly labeled containers.
- Keep in suitable, closed containers for disposal.
- Never return spills in original containers for re-use.
- Treat recovered material as described in the section "Disposal considerations".

**6.4 Reference to other sections**

- Refer to protective measures listed in sections 7 and 8.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

- Use only in well-ventilated areas.
- Before all operations, passivate the piping circuits and vessels according to the procedure recommended by the producer.
- Use only clean and dry utensils.
- Never return unused material to storage receptacle.
- Keep away from heat.
- Avoid inhalation, ingestion and contact with skin and eyes.
- Keep away from incompatible products

**INTEROX® AG Spray 34-SR**

Revision Date 06/25/2020

**Hygiene measures**

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Take off contaminated clothing and shoes immediately.
- Wash contaminated clothing before re-use.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures/Storage conditions**

- Keep only in the original container.
- Store in a receptacle equipped with a vent.
- Store in a well-ventilated place. Keep cool.
- Keep in properly labeled containers.
- Keep container closed.
- Keep in a contained area
- Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
- Regularly check the condition and temperature of the containers.
- Keep away from:
- Incompatible products

**Packaging material****Suitable material**

- aluminum 99.5%
- stainless steel 304L / 316L
- Approved grades of HDPE.

**7.3 Specific end use(s)**

- Contact your supplier for additional information

**SECTION 8: Exposure controls/personal protection**

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

**8.1 Control parameters****Components with workplace occupational exposure limits**

Consult local authorities for acceptable exposure limits.

Components	Value type	Value	Basis
Hydrogen peroxide (H2O2)	TWA	1 ppm	American Conference of Governmental Industrial Hygienists  Upper Respiratory Tract irritation, Eye irritation, Skin irritation, Confirmed animal carcinogen with unknown relevance to humans

**INTEROX® AG Spray 34-SR**

Revision Date 06/25/2020

**8.2 Exposure controls****Control measures****Engineering measures**

- Provide adequate ventilation.
- Apply technical measures to comply with the occupational exposure limits.

**Individual protection measures****Respiratory protection**

- Self-contained breathing apparatus in confined spaces/insufficient oxygen/in case of large uncontrolled emissions/in all circumstances when the mask and cartridge do not give adequate protection.
- Use only respiratory protection that conforms to international/ national standards.
- Use NIOSH approved respiratory protection.
- Wear an approved full-face air supplied respirator for excessive or unknown concentrations. Selected chemical cartridges for respirators, i.e. OV, OV/AG, GME have been tested successfully under lab conditions to remove hydrogen peroxide and peracetic acid vapors in concentrations exceeding the applicable exposure limits. Further information is available in a Solvay Chemicals, Inc. Technical Communication, located at <http://www.solvaychemicals.us/resource.htm> in the Peractic Acid section.
- In case of insufficient ventilation, wear suitable respiratory equipment.

**Hand protection**

- Impervious gloves
- Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

**Suitable material**

- Nitrile rubber
- Break through time: > 480 min
- Glove thickness: 1.3 mm
  
- Nitrile/Neopren gloves
- Break through time: 190 min
- Glove thickness: 0.2 mm

**Eye protection**

- Chemical resistant goggles must be worn.
- If splashes are likely to occur, wear:
- Tightly fitting safety goggles
- Face-shield

**Skin and body protection**

- Impervious clothing
- If splashes are likely to occur, wear:
- Chemical resistant apron
- Boots
- Suitable material
- PVC
- Natural Rubber

**Hygiene measures**

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Take off contaminated clothing and shoes immediately.
- Wash contaminated clothing before re-use.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

## INTEROX® AG Spray 34-SR

Revision Date 06/25/2020

**SECTION 9: Physical and chemical properties**

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

**9.1 Information on basic physical and chemical properties****Appearance**

Physical state: liquid

**Odor**

Color: colorless  
pungent

**Odor Threshold**

No data available

**Molecular weight**

34 g/mol

**pH**

2.0 ( 70 °F (21 °C))  
H<sub>2</sub>O<sub>2</sub> 50 %  
pKa: 11.6 ( 77 °F (25 °C))

**Melting point/freezing point**

Freezing point: -27 °F (-33 °C)  
H<sub>2</sub>O<sub>2</sub> 35 %

**Initial boiling point and boiling range**

Boiling point/boiling range: 226 °F (108 °C)  
H<sub>2</sub>O<sub>2</sub> 35 %

**Flash point**

Not applicable

**Evaporation rate (Butylacetate = 1)**

No data available

**Flammability (solid, gas)**

Not applicable

**Flammability (liquids)**

The product is not flammable.

**Flammability / Explosive limit**

Explosiveness:  
Not explosive  
With certain materials (see section 10).

**Autoignition temperature**

The product is not flammable.

**Vapor pressure**

0.75 mmHg (1 hPa) ( 86 °F (30 °C))  
H<sub>2</sub>O<sub>2</sub> 50 %

**Vapor density**

1  
H<sub>2</sub>O<sub>2</sub> 50 %

**Density**

Bulk density: Not applicable

**Relative density**

1.1

**Solubility**

Water solubility:  
completely miscible, in all proportions

**Partition coefficient: n-octanol/water**

log Pow: -1.57  
Method: Calculation method

P0000228714

Version : 1.00 / CA ( Z8 )

www.solvay.com



## INTEROX® AG Spray 34-SR

Revision Date 06/25/2020

<u>Decomposition temperature</u>	>= 140 °F (>= 60 °C) Self-Accelerating decomposition temperature (SADT)
<u>Decomposition temperature</u>	< 140 °F (< 60 °C) Slow decomposition
<u>Viscosity</u>	<u>Viscosity, dynamic</u> : 1.07 mPa.s
<u>Explosive properties</u>	No data available
<u>Oxidizing properties</u>	Not considered as oxidizing.

**9.2 Other information**

<u>Henry's Constant</u>	0.00075 Pa.m3 / mol ( 68 °F (20 °C)) not significant, Air, Volatility
<u>Surface tension</u>	74 mN/m ( 68 °F (20 °C))

**SECTION 10: Stability and reactivity****10.1 Reactivity**

- Decomposes on heating.
- Potential for exothermic hazard

**10.2 Chemical stability**

- Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

- Fire or intense heat may cause violent rupture of packages.

**10.4 Conditions to avoid**

- Contamination
- To avoid thermal decomposition, do not overheat.

**10.5 Incompatible materials**

- Acids
- Bases
- Metals
- Heavy metal salts
- Powdered metal salts
- Reducing agents
- Organic materials
- Flammable materials

**10.6 Hazardous decomposition products**

- Oxygen

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**Acute toxicity

P00000228714  
Version : 1.00 / CA ( Z8 )

[www.solvay.com](http://www.solvay.com)



**INTEROX® AG Spray 34-SR**

Revision Date 06/25/2020

**Acute oral toxicity**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

Acute toxicity estimate : 431 mg/kg - Rat , male and female  
 Method: OECD Test Guideline 401  
 This product is classified as acute toxicity category 4  
 Unpublished reports

**Acute inhalation toxicity**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

LC50 - 4 h ( vapor ) : > 0.17 mg/l - Rat  
 Method: OECD Test Guideline 403  
 Not classified as hazardous for acute inhalation toxicity according to GHS.  
 Unpublished reports

**Acute dermal toxicity**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

Acute toxicity estimate : 6,440 mg/kg - Rabbit  
 Method: OECD Test Guideline 402  
 Not classified as hazardous for acute dermal toxicity according to GHS.  
 Unpublished reports

**Acute toxicity (other routes of administration)**

No data available

**Skin corrosion/irritation**

No data available

**Serious eye damage/eye irritation**

No data available

**Respiratory or skin sensitization**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

Does not cause skin sensitization.

**Mutagenicity****Genotoxicity in vitro**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

Ames test  
 with and without metabolic activation

positive  
 Published data

Chromosome aberration test in vitro  
 with and without metabolic activation

positive  
 Unpublished reports

**Genotoxicity in vivo**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

In vivo micronucleus test - Mouse  
 Oral  
 Method: OECD Test Guideline 474

negative  
 Unpublished reports

**Carcinogenicity**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

No data available

**Toxicity for reproduction and development****Toxicity to reproduction / fertility**

## INTEROX® AG Spray 34-SR

Revision Date 06/25/2020

Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )	No toxicity to reproduction
<b>Developmental Toxicity/Teratogenicity</b>	
Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )	No toxicity to reproduction
<b>STOT</b>	
<b>STOT-single exposure</b>	
Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )	Routes of exposure: Inhalation Target Organs: Respiratory Tract May cause respiratory irritation.
<b>STOT-repeated exposure</b>	
Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )	The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria.
Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )	Inhalation (vapor) 90-day - Rat NOAEC: 7 ppm Target Organs: Respiratory Tract Method: OECD Test Guideline 413 Unpublished reports
	90-day - Rat NOAEL: 100 ppm Target Organs: Gastrointestinal tract Method: OECD Test Guideline 408 drinking water Unpublished reports
<b>Experience with human exposure</b>	No data available
<b>Aspiration toxicity</b>	No data available

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic Compartment****Acute toxicity to fish**

Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )	LC50 - 96 h : 16.4 mg/l - Pimephales promelas (fathead minnow) semi-static test Analytical monitoring: yes
	Method: according to a standardized method Harmful to fish. Unpublished internal reports

**Acute toxicity to daphnia and other aquatic invertebrates**

Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )	EC50 - 48 h : 2.4 mg/l - Daphnia pulex (Water flea) semi-static test Analytical monitoring: yes Method: according to a standardized method Toxic to aquatic invertebrates. Unpublished internal reports
--	--

**Toxicity to aquatic plants**

**INTEROX® AG Spray 34-SR**

Revision Date 06/25/2020

Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )	ErC50 - 72 h : 2.62 mg/l - Skeletonema costatum (marine diatom) static test Analytical monitoring: yes Method: according to a standardized method Toxic to algae. Unpublished internal reports
--	---

**Toxicity to microorganisms**

Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )	EC50 - 0.5 h : 466 mg/l - activated sludge static test Analytical monitoring: yes Method: OECD Test Guideline 209 Unpublished internal reports
--	--

**Chronic toxicity to fish**

No data available

**Chronic toxicity to daphnia and other aquatic invertebrates**

Hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )	NOEC: 0.63 mg/l - 21 Days - Daphnia magna (Water flea) flow-through test Analytical monitoring: yes Method: according to a standardized method Harmful to aquatic invertebrates with long lasting effects. Published data
--	--

**12.2 Persistence and degradability****Abiotic degradation**

No data available

**Physical- and photo-chemical elimination**

No data available

**Biodegradation****Biodegradability**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

Ready biodegradability study:  
 Method: Degradation in sewage treatment plants  
 The substance fulfills the criteria for ultimate aerobic biodegradability and ready biodegradability  
 Inoculum: activated sludge  
 Unpublished internal reports

**Degradability assessment**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

The product is considered to be rapidly degradable in the environment

**12.3 Bioaccumulative potential****Partition coefficient: n-octanol/water**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

Not potentially bioaccumulable

**Bioconcentration factor (BCF)**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

Not potentially bioaccumulable

**12.4 Mobility in soil****Adsorption potential (K<sub>oc</sub>)**Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)

Adsorption/Soil  
 K<sub>oc</sub>: 1.58

P00000228714

Version : 1.00 / CA ( Z8 )

www.solvay.com



## INTEROX® AG Spray 34-SR

Revision Date 06/25/2020

Log Koc: 0.2  
 Method: Structure-activity relationship (SAR)  
 Unpublished reports

**Known distribution to environmental compartments**

Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)      Ultimate destination of the product: Water

**12.5 Results of PBT and vPvB assessment**

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
 This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

**12.6 Other adverse effects****Ecotoxicity assessment**

**Short-term (acute) aquatic hazard**      Toxic to aquatic life.

**Long-term (chronic) aquatic hazard**      Not classified due to data which are conclusive although insufficient for classification.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product Disposal**

- Limited quantity
- Dilute with plenty of water.
- Flush into sewer with plenty of water.
- Maximum quantity
- Contact manufacturer.
- Contact waste disposal services.
- In accordance with local and national regulations.

**Advice on cleaning and disposal of packaging**

- Empty containers.
- Clean container with water.
- Dispose of rinse water in accordance with local and national regulations.
- Where possible recycling is preferred to disposal or incineration.
- In accordance with local and national regulations.

**SECTION 14: Transport information**

Transportation status: IMPORTANT! Statements below provide additional data on listed transport classification.

The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

**TDG**

**14.1 UN number**      UN 2014

**14.2 Proper shipping name**      HYDROGEN PEROXIDE, AQUEOUS SOLUTION

**14.3 Transport hazard class**      5.1  
 Subsidiary hazard class      8

P00000228714

Version : 1.00 / CA ( Z8 )

[www.solvay.com](http://www.solvay.com)



**INTEROX® AG Spray 34-SR**

Revision Date 06/25/2020

**Label(s)** 5.1 (8)

**14.4 Packing group**

Packing group II  
ERG No 140

**14.5 Environmental hazards** NO  
**Marine pollutant**

**DOT**

**14.1 UN number** UN 2014

**14.2 Proper shipping name** HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS

**14.3 Transport hazard class**

Subsidiary hazard class 5.1  
Label(s) 8  
5.1 (8)

**14.4 Packing group**

Packing group II  
ERG No 140

**14.5 Environmental hazards** NO  
**Marine pollutant**

**NOM**

**14.1 UN number** UN 2014

**14.2 Proper shipping name** HYDROGEN PEROXIDE, AQUEOUS SOLUTION

**14.3 Transport hazard class**

Subsidiary hazard class 5.1  
Label(s) 8  
5.1 (8)

**14.4 Packing group**

Packing group II  
ERG No 140

**14.5 Environmental hazards** NO  
**Marine pollutant**

**IMDG**

**14.1 UN number** UN 2014

**14.2 Proper shipping name** HYDROGEN PEROXIDE, AQUEOUS SOLUTION

**14.3 Transport hazard class**

Subsidiary hazard class 5.1  
Label(s) 8  
5.1 (8)

**14.4 Packing group**

**P00000228714**

Version : 1.00 / CA ( Z8 )

[www.solvay.com](http://www.solvay.com)



## INTEROX® AG Spray 34-SR

Revision Date 06/25/2020

Packing group	II
<b>14.5 Environmental hazards</b>	NO
<b>Marine pollutant</b>	

<b>14.6 Special precautions for user</b>	
EmS	F-H , S-Q

For personal protection see section 8.

<b>14.7 Transport in bulk vessels according to IMO instruments</b>	
No data available	

**IATA**

<b>14.1 UN number</b>	UN 2014
<b>14.2 Proper shipping name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>14.3 Transport hazard class</b>	5.1
Subsidiary hazard class:	8
Label(s):	5.1 (8)
<b>14.4 Packing group</b>	
Packing group	II
Packing instruction (cargo aircraft)	554
Max net qty / pkg	5.00 L
Packing instruction (passenger aircraft)	550
Max net qty / pkg	1.00 L
<b>14.5 Environmental hazards</b>	NO
<b>14.6 Special precautions for user</b>	
For personal protection see section 8.	
Remarks	: IATA: permitted under 40%

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

**SECTION 15: Regulatory information****15.1 Notification status**

Inventory Information	Status
United States TSCA Inventory	- All substances listed as active on the TSCA inventory
Canadian Domestic Substances List (DSL)	- Listed on Inventory
Australia Inventory of Chemical Substances (AICS)	- Listed on Inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- Listed on Inventory

## INTEROX® AG Spray 34-SR

Revision Date 06/25/2020

Korea. Korean Existing Chemicals Inventory (KECI)	- Listed on Inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- Listed on Inventory
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- Listed on Inventory
Taiwan Chemical Substance Inventory (TCSI)	- Listed on Inventory
New Zealand. Inventory of Chemical Substances	- All components are listed on the NZIOC inventory. The HSNO status of the product has not been assessed.
EU. European Registration, Evaluation, Authorisation and Restriction of Chemical (REACH)	- When purchased from a Solvay legal entity based in the EEA ("European Economic Area"), this product is compliant with the registration provisions of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt, and/or registered. When purchased from a legal entity outside of the EEA, please contact your local representative for additional information.

**15.2 National Regulations****Canada. CEPA 1999 Significant New Activity (SNAc) List:**

- No substances are subject to a Significant New Activity Notification.

**SECTION 16: Other information****Revision Date:**

06/25/2020

**NFPA (National Fire Protection Association) - Classification**

Health	3 serious
Flammability	1 slight
Instability or Reactivity	0 minimal

**HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification**

Health	3 serious
Flammability	1 slight
Reactivity	0 minimal
PPE	Determined by User; dependent on local conditions

**Further information**

- Distribute new edition to clients

**Key or legend to abbreviations and acronyms used in the safety data sheet**

- TWA	8-hour, time-weighted average
- ACGIH	American Conference of Governmental Industrial Hygienists
- OSHA	Occupational Safety and Health Administration
- NTP	National Toxicology Program
- IARC	International Agency for Research on Cancer

P00000228714

Version : 1.00 / CA ( Z8 )

[www.solvay.com](http://www.solvay.com)

## INTEROX® AG Spray 34-SR

Revision Date 06/25/2020

- NIOSH:	National Institute for Occupational Safety and Health
- ADR:	European Agreement on International Carriage of Dangerous Goods by Road.
- ADN:	European Agreement on the International Carriage of Dangerous Goods by Inland Waterways.
- RID:	European Agreement concerning the International Carriage of Dangerous Goods by Rail.
- IATA:	International Air Transport Association.
- ICAO-TI:	Technical Specification for Safe Transport of Dangerous Goods by Air.
- IMDG:	International Maritime Dangerous Goods.
- TWA:	Time weighted average
- ATE:	Estimated value of acute toxicity
- EC:	European Community number
- CAS:	Chemical Abstracts Service.
- LD50:	Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).
- LC50:	Substance concentration causing 50% (half) death in the test animals group.
- EC50:	Effective Concentration of the substance causing the maximum of 50%.
- PBT:	Persistent, Bioaccumulative and Toxic substance.
- vPvB:	Very Persistent and Very Bioaccumulative.
- SEA:	Classification, labeling, packaging regulation
- DNEL:	Derived No Effect Level
- PNEC:	Predicted No Effect Concentration
- BHOT:	Specific Target Organ Toxicity

**Not all acronyms listed above are referenced in this SDS.**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.