 <b>SAFETY DATA SHEET</b>		Page: 1
		Revision Date: 06/01/2018
		Print Date: 11/4/2021
		SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740		Version: 1.4

## SECTION 1. IDENTIFICATION

### Product identifier

Trade name : Performax™ PM3616  
COOLING WATER TREATMENT  
™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries

### Recommended use of the chemical and restrictions on use

<b>Details of the supplier of the safety data sheet</b> Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA)  RegulatoryRequestsNA@solenis.com	<b>Emergency telephone number</b> 1-844-SOLENIS (844-765-3647)  <b>Product Information</b> Contact your local Solenis representative
---	--

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with 29 CFR 1910.1200

Skin corrosion : Category 1

Serious eye damage : Category 1

Skin sensitisation : Category 1

### GHS label elements


Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.

 <b>SAFETY DATA SHEET</b>		Page: 2
		Revision Date: 06/01/2018
		Print Date: 11/4/2021
		SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740		Version: 1.4

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.


### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Classification	Concentration (%)
PHOSPHORUS COMPOUND	Trade Secret	Eye Dam. 1; H318 STOT SE 3; H335	$\geq 3 - < 5$
PHOSPHONIC ACID SODIUM SALT / MALEIC ANHYDRIDE RXN PRODUCT	180513-31-9	Skin Sens. 1; H317	$\geq 1.5 - < 5$
TRIAZOLE DERIVATIVE	Trade Secret	Acute Tox. 4; H302 Eye Irrit. 2A; H319 STOT SE 3; H335	$\geq 1.5 - < 5$
INORGANIC SALT	Trade Secret	Eye Irrit. 2A; H319	$\geq 1.5 - < 5$


### SECTION 4. FIRST AID MEASURES

		Page: 3
<b>SAFETY DATA SHEET</b>		Revision Date: 06/01/2018
		Print Date: 11/4/2021
		SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740		Version: 1.4

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Move to fresh air.  
If breathed in, move person into fresh air.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
If on skin, rinse well with water.  
Wash contaminated clothing before re-use.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.
- If swallowed : Get medical attention immediately.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:  
stomach or intestinal upset (nausea, vomiting, diarrhea)  
irritation (nose, throat, airways)  
May cause an allergic skin reaction.  
Causes serious eye damage.  
Causes severe burns.
- Notes to physician : No hazards which require special first aid measures.

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam  
Carbon dioxide (CO2)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet

	Page: 4
<b>SAFETY DATA SHEET</b>	Revision Date: 06/01/2018
	Print Date: 11/4/2021
	SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740	Version: 1.4

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
nitrogen oxides (NO<sub>x</sub>)  
toxic fumes  
Phosphorus compounds  
potassium oxide  
Oxides of phosphorus
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---


## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.  
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.  
Do not smoke.  
When diluting, always add the product to water. Never add water to the product.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Container hazardous when empty.  
Avoid exposure - obtain special instructions before use.

	Page: 5
<b>SAFETY DATA SHEET</b>	Revision Date: 06/01/2018
	Print Date: 11/4/2021
	SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740	Version: 1.4

Avoid contact with skin and eyes.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment


Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.  
Maintain eye wash station in immediate work area.

Skin and body protection : Wear resistant gloves (consult your safety equipment supplier).  
Wear as appropriate:  
Impervious clothing  
Chemical resistant apron  
Safety shoes  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Discard gloves that show tears, pinholes, or signs of wear.


Hygiene measures : Wash hands before breaks and at the end of workday.  
When using do not eat or drink.  
Ensure that eyewash stations and safety showers are close to the workstation location.

	Page: 6
<b>SAFETY DATA SHEET</b>	Revision Date: 06/01/2018
	Print Date: 11/4/2021
	SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740	Version: 1.4

When using do not smoke.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: amber
Odour	: No data available
Odour Threshold	: No data available
pH	: > 12.2
Melting point/freezing point	: -5.5 °C
Boiling point/boiling range	: 100 °C
Flash point	: Not applicable
Evaporation rate	: > 1 Ethyl Ether
Flammability (solid, gas)	: No data available
Self-ignition	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 23.333333 hPa (25 °C)
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.230 g/cm <sup>3</sup> (25 °C)
Solubility(ies)	
Water solubility	: completely soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available

	Page: 7
<b>SAFETY DATA SHEET</b>	Revision Date: 06/01/2018
	Print Date: 11/4/2021
	SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740	Version: 1.4

Viscosity, kinematic : No data available

Oxidizing properties : No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : temperature extremes  
Freezing temperatures.

Incompatible materials : Alkali metals  
Alkaline earth metals  
Reducing agents  
Strong acids  
Strong oxidizing agents  
This product should not be used in conjunction with trimethylol propane or trimethylol propane-derived products. There is a possibility that bicyclic phosphates or phosphites can be produced as a result of the thermal decomposition of this product in combination with trimethylol propane, trimethylol propane-derived products or their corresponding trimethylol propane alkane homologs. Bicyclic phosphates and phosphites are a class of materials with acute neurotoxic properties which produce characteristic convulsive seizures in test animals.

Hazardous decomposition products : **Carbon monoxide**  
**Carbon dioxide (CO<sub>2</sub>)**  
**Nitrogen oxides (NO<sub>x</sub>)**  
**toxic fumes**  
**potassium oxide**  
**Oxides of phosphorus**  
**Carbon oxides**


## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

	Page: 8
<b>SAFETY DATA SHEET</b>	Revision Date: 06/01/2018
	Print Date: 11/4/2021
	SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740	Version: 1.4

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### **Components:**

##### **PHOSPHORUS COMPOUND:**

Acute oral toxicity : LD50 (Rat): 4,260 mg/kg

Acute inhalation toxicity : LC 50 (Rat): > 0.83 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: Not classified as acutely toxic by inhalation under GHS.  
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD 50 (Rabbit): > 7,970 mg/kg  
Test substance: (as aqueous solution)

##### **PHOSPHONIC ACID SODIUM SALT / MALEIC ANHYDRIDE RXN PRODUCT:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Assessment: No adverse effect has been observed in acute oral toxicity tests.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

##### **TRIAZOLE DERIVATIVE:**

Acute oral toxicity : LD 50 (Rat): 675 mg/kg  
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD (Rabbit): > 4,000 mg/kg  
Remarks: Information given is based on data obtained from similar substances.

##### **INORGANIC SALT:**

Acute oral toxicity : LD L0 (Rat): 4,640 mg/kg

Acute dermal toxicity : LD 50 (Rabbit): > 4,640 mg/kg


##### **Skin corrosion/irritation**

Causes severe burns.

##### **Product:**

Remarks: **May cause skin irritation in susceptible persons.**  
**Causes severe skin burns and eye damage.**



	Page: 9
<b>SAFETY DATA SHEET</b>	Revision Date: 06/01/2018
	Print Date: 11/4/2021
	SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740	Version: 1.4

**Components:**

**PHOSPHORUS COMPOUND:**

Species: reconstructed human epidermis (RhE)  
 Method: OECD Test Guideline 439  
 Result: Not irritating to skin

**PHOSPHONIC ACID SODIUM SALT / MALEIC ANHYDRIDE RXN PRODUCT:**

Result: Slightly irritating to skin

**TRIAZOLE DERIVATIVE:**

Species: Rabbit  
 Result: Slightly irritating to skin  
 Remarks: Information given is based on data obtained from similar substances.

**INORGANIC SALT:**

Result: Mildly irritating to skin

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Product:**

Remarks: May cause irreversible eye damage.

**Components:**

**PHOSPHORUS COMPOUND:**

Result: Corrosive to eyes

**PHOSPHONIC ACID SODIUM SALT / MALEIC ANHYDRIDE RXN PRODUCT:**

Result: Slightly irritating to eyes

**TRIAZOLE DERIVATIVE:**

Species: Rabbit  
 Result: Irritating to eyes  
 Remarks: Information given is based on data obtained from similar substances.


**INORGANIC SALT:**

Result: Irritating to eyes

**Respiratory or skin sensitisation**

**Skin sensitisation**

May cause an allergic skin reaction.

		Page: 10
<b>SAFETY DATA SHEET</b>		Revision Date: 06/01/2018
		Print Date: 11/4/2021
		SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740		Version: 1.4

#### Respiratory sensitisation

Not classified based on available information.

#### Product:

Remarks: May cause allergic skin reaction.

#### Components:

##### PHOSPHORUS COMPOUND:

Test Type: Local lymph node assay

Species: Mouse

Method: OECD Test Guideline 429

Remarks: Information given is based on data obtained from similar substances.

##### PHOSPHONIC ACID SODIUM SALT / MALEIC ANHYDRIDE RXN PRODUCT:

Species: Guinea pig

Method: Maximisation Test

##### TRIAZOLE DERIVATIVE:

Species: Guinea pig

Remarks: Information given is based on data obtained from similar substances.


#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### TRIAZOLE DERIVATIVE:

- Genotoxicity in vitro
- : Test Type: Ames test  
Metabolic activation: with metabolic activation  
Result: positive  
Remarks: Information given is based on data obtained from similar substances.
  - : Test Type: in vitro assay  
Species: mammalian cells  
Metabolic activation: without metabolic activation  
Result: negative  
Remarks: Information given is based on data obtained from similar substances.
  - : Test Type: Chromosome aberration test in vitro  
Species: mammalian cells  
Metabolic activation: with and without metabolic activation  
Result: negative  
Remarks: Information given is based on data obtained from similar substances.
  - : Test Type: Ames test  
Metabolic activation: without metabolic activation

		Page: 11
<b>SAFETY DATA SHEET</b>		Revision Date: 06/01/2018
		Print Date: 11/4/2021
		SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740		Version: 1.4

Result: negative

Remarks: Information given is based on data obtained from similar substances.

### Carcinogenicity

Not classified based on available information.

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### Components:

##### PHOSPHORUS COMPOUND:

Exposure routes: Inhalation

Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

##### TRIAZOLE DERIVATIVE:

Exposure routes: Inhalation

Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

#### STOT - repeated exposure

Not classified based on available information.


#### Aspiration toxicity

Not classified based on available information.

#### Further information

#### Product:

Remarks: No data available

 <b>SAFETY DATA SHEET</b>		Page: 12
		Revision Date: 06/01/2018
		Print Date: 11/4/2021
		SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740		Version: 1.4

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

- Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.
- Chronic aquatic toxicity : Chronic aquatic toxicity Category 3; Harmful to aquatic life with long lasting effects.


#### Components:

#### PHOSPHORUS COMPOUND:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: Information given is based on data obtained from similar substances.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Water flea (Daphnia magna)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: Information given is based on data obtained from similar substances.
- Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
End point: Growth inhibition  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Information given is based on data obtained from similar substances.
- NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l  
End point: Growth inhibition  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Information given is based on data obtained from similar substances.

#### PHOSPHONIC ACID SODIUM SALT / MALEIC ANHYDRIDE RXN PRODUCT:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

	Page: 13
<b>SAFETY DATA SHEET</b>	Revision Date: 06/01/2018
	Print Date: 11/4/2021
	SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740	Version: 1.4

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 1,000 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Aquatic plants): > 100 mg/l  
Exposure time: 72 h

#### Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 2

Chronic aquatic toxicity : Chronic aquatic toxicity Category 2

#### Persistence and degradability

##### Components:

##### PHOSPHORUS COMPOUND:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

##### Bioaccumulative potential

No data available

##### Mobility in soil

No data available

##### Other adverse effects

##### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

---


## SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

 <b>Strong bonds. Trusted solutions.</b>	Page: 14
<b>SAFETY DATA SHEET</b>	Revision Date: 06/01/2018
	Print Date: 11/4/2021
	SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740	Version: 1.4

## SECTION 14. TRANSPORT INFORMATION

### International transport regulations

#### REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

#### IATA-DGR

UN	3267	Corrosive liquid, basic, organic, n.o.s. (PHOSPHONIC ACID DERIVATIVE)	8	III	
----	------	---	---	-----	--

#### IMDG-Code

UN	3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (PHOSPHONIC ACID DERIVATIVE)	8	III	
----	------	---	---	-----	--

#### CFR

UN	3267	Corrosive liquid, basic, organic, n.o.s. (PHOSPHONIC ACID DERIVATIVE)	8	III	
----	------	---	---	-----	--

\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## SECTION 15. REGULATORY INFORMATION


### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
potassium hydroxide	1310-58-3	1000	347222

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

	Page: 15
<b>SAFETY DATA SHEET</b>	Revision Date: 06/01/2018
	Print Date: 11/4/2021
	SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740	Version: 1.4

#### **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitization

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **California Prop. 65**

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

#### **The components of this product are reported in the following inventories:**

DSL : All components of this product are on the Canadian DSL

AICS : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

#### **TSCA list**

The following substance(s) is/are subject to a Significant New Use Rule:  
 MERCURY 7439-97-6

No substances are subject to TSCA 12(b) export notification requirements.

---


## **SECTION 16. OTHER INFORMATION**

#### **Further information**

Revision Date: 06/01/2018

#### **Full text of H-Statements**

H302 : Harmful if swallowed.  
 H317 : May cause an allergic skin reaction.  
 H318 : Causes serious eye damage.  
 H319 : Causes serious eye irritation.  
 H335 : May cause respiratory irritation.

	Page: 16
<b>SAFETY DATA SHEET</b>	Revision Date: 06/01/2018
	Print Date: 11/4/2021
	SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740	Version: 1.4

#### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure

#### Further information

Other information	: The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the Solenis Environmental Health and Safety Department.
-------------------	---

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data


SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration,



		Page: 17
<b>SAFETY DATA SHEET</b>		Revision Date: 06/01/2018
		Print Date: 11/4/2021
		SDS Number: 000000217742
Performax™ PM3616 COOLING WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 870740		Version: 1.4

Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

US / EN