

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

1. IDENTIFICATION

Product name : PROAXIS® 60 CS

Manufacturer or supplier's details

Company and Address : AGROKLINGE S.A
AV. EL DERBY 254 INT. 306 URB,
EL DERBY DE MONTEERRICO, LIMA 33,
SANTIAGO DE SURCO
(+511) 641-0000

FARMAGRO S.A.
AV. PRINCIPAL 2 MZ. C5 LOTE 3B Z.I. HUACHIPA ESTE
(LOTE 3B, 4 Y 5) LIMA – HUAROCHIRÍ – SAN ANTONIO.
614-1500

E-mail address : SDS-Info@fmc.com

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)
Peru: 51-17071295 (CHEMTREC)

Medical Emergency Number : Desde Perú: SAMU: 106;
CISPROQUIM®: 080-050-847;
FMC LATINOAMERICA S.A. SUCURSAL: 421-4811;
Desde Bogotá: 288 60 12; Línea Nacional: 01 8000 916012
Desde Ecuador: 1800 593005 (Quito, La Sierra, Centro y
Norte).
Desde Venezuela: 0800 1005012

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Skin sensitization : Sub-category 1B

Specific target organ toxicity - repeated exposure : Category 2

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal Word : WARNING

Hazard Statements : H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.
H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or with adequate ventilation.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing.
Response:
P301 + P317 + P330 IF SWALLOWED: Get medical help.
Rinse mouth.
P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.
Get medical help.
P304 + P340 + P317 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help.
P319 Get medical help if you feel unwell.
P333 + P317 If skin irritation or rash occurs: Get medical help.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Other hazards which do not result in classification

Hazard Statements required by Andean Technical Manual for the Registration and Control of Chemical Pesticides for Agricultural Use (Resolution no. 2075):

Harmful if swallowed.

Harmful in contact with skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
GAMMA-CYHALOTHRIN	76703-62-3	$\geq 2,5 - < 10$
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	$\geq 2,5 - < 10$
1,2-benzisothiazol-3(2H)-one	2634-33-5	$\geq 0,025 - < 0,1$

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed, in contact with skin or if inhaled.
May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Fluorinated compounds
Halogenated compounds
Carbon oxides
Hydrogen cyanide
Chlorinated compounds

Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Fluorinated compounds
Chlorinated compounds
Carbon oxides
Hydrogen chloride
Hydrogen fluoride
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Use personal protective equipment.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.
- Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Protect from frost and extreme heat.
The product should not be allowed to dry out.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

No personal respiratory protective equipment normally required.

Hand protection
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

- | | |
|--------------------------|--|
| Eye protection | : Eye wash bottle with pure water
Tightly fitting safety goggles
Eye wash bottle with pure water
Tightly fitting safety goggles |
| Skin and body protection | : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Protective measures | : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |
| Hygiene measures | : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|------------------------------|---|
| Physical state | : liquid |
| Color | : off-white |
| Odor | : aromatic |
| Odor Threshold | : not determined |
| pH | : 5,64 (23,6 °C)
Concentration: 10 g/l 1 % |
| Melting point/freezing point | : < 0 °C |

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version 4.0	Revision Date: 22.07.2025	SDS Number: 50001833	Date of last issue: - Date of first issue: 26.04.2022
----------------	------------------------------	-------------------------	--

Boiling point/boiling range	: Decomposition
Flash point	: > 93,1 °C
Evaporation rate	: not determined
Self-ignition	: > 400 °C
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapor pressure	: Not available for this mixture.
Relative vapor density	: not determined
Relative density	: not determined
Density	: 1,034 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Autoignition temperature	: No data available
Decomposition temperature	: Decomposes on heating.
Viscosity	
Viscosity, dynamic	: Non-newtonian fluid: viscosity is dependent on shear rate.
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Surface tension	: 41 mN/m, 25 °C 43 mN/m, 40 °C
Molecular weight	: Not applicable
Metal corrosion rate	: Not corrosive to metals.

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Gamma-cyhalothrin decomposes on heating. Direct local heating such as electric heating or by steam must be avoided.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.
Protect from frost, heat and sunlight.
Heating of the product will produce harmful and irritant vapours.

Avoid extreme temperatures.
Avoid formation of aerosol.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

Product:

Acute oral toxicity : LD50 Oral(Rat, female): 2.646 mg/kg

LD50 Oral(Rat, male): 2.250 mg/kg

Assessment: The component/mixture is moderately toxic after single ingestion.

Remarks: Resolution no. 2075

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Acute inhalation toxicity : LC50(Rat, male and female): > 2,54 - 2,72 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: incoordination
GLP: yes

Acute dermal toxicity : LD50 Dermal(Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Assessment: The component/mixture is moderately toxic after single contact with skin.
Remarks: Resolution no. 2075

Components:

GAMMA-CYHALOTHRIN:

Acute oral toxicity : LD50 (Rat, female): ca. 55 mg/kg
Method: OECD Test Guideline 401
Symptoms: Tremors
GLP: yes

LD50 (Rat, male): > 50 mg/kg
Method: OECD Test Guideline 401
Symptoms: Tremors
GLP: yes

Acute inhalation toxicity : LC50 (Rat, female): 0,0282 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors
GLP: yes

LC50 (Rat, male): 0,0402 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors
GLP: yes

Acute dermal toxicity : LD50 (Rat, female): 1.650 mg/kg
Method: OECD Test Guideline 402
Symptoms: Tremors
GLP: yes

LD50 (Rat, male): > 1.500 mg/kg
Method: OECD Test Guideline 402
Symptoms: Tremors
GLP: yes

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Acute oral toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 4,688 mg/l Exposure time: 4 h Test atmosphere: vapor Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

1,2-benzisothiazol-3(2H)-one:

Acute dermal toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
-----------------------	--

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: May cause skin irritation and/or dermatitis.

Components:

GAMMA-CYHALOTHRIN:

Species	: Rabbit
Assessment	: Irritating to skin.
Method	: OECD Test Guideline 404
Result	: irritating
GLP	: yes

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rabbit
Assessment	: Repeated exposure may cause skin dryness or cracking.
Result	: No skin irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from similar materials

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Remarks	:	Vapors may cause irritation to the eyes, respiratory system and the skin.
---------	---	---

Components:

GAMMA-CYHALOTHRIN:

Species	:	Rabbit
Assessment	:	Irritating to eyes.
Method	:	OECD Test Guideline 405
Result	:	Eye irritation

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Remarks	:	Minimal effects that do not meet the threshold for classification. Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Product:

Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: The product is a skin sensitizer, sub-category 1B.
Remarks	: Based on data from a similar product.
Remarks	: Causes sensitization.

Components:

GAMMA-CYHALOTHRIN:

Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitization by skin contact.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type	: Maximization Test
Species	: Guinea pig
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitization by skin contact.

Species	: Guinea pig
Method	: FIFRA 81.06
Result	: May cause sensitization by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative

Components:

GAMMA-CYHALOTHRIN:

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation
-----------------------	---

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Result: negative

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative
GLP: yes

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.
Species: Rat
Application Route: inhalation (vapor)
Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rat, male and female
Application Route	: inhalation (vapor)
Exposure time	: 12 month(s)
NOAEC	: 1,8 mg/l
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

GAMMA-CYHALOTHRIN:

Effects on fetal development : Species: Rat
Dose: 1, 2.5, 5, 10 or 15 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 2,5 mg/kg bw/day

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity Parent: NOAEL: 18,5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters.
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Components:

GAMMA-CYHALOTHRIN:

Target Organs	:	Nervous system
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

1,2-benzisothiazol-3(2H)-one:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	---	--

Repeated dose toxicity

Components:

GAMMA-CYHALOTHRIN:

Species	:	Rat, male and female
NOAEL	:	50 ppm
Application Route	:	Oral - feed
Exposure time	:	13 weeks

Species	:	Rat, male and female
NOAEL	:	4,19 - 4,49 mg/kg
LOAEL	:	8,81 - 10,24 mg/kg
Application Route	:	Oral - feed
Exposure time	:	13 weeks
Method	:	OECD Test Guideline 407
Target Organs	:	Nervous system
Symptoms	:	decrease in appetite

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	:	Rat, male and female
NOAEC	:	0,9 - 1,8 mg/l
Application Route	:	inhalation (vapor)
Exposure time	:	12 Months

1,2-benzisothiazol-3(2H)-one:

Species	:	Rat, male and female
NOAEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 d
Method	:	OECD Test Guideline 407
Symptoms	:	Irritation

Species	:	Rat, male and female
NOAEL	:	69 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	Irritation, Reduced body weight

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

GAMMA-CYHALOTHRIN:

The substance does not have properties associated with aspiration hazard potential.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

Further information

Product:

Remarks : On contact, the active ingredient can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia), which is harmless at low exposure, but can be quite painful, especially in the eye. The effect may result from splash, aerosol or transfer from contaminated gloves. The effect is transient, lasting up to 24 hours, but may in exceptional cases last longer. It may be considered as a warning that overexposure has occurred and that work practice should be reviewed.

Remarks : No data available

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 0,021 - 0,038 mg/l

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

- Exposure time: 96 h
- LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00919 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna Straus (Water flea)): 0,00245 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EbC50 (Selenastrum capricornutum (green algae)): 137 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to soil dwelling organisms : Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.
- Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.
- LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207
- Toxicity to terrestrial organisms : LD50: 0,03 µg/bee
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214
- LD50: 1,259 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213
- LD50: > 2.000 mg/kg
Species: Colinus virginianus (Bobwhite quail)
Method: EPA OPP 71-1

Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

GAMMA-CYHALOTHRIN:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,07 µg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,1 µg/l
Exposure time: 48 h
Test Type: Static renewal test
Method: OECD Test Guideline 202

(Hyalella azteca (Amphipod)): 0,000086 µg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OPPTS 850.1010

Toxicity to algae/aquatic plants : EC50 (algae): > 2,85 mg/l
Exposure time: 72 h

NOEC (Lemna gibba (duckweed)): 0,5 µg/l
Exposure time: 7 d
Method: OECD Test Guideline 221

M-Factor (Acute aquatic toxicity) : 10.000

Toxicity to fish (Chronic toxicity) : NOEC: 0,016 µg/l
End point: mortality
Exposure time: 7 d
Species: Pimephales promelas (fathead minnow)
Test Type: Early Life-Stage
GLP: yes

LOEC: 0,04 µg/l
End point: mortality
Exposure time: 7 d
Species: Pimephales promelas (fathead minnow)
Test Type: Early Life-Stage
GLP: yes

NOEC: 0,0379 µg/l
End point: Hatching success
Exposure time: 35 d
Species: Pimephales promelas (fathead minnow)
Test Type: flow-through test
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0019 µg/l
End point: reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: flow-through test
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10.000

Toxicity to soil dwelling or- : LC50: > 1300 mg/kg dry weight (d.w.)

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

ganisms	Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 2.000 mg/kg Species: Colinus virginianus (Bobwhite quail) LD50: 0,005 µg/bee Exposure time: 24 h End point: Acute contact toxicity Species: Apis mellifera (bees) LD50: 4,2 µg/bee Exposure time: 24 h End point: Acute oral toxicity Species: Apis mellifera (bees)

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): 1,4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l Exposure time: 24 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: LL50 (Tetrahymena pyriformis): 677,9 mg/l Exposure time: 72 h Test Type: Growth inhibition
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EL50: 0,89 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l Exposure time: 96 h Test Type: static test LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 2,9 mg/l Exposure time: 48 h Test Type: static test

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

GAMMA-CYHALOTHRIN:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 21 %
Exposure time: 28 d

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 58,6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.
Remarks: No data available

Components:

GAMMA-CYHALOTHRIN:

Bioaccumulation : Remarks: Can accumulate in aquatic organisms.

Partition coefficient: n-octanol/water : log Pow: 4,96 (19 °C)
Method: OECD Test Guideline 107
log Pow: 5,65
Method: OECD Test Guideline 117

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,72
Method: QSAR

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6,62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)
pH: 7
log Pow: 0,99 (20 °C)
pH: 5

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

GAMMA-CYHALOTHRIN:

Distribution among environmental compartments : Remarks: immobile

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:

GAMMA-CYHALOTHRIN:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommend-

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

ed volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gamma-cyhalothrin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Gamma-cyhalothrin)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gamma-cyhalothrin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Control Act of precursor chemicals and controlled products.	:	Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified sodium hydroxide
---	---	---

The ingredients of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. GAMMA-CYHALOTHRIN
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	:	22.07.2025
Date format	:	dd.mm.yyyy

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version
4.0


Revision Date:
22.07.2025

SDS Number:
50001833

Date of last issue: -
Date of first issue: 26.04.2022

Further information

NFPA:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-

SAFETY DATA SHEET

according to the Globally Harmonized System



PROAXIS® 60 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
4.0	22.07.2025	50001833	Date of first issue: 26.04.2022

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PE / EN