

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

---

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name VYTEGRIS ZINC 700

#### Other means of identification

Product code 50002849

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the Substance/Mixture : A fertilizer with micronutrients for use in agriculture and horticulture
- Recommended restrictions on use : Use as recommended by the label.

#### 1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agro Limited  
Rectors Lane, Pentre  
Flintshire  
CH5 2DH  
United Kingdom

Telephone: + 44 1244 537370  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:  
England and Wales: 111  
Scotland: 84 54 24 2424

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version  
1.0

Revision Date:  
23.08.2023

SDS Number:  
50002849

Date of last issue: -  
Date of first issue: 23.08.2023

Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1 H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P273 Avoid release to the environment.

**Response:**

P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one.  
May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
zinc oxide	1314-13-2 215-222-5	Aquatic Acute 1; H400	>= 30 - < 50

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version  
1.0

Revision Date:  
23.08.2023

SDS Number:  
50002849

Date of last issue: -  
Date of first issue: 23.08.2023

	030-013-00-7	Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	
ethane-1,2-diol	107-21-1 203-473-3 603-027-00-1	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney)	>= 1 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 10  specific concentration limit Skin Sens. 1; H317 >= 0.05 %	>= 0.0025 - < 0.025

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Induce vomiting immediately and call a physician.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.

- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Ammonia  
Carbon oxides

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version  
1.0

Revision Date:  
23.08.2023

SDS Number:  
50002849

Date of last issue: -  
Date of first issue: 23.08.2023

---

equipment may intervene.  
For disposal considerations see section 13.

### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

- Specific use(s) : Fertilizers

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethane-1,2-diol	107-21-1	TWA (Vapour)	20 ppm 52 mg/m <sup>3</sup>	GB EH40
Further information	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		TWA (particles)	10 mg/m <sup>3</sup>	GB EH40
Further information	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL (Vapour)	40 ppm 104 mg/m <sup>3</sup>	GB EH40
Further information	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	40 ppm 104 mg/m <sup>3</sup>	2000/39/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	20 ppm 52 mg/m <sup>3</sup>	2000/39/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative			

##### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

##### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l

#### 8.2 Exposure controls

##### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

##### Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	: No personal respiratory protective equipment normally required.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. Ensure that eye flushing systems and safety showers are located close to the working place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: opaque
Odour	: Barely perceptible
Odour Threshold	: No data available
pH	: 8.5 - 10.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.71 - 1.75
Bulk density	: No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

---

Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2 Other information

Particle size	: No data available
Particle Size Distribution	: No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : Not applicable

### 10.6 Hazardous decomposition products

See subsection 5.2.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Not classified based on available information.

##### Product:

- Acute oral toxicity : Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity

##### Components:

###### **zinc oxide:**

- Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 423
- LD50 (Mouse, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Target Organs: Liver, Heart, spleen, Stomach, Pancreas  
Symptoms: Damage  
Remarks: mortality
- Acute inhalation toxicity : LC0 (Rat, male and female): > 1.79 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: EPA OPP 81 - 3  
Remarks: no mortality
- Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402

###### **ethane-1,2-diol:**

- Acute inhalation toxicity : LC0 (Rat, male and female): > 2.5 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Remarks: no mortality
- Acute dermal toxicity : LD50 (Mouse, male and female): > 3,500 mg/kg

###### **1,2-benzisothiazol-3(2H)-one:**

- Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg  
Method: OECD Test Guideline 401

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Result : Mild skin irritant  
Remarks : May cause skin irritation and/or dermatitis.

#### Components:

##### **zinc oxide:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431  
Result : No skin irritation

##### **ethane-1,2-diol:**

Species : Rabbit  
Result : No skin irritation

##### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Exposure time : 72 h  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Result : Mild eye irritant  
Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

#### Components:

##### **zinc oxide:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

##### **ethane-1,2-diol:**

Species : Rabbit  
Result : No eye irritation

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

### 1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation
Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### **zinc oxide:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Substance is not considered to be potential skin sensitisier.

##### **ethane-1,2-diol:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

### 1,2-benzisothiazol-3(2H)-one:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.
Species	:	Guinea pig
Method	:	FIFRA 81.06
Result	:	May cause sensitisation by skin contact.

#### **Germ cell mutagenicity**

Not classified based on available information.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

### Components:

#### **zinc oxide:**

Genotoxicity in vitro

: Test Type: reverse mutation assay  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: equivocal

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster fibroblasts  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Result: positive

Test Type: Micronucleus test  
Test system: Human epithelioid cells  
Method: OECD Test Guideline 487  
Result: negative

Test Type: Micronucleus test  
Test system: Human lymphocytes  
Result: positive

Genotoxicity in vivo

: Test Type: In vivo micronucleus test  
Species: Mouse (male)  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

#### **ethane-1,2-diol:**

Genotoxicity in vitro

: Test Type: reverse mutation assay  
Method: OPPTS 870.5100  
Result: negative

Genotoxicity in vivo

: Test Type: dominant lethal test  
Species: Rat  
Application Route: Oral  
Result: negative

#### **1,2-benzisothiazol-3(2H)-one:**

Genotoxicity in vitro

: Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version  
1.0

Revision Date:  
23.08.2023

SDS Number:  
50002849

Date of last issue: -  
Date of first issue: 23.08.2023

---

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### **zinc oxide:**

Species : Mouse, male and female  
Application Route : Oral  
Exposure time : 1 year  
Dose : 4400, 22000 mg/l  
NOAEL : > 22,000 mg/l  
Result : negative  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

#### **ethane-1,2-diol:**

Species : Mouse  
Application Route : Oral  
Exposure time : 24 month(s)  
Result : negative

### **Reproductive toxicity**

Not classified based on available information.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version  
1.0

Revision Date:  
23.08.2023

SDS Number:  
50002849

Date of last issue: -  
Date of first issue: 23.08.2023

### Components:

#### **zinc oxide:**

Effects on fertility

: Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 7.5, 15, 30mg/kg bw/day  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: LOAEL: 7.5 mg/kg body weight  
General Toxicity F1: LOAEL: 30 mg/kg body weight  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Test Type: one-generation reproductive toxicity  
Species: Rat, male  
Application Route: Oral  
Dose: 4,000 milligram per liter  
Frequency of Treatment: 32 daily  
General Toxicity - Parent: LOAEL: 4,000 mg/l  
General Toxicity F1: LOAEL: 4,000 mg/l  
Symptoms: Reduced fertility  
Target Organs: male reproductive organs  
Result: positive  
Remarks: Based on data from similar materials

Effects on foetal development

: Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Dose: .0003, 0.002, 0.008 milligram per liter  
Duration of Single Treatment: 14 d  
General Toxicity Maternal: LOAEC: 0.008 mg/l  
Developmental Toxicity: NOAEC: 0.008 mg/l  
Embryo-foetal toxicity: NOAEC Mating/Fertility: 0.008 mg/l  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment

: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

#### **1,2-benzisothiazol-3(2H)-one:**

Effects on fertility

: Species: Rat, male  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters  
Method: OPPTS 870.3800  
Result: negative

Reproductive toxicity - Assessment

: Weight of evidence does not support classification for reproductive toxicity

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### **zinc oxide:**

Exposure routes	:	Oral
Target Organs	:	Central nervous system, Reproductive organs
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

##### **ethane-1,2-diol:**

Exposure routes	:	Oral
Target Organs	:	Kidney
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

##### **1,2-benzisothiazol-3(2H)-one:**

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	---	--

#### **Repeated dose toxicity**

#### Components:

##### **zinc oxide:**

Species	:	Rat, male and female
NOAEL	:	31.52 mg/kg
LOAEL	:	127.52 mg/kg
Application Route	:	Oral
Exposure time	:	13 weeks
Dose	:	0, 31.52, 127.52 mg/kg
Method	:	OECD Test Guideline 408
Target Organs	:	Pancreas
Symptoms	:	Necrosis
Remarks	:	Based on data from similar materials

Species	:	Mouse, male and female
NOEL	:	3000 ppm
Application Route	:	Oral
Exposure time	:	13 weeks
Dose	:	0, 300, 3000, 30000 ppm
Method	:	OECD Test Guideline 408
Remarks	:	Based on data from similar materials

Species	:	Rat, male
LOAEL	:	0.0045 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	3 months

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.08.2023	50002849	Date of first issue: 23.08.2023

Dose	:	0.0003, 0.0015, 0.004mg/l
Method	:	OECD Test Guideline 413
Target Organs	:	Lungs
Remarks	:	mortality
Species	:	Rat, male and female
LOAEL	:	75 mg/kg bw/day
Application Route	:	Dermal
Exposure time	:	28d
Dose	:	0, 75, 180, 360 mg/kg bw/day
Method	:	OECD Test Guideline 410

### **ethane-1,2-diol:**

Species	:	Rat
NOAEL	:	150 mg/kg
Application Route	:	Oral
Exposure time	:	12 months
Species	:	Dog
NOAEL	:	> 2,200 - < 4,400 mg/kg
Application Route	:	Dermal
Exposure time	:	4 weeks
Method	:	OECD Test Guideline 410

### **1,2-benzisothiazol-3(2H)-one:**

Species	:	Rat, male and female
NOAEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 d
Method	:	OECD Test Guideline 407
Symptoms	:	Irritation
Species	:	Rat, male and female
NOAEL	:	69 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	Irritation, Reduced body weight

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### **Components:**

##### **zinc oxide:**

Inhalation	:	Symptoms: Fatigue, Sweating, bitter taste, chills, dry mouth, flu-like symptoms
Ingestion	:	Symptoms: Gastrointestinal discomfort

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

### Further information

#### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **zinc oxide:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.55 mg/l  
Exposure time: 96 h  
Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.76 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- LC50 : 0.37 mg/l  
Exposure time: 96 h  
Test Type: static test
- EC50 : 0.14 mg/l  
Exposure time: 24 h  
Test Type: static test
- EC50 : 0.072 mg/l  
Exposure time: 96 h  
Test Type: static test
- Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (algae)): 0.044 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (algae)): 0.024 mg/l  
Exposure time: 3 d  
Method: OECD Test Guideline 201
- IC50 (Skeletonema costatum (marine diatom)): 1.23 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201
- IC50 : 3.28 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201
- NOEC (Dunaliella tertiolecta (marine algae)): 0.01 mg/l  
Exposure time: 4 d  
Test Type: static test

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version  
1.0

Revision Date:  
23.08.2023

SDS Number:  
50002849

Date of last issue: -  
Date of first issue: 23.08.2023

---

EC50 (Dunaliella tertiolecta (marine algae)): 0.65 mg/l  
Exposure time: 4 d  
Test Type: static test

(Chlorella vulgaris (Fresh water algae)): 1.16 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 0.3 mg/l  
Exposure time: 96 h  
Test Type: static test

EC50 : 0.69 mg/l  
Exposure time: 3 d  
Test Type: static test

EC50 (Phaeodactylum tricornutum): 1.12 mg/l  
Exposure time: 24 h  
Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

EC50 (Tetrahymena pyriformis): 7.1 mg/l  
Exposure time: 24 h  
Test Type: Growth inhibition

Toxicity to fish (Chronic toxicity) : NOEC: 0.440 mg/l  
Exposure time: 72 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: flow-through test  
Remarks: Based on data from similar materials

NOEC: 0.026 mg/l  
Exposure time: 30 d  
Species: Jordanella floridae (flagfish)  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials

NOEC: 0.530 mg/l  
Exposure time: 1,095 d  
Species: Salvelinus fontinalis (Brook trout)  
Test Type: flow-through test  
Remarks: Based on data from similar materials

NOEC: 0.056 mg/l  
Exposure time: 116 d  
Species: Salmo trutta (brown trout)  
Method: OECD Test Guideline 210

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version  
1.0

Revision Date:  
23.08.2023

SDS Number:  
50002849

Date of last issue: -  
Date of first issue: 23.08.2023

---

Remarks: Based on data from similar materials

NOEC: 0.025 mg/l

Exposure time: 27 d

Species: Fish

Test Type: semi-static test

Remarks: Based on data from similar materials

NOEC: 0.078 mg/l

Exposure time: 248 d

Species: Pimephales promelas (fathead minnow)

Test Type: flow-through test

Remarks: Based on data from similar materials

NOEC: 0.050 mg/l

Exposure time: 155 d

Species: Fish

Test Type: flow-through test

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : LOEC: 0.125 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : NOEC: 750 mg/kg  
Exposure time: 21 d  
Species: Eisenia fetida (earthworms)

### ethane-1,2-diol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 72,860 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (green algae)): 10,940 mg/l  
Exposure time: 96 h

Toxicity to microorganisms : (activated sludge): > 1,995 mg/l  
Exposure time: 30 min  
Method: ISO 8192

Toxicity to fish (Chronic toxicity) : 1,500 mg/l  
Exposure time: 28 d  
Species: Menidia peninsulae (tidewater silverside)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 33,911 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### **1,2-benzisothiazol-3(2H)-one:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7 mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

## 12.2 Persistence and degradability

### **Components:**

#### **ethane-1,2-diol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 - 100 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301A

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

### 1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

#### 12.3 Bioaccumulative potential

##### Components:

###### **zinc oxide:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Exposure time: 14 d  
Bioconcentration factor (BCF): 2,060

###### **ethane-1,2-diol:**

Partition coefficient: n-octanol/water : log Pow: -1.36

### 1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6.62  
Method: OECD Test Guideline 305  
Remarks: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)  
pH: 7

log Pow: 0.99 (20 °C)  
pH: 5

#### 12.4 Mobility in soil

##### Components:

###### **1,2-benzisothiazol-3(2H)-one:**

Distribution among environmental compartments : Koc: 9.33 ml/g, log Koc: 0.97  
Method: OECD Test Guideline 121  
Remarks: Highly mobile in soils

#### 12.5 Results of PBT and vPvB assessment

##### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

### 12.6 Other adverse effects

#### Product:

- Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
- Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14: Transport information

### 14.1 UN number

- ADN** : UN 3082
- ADR** : UN 3082
- RID** : UN 3082
- IMDG** : UN 3082
- IATA** : UN 3082

### 14.2 UN proper shipping name

- ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Zinc oxide, 1,2-Benzisothiazol-3(2H)-one)
- ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Zinc oxide, 1,2-Benzisothiazol-3(2H)-one)
- RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Zinc oxide, 1,2-Benzisothiazol-3(2H)-one)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

<b>IMDG</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide, 1,2-Benzisothiazol-3(2H)-one)
<b>IATA</b>	:	Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide, 1,2-Benzisothiazol-3(2H)-one)

### 14.3 Transport hazard class(es)

<b>ADN</b>	:	9
<b>ADR</b>	:	9
<b>RID</b>	:	9
<b>IMDG</b>	:	9
<b>IATA</b>	:	9

### 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>ADR</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
<b>RID</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>IMDG</b>	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
<b>IATA (Cargo)</b>	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous
<b>IATA (Passenger)</b>	
Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

Environmentally hazardous : yes

#### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the following entries should be considered: Number on list 3 ethane-1,2-diol (Number on list 3)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
Control of Major Accident Hazards Regulations E1 2015 (COMAH)	ENVIRONMENTAL HAZARDS

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version  
1.0

Revision Date:  
23.08.2023

SDS Number:  
50002849

Date of last issue: -  
Date of first issue: 23.08.2023

---

E1

### Other regulations:

#### The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  Sodium Polyacrylate Homopolymer
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

---

## SECTION 16: Other information

### Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## VYTEGRIS ZINC 700

Version 1.0	Revision Date: 23.08.2023	SDS Number: 50002849	Date of last issue: - Date of first issue: 23.08.2023
----------------	------------------------------	-------------------------	--

Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE 2000/39/EC	:	Specific target organ toxicity - repeated exposure
	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

### Classification procedure:

Calculation method
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to

## **SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## **VYTEGRIS ZINC 700**

Version  
1.0

Revision Date:  
23.08.2023

SDS Number:  
50002849

Date of last issue: -  
Date of first issue: 23.08.2023

---

ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

**Prepared by**

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

GB / 6N