

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

---

### SECTION 1. IDENTIFICATION

#### Product identifier

**Product name** Rynaxypyr® Active 600 FS

#### Other means of identification

**Product code** 50003030

#### Recommended use of the chemical and restrictions on use

**Recommended use** Seed treatment

**Restrictions on use** Use as recommended by the label.

#### Manufacturer or supplier's details

**Manufacturer** FMC Corporation  
2929 WALNUT ST  
PHILADELPHIA PA 19104  
USA  
+1 (215) 299-6000  
SDS-Info@fmc.com

**Supplier Address** FMC Corporation  
2929 Walnut Street  
Philadelphia PA 19104  
USA

#### Emergency telephone

For leak, fire, spill or accident emergencies, call:  
1 800 / 424-9300 (CHEMTREC - U.S.A.)  
1 703 / 741-5970 (CHEMTREC - International)  
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:  
U.S.A. & Canada: +1 800 / 331-3148  
All other countries: +1 651 / 632-6793 (Collect)

---

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

#### **GHS label elements**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

### Other hazards

Very toxic to aquatic life with long lasting effects.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	47.5
propane-1,2-diol	57-55-6	Trade secret ( $\geq 5$ - $\leq 10$ )
glycerol	56-81-5	Trade secret ( $\geq 1$ - $\leq 5$ )
Residues, petroleum, catalytic re-former fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	Trade secret ( $\geq 1$ - $\leq 5$ )

## SECTION 4. FIRST AID MEASURES

- |   |  |
|---|--|
| General advice  | : Move out of dangerous area.<br>Show this material safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.  |
| If inhaled  | : Move to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.<br>If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disappear. |
| In case of skin contact                                     | : If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.   |
| In case of eye contact                                      | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.  |
| If swallowed  | : Do not induce vomiting without medical advice.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.                                  |
| Most important symptoms and effects, both acute and delayed | : None known.  |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection and use the recommended protective clothing   |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version 1.0	Revision Date: 07/24/2025	SDS Number: 50003030	Date of last issue: - Date of first issue: 07/24/2025
----------------	------------------------------	-------------------------	--

Avoid inhalation, ingestion and contact with skin and eyes.  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet  
Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Bromine compounds  
Chlorine compounds  
Hydrogen cyanide  
Hydrogen chloride  
Fire may produce irritating, corrosive and/or toxic gases.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Never return spills in original containers for re-use.  
Only qualified personnel equipped with suitable protective equipment may intervene.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for : Soak up with inert absorbent material (e.g. sand, silica gel,

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

containment and cleaning up      acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA	10 mg/m <sup>3</sup>	US WEEL
glycerol	56-81-5	TWA (mist, respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (mist, total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m <sup>3</sup>	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m <sup>3</sup>	OSHA P0

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version 1.0	Revision Date: 07/24/2025	SDS Number: 50003030	Date of last issue: - Date of first issue: 07/24/2025
----------------	------------------------------	-------------------------	--

Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product. Ensure that eye flushing systems and safety showers are located close to the working place. Wear suitable protective equipment. In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: suspension
Color	: off-white
Odor	: mild
Odor Threshold	: No data available
pH	: 6.7 (70.5 °F / 21.4 °C) GLP: yes
	: No data available
	: No data available
Flash point	: GLP: yes No flash up to boiling point.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

Evaporation rate	:	No data available
Self-ignition	:	> 1112 °F / 600 °C GLP: yes
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.26 - 1.27 g/cm3
Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	> 1112 °F / 600 °C GLP: yes
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	2,095 mPa.s (68 °F / 20 °C) GLP: yes 6 rpm  719 mPa.s (68 °F / 20 °C) GLP: yes 30 rpm  1,765 mPa.s (104 °F / 40 °C) GLP: yes 6 rpm  630 mPa.s (104 °F / 40 °C) GLP: yes 30 rpm
Viscosity, kinematic	:	No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

Explosive properties	:	GLP: yes Not explosive
Oxidizing properties	:	Non-oxidizing GLP: yes
Surface tension	:	43.4 mN/m, Regulation (EC) No. 440/2008, Annex, A.5, GLP: yes
Particle size	:	0.63 - 7.1 µm GLP: yes

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid formation of aerosol. Avoid extreme temperatures.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg Method: OPPTS 870.1100 GLP: yes Remarks: Based on data from a similar product.
Acute inhalation toxicity	:	LC50 (Rat): > 5.16 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OPPTS 870.1300 GLP: yes Remarks: Based on data from a similar product.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

Acute dermal toxicity : LD50 Dermal (Rat): > 5,000 mg/kg  
Method: OPPTS 870.1200  
GLP: yes  
Remarks: Based on data from a similar product.

### Components:

#### **Chlorantraniliprole:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Remarks: Information source: Internal study report

LD50 (Mouse, female): > 2,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Information source: Internal study report

LC50 (Rat, male and female): > 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

LC50 (Rat, male and female): > 5.0 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: GB 15670-1995  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Information source: Internal study report

LD50 (Rat, male and female): > 5,000 mg/kg  
Method: GB 15670-1995  
GLP: yes  
Remarks: no mortality

LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Remarks: no mortality

### propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l  
Exposure time: 2 h  
Test atmosphere: vapor  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### glycerol:

Acute oral toxicity : LD50 (Rat, female): 11,500 mg/kg

Acute inhalation toxicity : LC0 (Rat, male): 11 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Guinea pig, male and female): 56,750 mg/kg

### Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OPPTS 870.2500  
Result : Mild skin irritation  
GLP : yes  
Remarks : Based on data from a similar product.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

---

Remarks : May cause skin irritation and/or dermatitis.

### **Components:**

#### **Chlorantraniliprole:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes  
Remarks : Information source: Internal study report

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

Species : Rabbit  
Method : GB 15670-1995  
Result : No skin irritation  
GLP : yes

#### **propane-1,2-diol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **glycerol:**

Species : Rabbit  
Result : No skin irritation

#### **Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Remarks : No data available

#### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

### **Product:**

Species : Rabbit  
Result : Slight or no eye irritation  
Assessment : Not classified as irritant  
Method : OPPTS 870.2400  
GLP : yes  
Remarks : Based on data from a similar product.

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

---

### **Components:**

#### **Chlorantraniliprole:**

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
GLP	: yes
Remarks	: Information source: Internal study report

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Species	: Rabbit
Result	: Slight or no eye irritation
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
GLP	: yes

#### **propane-1,2-diol:**

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

#### **glycerol:**

Species	: Rabbit
Result	: No eye irritation

#### **Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Result	: Eye irritation
--------	------------------

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitization**

Based on available data, the classification criteria are not met.

### **Product:**

Test Type	: Local lymph node test
Species	: Mouse
Assessment	: Not a skin sensitizer.
Method	: OPPTS 870.2600
Result	: Animal test did not cause sensitization by skin contact.
GLP	: yes
Remarks	: Based on data from a similar product.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

---

### **Components:**

#### **Chlorantraniliprole:**

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes
Remarks	: Information source: Internal study report

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

#### **propane-1,2-diol:**

Test Type	: Maximization Test
Species	: Guinea pig
Result	: negative

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

### **Components:**

#### **Chlorantraniliprole:**

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Result: negative
-----------------------	--

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
--

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative
----------------------	---

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

#### **propane-1,2-diol:**

Genotoxicity in vitro	: Test Type: reverse mutation assay Result: negative
-----------------------	---

Genotoxicity in vivo	: Test Type: In vivo micronucleus test Species: Mouse Result: negative
----------------------	--

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

---

### glycerol:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Components:

#### Chlorantraniliprole:

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 805 - 1,076 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative

Species : Mouse, male and female  
Application Route : Oral  
Exposure time : 18 month(s)  
NOAEL : 158 - 1,155 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative

Species : Dog  
Exposure time : 1 Years  
NOAEL : 1,164 mg/kg bw/day  
Result : negative

Carcinogenicity - Assessment : A slight increased incidence in tumors was observed in one species, but not in other species

#### propane-1,2-diol:

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

### glycerol:

Species : Rat  
Application Route : Oral  
Exposure time : 2 years Years  
Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

---

identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### **Chlorantraniliprole:**

Effects on fertility	: Test Type: Two-generation study Species: Rat, male and female Application Route: Oral General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416 Result: negative
Effects on fetal development	: Test Type: Pre-natal Species: Rat Application Route: Oral Duration of Single Treatment: 6 - 20 Days General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day Method: OECD Test Guideline 414 Result: negative
Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity

##### **propane-1,2-diol:**

Effects on fertility	: Test Type: reproductive and developmental toxicity study Species: Mouse Application Route: Oral Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Oral Method: OECD Test Guideline 414 Result: Animal testing did not show any effects on fertility. Remarks: Based on data from similar materials

##### **glycerol:**

Effects on fertility	: Test Type: Two-generation study Species: Rat Application Route: Oral Result: negative
Effects on fetal development	: Test Type: Two-generation study Species: Rat Application Route: Oral Result: negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

---

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Repeated dose toxicity

#### Components:

##### **Chlorantraniliprole:**

Species	: Rat, male and female
NOEL	: 1188 - 1526 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

##### **propane-1,2-diol:**

Species	: Rat, male and female
NOAEL	: 1,700 mg/kg
Application Route	: Oral
Exposure time	: 2 Years

Species	: Rat, male and female
NOAEL	: 1,000 mg/kg
LOAEL	: 160 mg/kg
Application Route	: Inhalation
Exposure time	: 90 Days

##### **glycerol:**

Species	: Rat
LOAEL	: 1 mg/kg
Application Route	: Inhalation
Exposure time	: 14 d
Dose	: 0, 1, 1.93, 3.91 mg/L
Symptoms	: respiratory tract irritation, Fatality

Species	: Rat
NOAEL	: 0.165 mg/l
LOAEL	: 0.662 mg/l
Application Route	: Inhalation
Exposure time	: 13 w
Dose	: 0, 0.033, 0.165, 0.662 mg/L
Symptoms	: respiratory tract irritation

### Aspiration toxicity

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

### Components:

#### **Chlorantraniliprole:**

The substance does not have properties associated with aspiration hazard potential.

### **Further information**

#### Product:

Remarks : No data available

### Components:

#### **Chlorantraniliprole:**

Remarks : Information presented in this Section conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

#### **Chlorantraniliprole:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: Information source: Internal study report

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0116 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

		LC50 ( <i>Hyalella azteca</i> (Amphipod)): 0.26 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
		LC50 ( <i>Ceriodaphnia dubia</i> (water flea)): 0.0067 - 0.011 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): > 2 mg/l Exposure time: 120 h  NOEC ( <i>Lemna gibba</i> (duckweed)): > 2 mg/l End point: Biomass Exposure time: 14 d Test Type: static test  ErC50 ( <i>Selenastrum capricornutum</i> (green algae)): > 2 mg/l Exposure time: 72 h  NOEC ( <i>Anabaena flos-aquae</i> (cyanobacterium)): > 2 mg/l End point: Growth rate Exposure time: 120 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes  NOEC ( <i>Skeletonema costatum</i> (Diatom)): > 14.6 mg/l End point: Growth rate Exposure time: 120 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes  NOEC ( <i>Navicula pelliculosa</i> (Diatom)): > 15.1 mg/l End point: Growth rate Exposure time: 120 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes
Toxicity to fish (Chronic toxicity)	:	NOEC ( <i>Cyprinodon variegatus</i> (sheepshead minnow)): 1.28 mg/l Exposure time: 36 d  NOEC ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 0.110 mg/l Exposure time: 28 d Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other	:	NOEC ( <i>Daphnia magna</i> (Water flea)): 0.00447 mg/l

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d  
Method: US EPA Test Guideline OPPTS 850.1300  
GLP: yes

Toxicity to soil dwelling organisms

: LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg  
Exposure time: 14 d  
Method: OECD Test Guideline 207  
GLP: yes

Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217  
Remarks: No significant adverse effect on Carbon mineralization.

EC50 (*Hypoaspis aculeifer*): >100 mg/kg dry weight (d.w.)  
Exposure time: 16 d  
Method: OECD Test Guideline 207

NOEC (*Hypoaspis aculeifer*): 100 mg/kg dry weight (d.w.)  
Exposure time: 16 d  
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms

: LD50 (*Apis mellifera* (bees)): > 4.0 µg/bee  
Exposure time: 72 h  
End point: Acute contact toxicity  
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.005 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Remarks: Active substance dissolved in water

LD50 (*Apis mellifera* (bees)): > 104.1 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.0274 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Remarks: Active substance dissolved in water

LD50 (*Poephila guttata* (zebra finch)): > 2,250 mg/kg

### propane-1,2-diol:

Toxicity to fish

: LC50 (*Oncorhynchus mykiss* (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other

: (*Mysidopsis bahia* (opossum shrimp)): 18,800 mg/l

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

aquatic invertebrates	Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	: EC50 (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

### glycerol:

Toxicity to fish	: LC50 (Fish): 885 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Scenedesmus capricornutum (fresh water algae)): 2,900 mg/l Exposure time: 192 h
Toxicity to microorganisms	: EC10 (Pseudomonas putida): 10,000 mg/l Exposure time: 16 h

### Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish	: LC50 (Zebra fish): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials  EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **Chlorantraniliprole:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9  
Degradation half life (DT50): 0.3 d (50 °C) pH: 9  
Degradation half life (DT50): > 31 d pH: 5

##### **propane-1,2-diol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 23.6 %  
Exposure time: 64 d  
Method: OECD Test Guideline 306

##### **glycerol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 94 %  
Exposure time: 24 h

##### **Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### **Chlorantraniliprole:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 14  
Method: OECD Test Guideline 305  
GLP: yes  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.77 (68 °F / 20 °C)  
pH: 4  
log Pow: 2.86 (68 °F / 20 °C)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version 1.0	Revision Date: 07/24/2025	SDS Number: 50003030	Date of last issue: - Date of first issue: 07/24/2025
----------------	------------------------------	-------------------------	--

pH: 7

log Pow: 2.80 (68 °F / 20 °C)

pH: 9

### propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

### glycerol:

Partition coefficient: n-octanol/water : log Pow: -1.75 (77 °F / 25 °C)  
pH: 7.4

### Mobility in soil

#### Components:

#### Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55  
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

#### Components:

#### Chlorantraniliprole:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Chlorantraniliprole)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Chlorantraniliprole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Chlorantraniliprole)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

49 CFR Road

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

UN/ID/NA number	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(Chlorantraniliprole)
Remarks	: Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol	57-55-6	>= 5 - < 10 %
glycerol	56-81-5	>= 1 - < 5 %

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### US State Regulations

#### Massachusetts Right To Know

glycerol	56-81-5
Quartz (SiO <sub>2</sub> )	14808-60-7

#### Pennsylvania Right To Know

Chlorantraniliprole	500008-45-7
water	7732-18-5
propane-1,2-diol	57-55-6
glycerol	56-81-5
Distillates (petroleum), hydro- treated light; Kerosine — unspecified	64742-47-8

#### Maine Chemicals of High Concern

Quartz (SiO <sub>2</sub> )	14808-60-7
----------------------------	------------

#### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

#### Washington Chemicals of High Concern

Product does not contain any listed chemicals

#### California Prop. 65

WARNING: This product can expose you to chemicals including Distillates (petroleum), hydro-treated light; Kerosine — unspecified, Quartz (SiO<sub>2</sub>), which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### California Permissible Exposure Limits for Chemical Contaminants

glycerol	56-81-5
----------	---------

#### The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

---

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### No Signal Word Required

When used as directed, this product does not present a hazard to humans or domestic animals.

---

## SECTION 16. OTHER INFORMATION

### Further information

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS


Version  
1.0

Revision Date:  
07/24/2025

SDS Number:  
50003030

Date of last issue: -  
Date of first issue: 07/24/2025

### NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

### HMIS® IV:

HEALTH	/	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
US WEEL / TWA	: 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level;

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Rynaxypyr® Active 600 FS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/24/2025	50003030	Date of first issue: 07/24/2025

---

NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

### Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet