

# SAFETY DATA SHEET

## Goof Off Fabric Paint Remover

Page: 1 of 6

Printed: 05/16/2022

Revision: 05/16/2022

Supersedes Revision: 03/03/2022

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Goof Off Fabric Paint Remover

**Company Name:** W. M. Barr  
2105 Channel Avenue  
Memphis, TN 38113

**Phone Number:** (901)775-0100

**Web site address:** www.wmbarr.com

**Emergency Contact:** 3E 24 Hour Emergency Contact (800)451-8346

**Information:** W.M. Barr Customer Service (800)398-3892

**Intended Use:** Laundry Pretreater

**Product Code:** FG920

### 2. HAZARDS IDENTIFICATION

#### Skin Corrosion/Irritation, Category 3

**GHS Signal Word:** **Warning**

**GHS Hazard Phrases:** H316: Causes mild skin irritation.

**GHS Precautionary Phrases:**

**GHS Response Phrases:** P332+313: If skin irritation occurs, get medical advice/attention.

**GHS Storage and Disposal Phrases:**

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

**Potential Health Effects (Acute and Chronic):** \*\*See above.

**Medical Conditions Generally Aggravated By Exposure:**

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
1356964-77-6	N,N-dimethyl 9-decenamide	3.0 -7.0 %
1643-20-5	Dodecyldimethylamine oxide	1.0 -5.0 %
141-43-5	Ethanol, 2-Amino- {Ethanolamine; Monoethanolamine; beta-Aminoethyl alcohol}	0.1 -1.0 %
1300-72-7	Sodium xylenesulfonate	0.1 -1.0 %

**Additional Chemical Information** Specific percentage of composition is being withheld as a trade secret.

# SAFETY DATA SHEET

## Goof Off Fabric Paint Remover

Page: 2 of 6

Printed: 05/16/2022

Revision: 05/16/2022

Supersedes Revision: 03/03/2022

### 4. FIRST AID MEASURES

**Emergency and First Aid Procedures:****Skin:**

Remove contaminated clothing. Immediately wash skin thoroughly with large amounts of water and mild soap, if available. Seek medical attention if irritation develops or persists.

**Eyes:**

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush the eyes for at least 15 minutes.

**Inhalation:**

Remove to fresh air.

**Ingestion:**

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

**Signs and Symptoms Of Exposure:**

\*\*Refer to section 2.

### 5. FIRE FIGHTING MEASURES

**Flammability Classification:** Not flammable or combustible

**Flash Pt:** Nonflammable

**Explosive Limits:** LEL: none N.D. UEL: none N.D.

**Autoignition Pt:** NA

**Suitable Extinguishing Media:** Non-combustible liquid - use extinguishing media for underlying cause of fire.

**Unsuitable Extinguishing Media:** None known.

**Fire Fighting Instructions:** Material should not burn.

**Flammable Properties and Hazards:** Non-flammable.

**Hazardous Combustion Products:** Material should not burn. Combustion product will be from surrounding materials involved in fire.

**Additional Fire Fighting Information:** NP: Not applicable

### 6. ACCIDENTAL RELEASE MEASURES

**Steps To Be Taken In Case Material Is Released Or Spilled:** Wash area with soap and water.

### 7. HANDLING AND STORAGE

**Precautions To Be Taken in Handling:** Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. A source of clean water should be kept in the immediate work area for flushing of the eyes and skin.

Follow all SDS/label precautions even after container is emptied because they may retain product residues.

**Precautions To Be Taken in Storing:** Keep containers closed when not in use. Store in a cool, dry place, out of direct sunlight.

# SAFETY DATA SHEET

## Goof Off Fabric Paint Remover

Page: 3 of 6

Printed: 05/16/2022

Revision: 05/16/2022

Supersedes Revision: 03/03/2022

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
141-43-5	Ethanol, 2-Amino- {Ethanolamine; Monoethanolamine; beta-Aminoethyl alcohol}	ACGIH TLV	TLV: 3 ppm STEL: 6 ppm	
		OSHA PELs	PEL: 3 ppm	
<b>Respiratory Equipment (Specify Type):</b>		When used by the consumer following directions for use and with adequate ventilation, respiratory protection is not expected to be needed.		
<b>Eye Protection:</b>		Where contact with the eyes or face is likely from spraying or splashing, safety glasses and a faceshield or chemical goggles should be worn to prevent eye contact.		
<b>Protective Gloves:</b>		When used as directed, protective gloves should not be required. For prolonged or repeated contact, wear gloves with as much resistance to the chemical ingredients as possible. Glove materials such as natural rubber or nitrile rubber provide protection. Glove selection should be based on chemicals being used and conditions of use. Consult your glove supplier for additional information.		
<b>Other Protective Clothing:</b>				
<b>Engineering Controls (Ventilation etc.):</b>		Ventilation is normally not required when handling or using this product to keep exposure to airborne contaminants below the exposure limit. Good general ventilation should be sufficient to control airborne levels.		
<b>Work/Hygienic/Maintenance Practices:</b>		Wash hands thoroughly after use and before eating, drinking, or smoking. Do not eat, drink, or smoke in the work area. Discard any clothing or other protective equipment that cannot be decontaminated.		

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical States:</b>	[ ] Gas    [X] Liquid    [ ] Solid
<b>Appearance and Odor:</b>	Colorless transparent liquid. Odor threshold not established
<b>pH:</b>	11.2
<b>Melting Point:</b>	N.D.
<b>Boiling Point:</b>	N.D.
<b>Flash Pt:</b>	Nonflammable
<b>Evaporation Rate:</b>	N.D.
<b>Flammability (solid, gas):</b>	
<b>Explosive Limits:</b>	LEL: none    N.D.    UEL: none    N.D.
<b>Vapor Pressure (vs. Air or mm Hg):</b>	N.D.
<b>Vapor Density (vs. Air = 1):</b>	N.D.
<b>Specific Gravity (Water = 1):</b>	0.9970
<b>Density:</b>	8.32 LB/GL
<b>Solubility in Water:</b>	Soluble
<b>Saturated Vapor Concentration:</b>	N.D.
<b>Octanol/Water Partition Coefficient:</b>	ND

# SAFETY DATA SHEET

## Goof Off Fabric Paint Remover

Page: 4 of 6

Printed: 05/16/2022

Revision: 05/16/2022

Supersedes Revision: 03/03/2022

**Percent Volatile:** ND 0.0 % by volume.  
**VOC / Volume:** 8.0000 G/L  
**Autoignition Pt:** NA  
**Decomposition Temperature:** N.D.  
**Viscosity:** 1200 CPS  
**a\_fld\_hdr[9]:** VOC Category & Limit  
CARB/OTC  
Laundry Pretreater - Nonaerosol  
VOC Limit 5.0 wt%  
N.D.: Not determined. NP: Not applicable NE: Not Established

Information with regard to  
primary physical hazard:

### 10. STABILITY AND REACTIVITY

**Stability:** Unstable [ ] Stable [ X ]  
**Conditions To Avoid - Instability:** None known.  
**Incompatibility - Materials To Avoid:** Strong oxidizers and acids.  
**Hazardous Decomposition or Byproducts:** Carbon monoxide, carbon dioxide, sulfur dioxide and oxides of sulfur.  
**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]  
**Conditions To Avoid - Hazardous Reactions:** None known.

### 11. TOXICOLOGICAL INFORMATION

**Toxicological Information:** This product has not been tested as a whole. Refer to section 2 for acute and chronic effects.

CAS# 141-43-5:  
Acute toxicity, LD50, Oral, Rat, 1720. MG/KG.  
Result:  
Brain and Coverings: Other degenerative changes.  
Autonomic Nervous System: Other (direct) parasymphomimetic.  
Autonomic Nervous System: Parasympatholytic.  
- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 42,417, 1977

Open irritation test., Skin, Species: Rabbit, 505.0 MG, Moderate.  
Result:  
Peripheral Nerve and Sensation: Sensory change involving segmental distribution.  
Behavioral: Alteration of classical conditioning.  
- Union Carbide Data Sheet, Union Carbide Corp., 39 Old Ridgebury Rd., Danbury, CT 06817, Vol/p/yr: 1/13, 1972

# SAFETY DATA SHEET

## Goof Off Fabric Paint Remover

Page: 5 of 6

Printed: 05/16/2022

Revision: 05/16/2022

Supersedes Revision: 03/03/2022

Standard Draize Test, Eyes, Species: Rabbit, 250.0 UG, Severe.

Result:

Peripheral Nerve and Sensation: Sensory change involving segmental distribution.

Behavioral: Change in motor activity (specific assay).

Behavioral: Alteration of classical conditioning.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

### Chronic Toxicological Effects:

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1356964-77-6	N,N-dimethyl 9-decenamide				
1643-20-5	Dodecyldimethylamine oxide				
141-43-5	Ethanol, 2-Amino- {Ethanolamine; Monoethanolamine; beta-Aminoethyl alcohol}				
1300-72-7	Sodium xylenesulfonate				

## 12. ECOLOGICAL INFORMATION

**General Ecological Information:** Not determined for this product as a whole.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** Dispose of in accordance with all applicable local, state, and federal regulations. Do not dump into sewers or allow to enter waterways.

## 14. TRANSPORT INFORMATION

### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not regulated by D.O.T.

**DOT Hazard Class:**

**UN/NA Number:**

**Additional Transport Information:**

## 15. REGULATORY INFORMATION

### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1356964-77-6	N,N-dimethyl 9-decenamide	No	No	No
1643-20-5	Dodecyldimethylamine oxide	No	No	No
141-43-5	Ethanol, 2-Amino- {Ethanolamine; Monoethanolamine; beta-Aminoethyl alcohol}	No	No	No
1300-72-7	Sodium xylenesulfonate	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1356964-77-6	N,N-dimethyl 9-decenamide	TSCA: Inventory
1643-20-5	Dodecyldimethylamine oxide	TSCA: Inventory
141-43-5	Ethanol, 2-Amino- {Ethanolamine; Monoethanolamine; beta-Aminoethyl alcohol}	TSCA: Inventory
1300-72-7	Sodium xylenesulfonate	TSCA: Inventory

# SAFETY DATA SHEET

## Goof Off Fabric Paint Remover

Page: 6 of 6

Printed: 05/16/2022

Revision: 05/16/2022

Supersedes Revision: 03/03/2022

### Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

## 16. OTHER INFORMATION

**Revision Date:** 05/16/2022 **Previous revision:** 03/03/2022

**Preparer Name:** W.M. Barr EHS Dept (901)775-0100

### Additional Information About This Product:

#### Company Policy or Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.