# **Safety Data Sheet**

**Issue Date** 03-Oct-2011 **Revision Date:** 04-Sep-2019 **Version** 1.0

## 1. IDENTIFICATION

**Product Identifier** 

Product Name Super Liquid Laundry Builder II

Other Means of Identification

**Product Code** G00170/ G00171

Recommended use of the Chemical and Restrictions on Use

**Recommended Use** Laundry detergent builder. For industrial use.

**Details of the Supplier of the Safety Data Sheet** 

Victoria Bay Products 255 Route 1 & 9 Jersey City, NJ 07306

**Emergency Telephone Number** 

Company Phone Number Phone: 1-800-226-3233

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Colorless Physical State Liquid Odor None

#### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Corrosive to Metals	Category 1

#### Signal Word

Danger

#### **Hazard Statements**

Causes severe skin burns and eye damage.

May be corrosive to metals.

# **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/ $\overline{\text{mist/vapors}}$ /spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep only in original container.

## **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Rinse mouth. Do NOT induce vomiting.

IN CASE OF SPILL: Absorb spillage to prevent material damage.

# Precautionary Statements - Storage

Store locked up.

Store in a corrosive resistant container with a resistant inner liner.



#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

## **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed.

## **Other Hazards**

None known.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Potassium Hydroxide	1310-58-3	10-30
Tetrapotassium Pyrophosphate	7320-34-5	5-10
Sodium Silicate	1344-09-8	1-5
Sodium Polyacrylate	9003-04-7	1-5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret\*\*

# 4. FIRST-AID MEASURES

#### First Aid Measures

General Advice Immediately call a POISON CENTER or doctor/physician.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician. Contact lenses should be discarded.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a physician or poison control center immediately.

Ingestion IF SWALLOWED: call a poison control center or physician immediately. Never give

anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. Do not

induce vomiting.

## **Most Important Symptoms and Effects**

**Symptoms** Causes severe skin burns and eye damage.

# Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician May aggravate pre-existing skin disorders. Any lung condition may be aggravated.

# 5. FIRE-FIGHTING MEASURES

# Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

## **Unsuitable Extinguishing Media**

Not determined.

#### Specific Hazards Arising from the Chemical

Product is not flammable.

# **Hazardous Combustion Products**

Normal products of combustion.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions** Use personal protection recommended in Section 8.

**Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional

information.

#### Methods and Material for Containment and Cleaning Up

**Methods for Containment** Prevent further leakage or spillage if safe to do so. For large spills, dike far ahead of liquid

spill for later disposal.

**Methods for Clean-Up** Contain and collect with an inert absorbent and place into an appropriate container for

disposal. Dilute remaining residue with water and neutralize with dilute acetic acid (vinegar).

## 7. HANDLING AND STORAGE

# **Precautions for Safe Handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin and eyes. Use personal protection recommended in Section 8. Wash face, hands, and

any exposed skin thoroughly after handling. Do not breathe

dust/fume/gas/mist/vapors/spray. For Industrial or professional use only.

## Conditions for Safe Storage, including any Incompatibilities

**Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Keep from freezing. Protect from excessive heat. Keep out of the reach of children.

**Incompatible Materials** Acids. Oxidizing agents. Iron. Rust. Copper. Cobalt. Nickel. Nitrogen compounds. Urea.

Organic materials.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

# **Appropriate Engineering Controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

#### Individual Protection Measures, such as Personal Protective equipment

**Eye/Face Protection** Wear goggles or chemical safety glasses. For Industrial or professional use only.

**Skin and Body Protection** Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of

exposure.

**Respiratory Protection** No respiratory protection is necessary during normal use conditions. In the case of

insufficient ventilation or if exposure limits are exceeded, use a suitable NIOSH/MSHA

respiratory device.

**General Hygiene Considerations** Wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on Basic Physical and Chemical Properties

Physical State Liquid

Appearance Clear Odor None

Color Colorless Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 13.5-14.0

Melting Point/Freezing Point ~ 0 °C / 32 °F Boiling Point/Boiling Range ~ 100 °C / 212 °F

Flash Point None Tag Closed Cup

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density

Not determined
Not determined
Not determined
Not determined
Not determined

Specific Gravity 1.26

Water Solubility Completely soluble @ 25 °C (77 °F)

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** None known **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

# **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

# **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Elevated temperatures. Keep from freezing. Reacts with incompatible materials. Keep out of reach of children.

## **Incompatible Materials**

Acids. Oxidizing agents. Iron. Rust. Copper. Cobalt. Nickel. Nitrogen compounds. Urea. Organic materials.

#### **Hazardous Decomposition Products**

Oxygen when exposed to copper, nickel, cobalt, iron or iron compounds.

## 11. TOXICOLOGICAL INFORMATION

# Information on Likely Routes of Exposure

**Product Information** 

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** May be harmful if swallowed. Do not taste or swallow.

# **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Hydroxide 1310-58-3	= 214 mg/kg(Rat)	-	-
Tetrapotassium Pyrophosphate 7320-34-5	-	> 4640 mg/kg (Rabbit)	-
Sodium Silicate 1344-09-8	= 1153 mg/kg ( Rat )	> 4640 mg/kg (Rabbit)	-
Sodium Polyacrylate 9003-04-7	> 40 g/kg (Rat)	-	-

# Information on Physical, Chemical and Toxicological Effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

**Carcinogenicity** Not classifiable as a human carcinogen.

**Chronic Toxicity** Chronic exposure may cause liver, kidney and/or blood disorders.

# **Numerical Measures of Toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

# **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium Hydroxide 1310-58-3	-	80: 96 h Gambusia affinis mg/L LC50 static	-	-
Tetrapotassium Pyrophosphate 7320-34-5	-	100: 96 h Oncorhynchus mykiss mg/L LC50	-	100: 48 h water flea mg/L EC50
Sodium Silicate 1344-09-8	-	301 - 478: 96 h Lepomis macrochirus mg/L LC50 3185: 96 h Brachydanio rerio mg/L LC50 semi-static	-	216: 96 h Daphnia magna mg/L EC50

# Persistence/Degradability

Not determined

# **Bioaccumulation**

Not determined

# **Mobility**

Chemical Name	Partition Coefficient
Potassium Hydroxide 1310-58-3	0.83

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

## California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium Hydroxide	Toxic
1310-58-3	Corrosive

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN3266, Corrosive Liquid, Basic, Inorganic, NOS (Containing Potassium Hydroxide), 8,

Revision Date: 16-Sep-2014

PG II

<u>IATA</u>

**IMDG** 

# 15. REGULATORY INFORMATION

# **International Inventories**

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

# US Federal Regulations

# **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide	1000 lb		RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

#### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## **CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb			Х

## **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## **U.S. State Right-to-Know Regulations**

Chemical Name	State List
Potassium Hydroxide	MA, NJ, PA
1310-58-3	IVIA, NJ, FA

AZ - Arizona Ambient Air Quality Guidelines CT - Connecticut Hazardous Air Pollutants

CA - California Director's List of Hazardous Substances

CAP65 - California Prop 65 FL – Florida Substances List

ID - Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate- Carcinogenic

MA – Massachusetts Right to Know List

MN - Minnesota Hazardous Substances List

NJ - New Jersey Right to Know List PA – Pennsylvania Right to Know List

RI - Rhode Island Hazardous Substances List

# **16. OTHER INFORMATION**

**Health Hazards Flammability** Instability **Special Hazards** NFPA Not determined Not determined Not determined Not determined **Health Hazards Personal Protection** HMIS **Flammability Physical Hazards** Not determined

**Issue Date** 03-Oct-2011 **Revision Date:** 16-Sep-2014

**Revision Note** New format Version 1.0

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

**End of Safety Data Sheet** 

<sup>\*</sup>Denotes changes from last version.