NPAP92084







1. Product and Company Identification

Product identifier Sani-Hands Instant Hand Sanitizing Wipes SDS 0098-00

Other means of identificationNot availableRecommended useAntisepticRecommended restrictionsNone known.

Manufacturer Professional Disposables International,Inc.
Two Nice-Pak Park,Orangeburg,NY 10962-1376

or Distributed By:

Professional Disposables International, LTD

Vaughan, Ontario L4L 4K9 Canada

Phone: (USA) 1-845-365-1700 (M-F 9am - 5pm)

Phone: (CANADA) 1-800-263-7067 Emergency Phone: 1-800-999-6423

2. Hazards Identification

Physical hazardsFlammable solidsCategory 1Health hazardsSerious eye damage/eye irritationCategory 2A

Environmental hazards Not determined OSHA defined hazards None additional

Label elements



Signal word Danger

Hazard statement Flammable solid.

Causes serious eye irritation.

Precautionary statement

Prevention Keep away from fire or flame.

Keep container closed.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell. In case of fire: Use appropriate media to extinguish.

Storage Store in a well-ventilated place.

Keep container closed.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	n name and synonyms CAS number	
Alcohol		64-17-5	40 - 70
Propylene glycol		57-55-6	1 - 5

Composition comments The exact % concentration of composition has been withheld as a trade secret in accordance with

paragraph (i) of the OSHA HCS 1910.1200. All concentrations are expressed as % weight.

4. First Aid Measures

Inhalation If inhaled for a prolonged period of time, remove person to fresh air and keep comfortable for breathing.

#24986 Page: 1 of 8 Issue date 01-April-2015

Discontinue use if irritation and redness develop. If condition persists for more than 72 hours, Skin contact

consult a physician.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Eye contact

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If swallowed, get medical help or contact a Poison Control Center immediately. Ingestion

Most important

symptoms/effects, acute and

delayed

Symptoms may include stinging, tearing, redness, swelling of the eyes, and blurred vision.

Direct contact with eyes may cause temporary irritation.

Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Indication of immediate medical attention and special Treat patient symptomatically.

treatment needed

General information

If you feel unwell, seek medical advice (show the label where possible). Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes. Keep away from sources of ignition. No smoking. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Dry chemical. Carbon dioxide. Foam.

Do not use water jet.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed. Firefighters should wear a self-contained breathing apparatus.

Special protective equipment and precautions for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Hazardous combustion

products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical impact

Not available.

Flammable solid.

Sensitivity to static

discharge

Not available.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Avoid contact with eyes. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering waterways. Contact emergency services and supplier for advice.

Large Spills: Following product recovery, flush area with water. Wipe or mop up liquid, if any, and dispose properly.

Environmental precautions

Do not discharge into waterways.

7. Handling and Storage

Precautions for safe handling

WARNING

Flammable, keep away from fire or flame.

Do not use in contact with eyes.

For external use only.

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect

material from direct sunlight. Avoid prolonged exposure. Keep container closed.

Use according to package label instructions.

#24986 Page: 2 of 8 Issue date 01-April-2015 Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight.

Store in a closed container away from incompatible materials.

Store in a well-ventilated place.

Keep away from heat, open flames or other sources of ignition. Store away from incompatible materials (see Section 10 of the SDS). Keep this out of reach of children unless under adult supervision.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

 Components
 Type
 Value

 Alcohol (CAS 64-17-5)
 PEL
 1900 mg/m3 1000 ppm

US. ACGIH Threshold Limit Values

 Components
 Type
 Value

 Alcohol (CAS 64-17-5)
 STEL
 1000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards
Components
Type

Alcohol (CAS 64-17-5) TWA 1900 mg/m3 1000 ppm

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

ComponentsTypeValueFormPropylene glycol (CASTWA10 mg/m3Aerosol.

57-55-6)

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines See above

Appropriate engineering

controls

General ventilation normally adequate. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear gear as deemed necessary. Follow label directions.

Skin protection

Hand protection Not required.

Other As required by employer code. Follow label directions carefully.

Not applicable.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not

Value

been established), an approved respirator must be worn.

Wear positive pressure self-contained breathing apparatus (SCBA).

Thermal hazards

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not smoke.

9. Physical and Chemical Properties

Appearance Liquid saturated on wipe

Physical state Solid.

Form Liquid saturated on wipe

ColorColorlessOdorAlcoholOdor thresholdNot available.

pH 7.5

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Pour point Not available.

Specific gravity 0.883 (Liquid)

Partition coefficient Not available.

(n-octanol/water)

#24986 Page: 3 of 8 Issue date 01-April-2015

Flash point 71.6 °F (22.0 °C) Tag Closed Cup (Liquid)

Evaporation rateNot available.Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Explosive limit - upper (%)

Vapor pressure

Vapor density

Relative density

Solubility(ies)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available.

Not available.

Not available.

Not available.

Not available.

Other information

Flash point class Combustible II

10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Strong oxidizing agents. Oxidizers.

Chemical stability Stable under recommended storage conditions.

Conditions to avoidDo not mix with other chemicals.

Avoid heat, sparks, open flames and other ignition sources.

Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

Inhalation Prolonged inhalation may be harmful. May cause irritation to the respiratory system.

Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Skin contact Non-irritating based on test data.

Eye contact May be irritating to eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling of the eyes, and blurred vision. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Information on toxicological effects

Acute toxicity Narcotic effects. May cause respiratory irritation.

Toxicity data in this section is based on individual component information and not based on the

finished product.

Components Species Test Results

Alcohol (CAS 64-17-5)

Acute Dermal

LD50 Not available

Inhalation

LC50 Mouse 39 mg/l, 4 Hours

Rat 31623 ppm, 4 Hours

20000 ppm, 10 Hours

Components Species Test Results

Oral

LD50 Dog 5500 mg/kg

 Guinea pig
 5600 mg/kg

 Mouse
 3450 mg/kg

 Rat
 7060 mg/kg

Propylene glycol (CAS 57-55-6)

Acute

Dermal

LD50 Rabbit 20800 mg/kg

Inhalation

LC50 Not available

Oral

LD50 Dog 19000 mg/kg

 Guinea pig
 184000 mg/kg

 Mouse
 23900 mg/kg

 Rabbit
 14800 mg/kg

 Rat
 20000 mg/kg

Skin corrosion/irritation Non-irritating based on test data.

Exposure minutesNot available.Erythema valueNot available.Oedema valueNot available.

Serious eye damage/eye

irritation

May cause irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityThe finished product is not expected to have chronic health effects.MutagenicityThe finished product is not expected to have chronic health effects.CarcinogenicityThe finished product is not expected to have chronic health effects.Reproductive toxicityThe finished product is not expected to have chronic health effects.

Teratogenicity The finished product is not expected to have chronic health effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

See below

Aspiration hazard Not classified.

Chronic effectsThe finished product is not expected to have chronic health effects.

Further information Not available.

Name of Toxicologically Not available.

Synergistic Products

Ecotoxicity

12. Ecological Information

Components Species Test Results

Alcohol (CAS 64-17-5)

Crustacea EC50 Daphnia 11744.5 mg/L, 48 Hours

Components **Species Test Results**

Aquatic

EC50 7.7 - 11.2 mg/l, 48 hours Crustacea Water flea (Daphnia magna) Fish LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours

Propylene glycol (CAS 57-55-6)

Crustacea EC50 Daphnia 10000 mg/L, 48 Hours

Aquatic

Crustacea EC50 > 10000 mg/l, 48 hours Water flea (Daphnia magna) Fish LC50 Fathead minnow (Pimephales promelas) 710 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

No data available. Bioaccumulative potential Mobility in soil No data available. Not available. Mobility in general Other adverse effects Not available.

13. Disposal Considerations

Disposal instructions Review federal, state/provincial, and local government requirements prior to disposal.

Dispose of contents/container in accordance with local/regional/national/international regulations.

See above Local disposal regulations Not assigned. Hazardous waste code

Waste from residues / unused

products

Empty containers may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number

Proper shipping name Solids containing flammable liquid, n.o.s. (Alcohol)

Hazard class 4.1 **Packing group** Ш

<1kg - limited quantity (par. 173.151) **Packaging exceptions**

Note: Individually wrapped packet product is exempted from DOT regulation per Special Provision 47.

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:


UN number UN3175

Proper shipping name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Alcohol)

Hazard class Packing group

Packaging exceptions <1Kg-Limited Quantity

DOT; TDG



Alcohol (CAS 64-17-5)

15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Canadian federal regulations

Regulations and the SDS contains all the information required by the Controlled Products

Regulations.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

1 TONNES

Canada WHMIS Ingredient Disclosure: Threshold limits

Alcohol (CAS 64-17-5) 0.1 % Propylene glycol (CAS 57-55-6) 1 %

Exempt - Notified cosmetic under the Food & Drugs Act WHMIS classification

This product contains a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List (40 CFR 302.4)

US CAA Section 111 Volatile Organic Compounds: Listed substance

Alcohol (CAS 64-17-5) Listed. Propylene glycol (CAS 57-55-6) Listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

No hazardous substance

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug Regulated as a monograph drug product.

Administration (FDA)

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Alcohol (CAS 64-17-5)

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - Illinois Chemical Safety Act: Listed substance

Alcohol (CAS 64-17-5) Listed.

US - Louisiana Spill Reporting: Listed substance

Listed. Alcohol (CAS 64-17-5)

US - Minnesota Haz Subs: Listed substance

Alcohol (CAS 64-17-5) Listed. Propylene glycol (CAS 57-55-6) Listed.

US - New Jersey RTK - Substances: Listed substance

Alcohol (CAS 64-17-5) Listed. Propylene glycol (CAS 57-55-6) Listed.

US - Texas Effects Screening Levels: Listed substance

Listed. Alcohol (CAS 64-17-5) Propylene glycol (CAS 57-55-6) Listed.

US. Massachusetts RTK - Substance List

Alcohol (CAS 64-17-5) Listed.

US. Pennsylvania RTK - Hazardous Substances

Alcohol (CAS 64-17-5) Listed. Propylene glycol (CAS 57-55-6) Listed.

US. Rhode Island RTK

Not regulated.

#24986 Page: 7 of 8 Issue date 01-April-2015

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)


Toxic Substances Control Act (TSCA) Inventory

16. Other Information

	LEGEND	
I	Severe Serious	4
ı	Moderate	2
ı	Slight	1
ı	Minimal	0

United States & Puerto Rico

HEALTH /	1
FLAMMABILITY	3
PHYSICAL HAZARD	0
PERSONAL PROTECTION	х



Yes

Disclaimer

Other information

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 01-April-2015

Expiry date 01-September-2014

O1-September-2017

Further information For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the

first page of the document.

Revision 1

Hazard categorization updated. Ingredient ranges used and revised in Section 3. Transportation information updated.

Based on bulk liquid # 4OP72301.

Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).

This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.