

Version 1.0 SDS Number: 400000005755 Revision Date: 09/10/2020

#### **SECTION 1. IDENTIFICATION**

## NSN8520015220840

Product name : GOJO® SKILCRAFT® NATURAL\* ORANGE™ Pumice

Hand Cleaner

Product code : 3143-0075 (8520-01-458-0767); 3143-0076 (8520-01-522-

0840)

## Manufacturer or supplier's details

Company name of supplier : AUSTIN LIGHTHOUSE,

TRAVIS ASSOCIATION FOR THE BLIND

Address : 2307 Business Center Drive

Austin, Texas 78744

Telephone : 1-888-217-7232

Emergency telephone

number

1-888-714-3496

#### Recommended use of the chemical and restrictions on use

Recommended use : Skin-care

Restrictions on use : This is a personal care or cosmetic product that is safe for

consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

## **SECTION 2. HAZARDS IDENTIFICATION**

## **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

## Hazardous components

Chemical name	CAS-No.	Concentration (%)
C11-15 Alkane/cycloalkane	64742-47-8	>= 5 - < 10
Limonene	5989-27-5	>= 0.1 - < 1

#### **SECTION 4. FIRST AID MEASURES**



Version 1.0 SDS Number: 400000005755 Revision Date: 09/10/2020

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if irritation develops and persists.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Seek medical advice.

If swallowed, DO NOT induce vomiting.

: None known.

Rinse mouth with water.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

nd effects, both acute and

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

None known.

Hazardous combustion

products

: Carbon oxides

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

: Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while

observing environmental regulations.



Version 1.0 SDS Number: 400000005755 Revision Date: 09/10/2020

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.

Do not swallow.

Avoid contact with eyes.

Keep container closed when not in use.

Conditions for safe storage : Keep in properly labelled containers.

Keep container tightly closed in a dry and well-ventilated

place.

Store in accordance with the particular national regulations.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C11-15 Alkane/cycloalkane	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (as total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Limonene	5989-27-5	TWA	20 ppm	ACGIH

## Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Eye protection : No special protective equipment required.

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : No special protective equipment required.

Protective measures : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with eyes.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : grey, opaque

Odour : citrus

Odour Threshold : No data available

pH : 6.0 - 8.0, (20 °C)

Solidification / Setting point : 11.4 °C

Initial boiling point and boiling : 98.00 °C



Version 1.0 SDS Number: 400000005755 Revision Date: 09/10/2020

range

Flash point : > 100 °C

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.0328 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Thermal decomposition : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : 10000 - 50000 mm2/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Eye contact Skin contact

## **Acute toxicity**

Not classified based on available information.

## **Components:**

## C11-15 Alkane/cycloalkane:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg



Version 1.0 SDS Number: 400000005755 Revision Date: 09/10/2020

Acute inhalation toxicity : LC50 (Rat): > 5.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Limonene:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

Remarks: Based on data from similar materials

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

#### C11-15 Alkane/cycloalkane:

Assessment: Repeated exposure may cause skin dryness or cracking.

#### Limonene:

Species: Rabbit Result: Skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

## C11-15 Alkane/cycloalkane:

Species: Rabbit

Result: No eye irritation

## Limonene:

Species: Rabbit

Result: No eye irritation

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

#### **Product:**

Assessment: Does not cause skin sensitisation.

## Components:

## C11-15 Alkane/cycloalkane:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

#### Limonene:



Version 1.0 SDS Number: 400000005755 Revision Date: 09/10/2020

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse Result: positive

Assessment: Probability or evidence of skin sensitisation in humans

## Germ cell mutagenicity

Not classified based on available information.

#### Components:

C11-15 Alkane/cycloalkane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration

Test species: Rat

Application Route: Intraperitoneal injection

Result: negative

Remarks: Based on data from similar materials

Limonene:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Transgenic rodent somatic cell gene mutation

assay

Test species: Rat

Application Route: Ingestion

Result: negative

## Carcinogenicity

Not classified based on available information.

#### Components:

Limonene:

Species: Mouse Application Route: Ingestion

Exposure time: 103 weeks

Result: negative

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### Reproductive toxicity

Not classified based on available information.



Version 1.0 SDS Number: 400000005755 Revision Date: 09/10/2020

## **Components:**

## C11-15 Alkane/cycloalkane:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal : Test Type: Embryo-foetal development

development Species: Rat

**Application Route: Ingestion** 

Result: negative

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

## Repeated dose toxicity

#### Components:

## C11-15 Alkane/cycloalkane:

Species: Rat

NOAEL: > 10.4 mg/l

Application Route: inhalation (vapour)

Exposure time: 90 d

Remarks: Based on data from similar materials

#### Limonene:

Species: Rat

NOAEL: 600 mg/kg

Application Route: Ingestion

Exposure time: 13 w

## **Aspiration toxicity**

Not classified based on available information.

#### **Components:**

#### C11-15 Alkane/cycloalkane:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## Limonene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

## Components:

#### C11-15 Alkane/cycloalkane:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 250 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203



Version 1.0 SDS Number: 400000005755 Revision Date: 09/10/2020

Toxicity to daphnia and other

aquatic invertebrates

: EL50 (Acartia tonsa): > 3,193 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Toxicity to algae : EL50 (Skeletonema costatum (marine diatom)): > 3.200 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

NOELR (Skeletonema costatum (marine diatom)): 993 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOELR (Ceriodaphnia Dubia (water flea)): > 70 mg/l

Exposure time: 8 d

Test substance: Water Accommodated Fraction

Toxicity to bacteria : EC50: > 100 mg/l

Exposure time: 3 h

Limonene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.72 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.36 mg/l

Exposure time: 48 h

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): 150 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

M-Factor (Acute aquatic

toxicity)

: 1

Persistence and degradability

**Components:** 

C11-15 Alkane/cycloalkane:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 82 % Exposure time: 24 d

Method: OECD Test Guideline 301F

Limonene:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 80 % Exposure time: 28 d

Remarks: Based on data from similar materials

**Bioaccumulative potential** 

**Components:** 

Limonene:

Partition coefficient: n-

octanol/water

: log Pow: 4.38

Mobility in soil

No data available



Version 1.0 SDS Number: 400000005755 Revision Date: 09/10/2020

Other adverse effects

No data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

**National Regulations** 

49 CFR

Not regulated as a dangerous good

## **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).



Version 1.0 SDS Number: 400000005755 Revision Date: 09/10/2020

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

#### **Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

C11-15 Alkane/cycloalkane 64742-47-8 5 - 10 %

Pennsylvania Right To Know

 Water (Aqua)
 7732-18-5
 70 - 90 %

 Pumice
 1332-09-8
 5 - 10 %

 C11-15 Alkane/cycloalkane
 64742-47-8
 5 - 10 %

**New Jersey Right To Know** 

Water (Aqua)7732-18-570 - 90 %Pumice1332-09-85 - 10 %C11-15 Alkane/cycloalkane64742-47-85 - 10 %

California Prop 65 This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other

reproductive harm.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

CH INV : On the inventory, or in compliance with the inventory

AICS : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL.

PICCS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)



Version 1.0 SDS Number: 40000005755 Revision Date: 09/10/2020

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

# NFPA: Flammability Instability Health

Special hazard.

## HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

**Revision Date** : 09/10/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.