# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Wear Resistant Liquid (WR) Resin

Registration number

-

**Product registration number** 

UFI: 8A20-H0F7-U003-PYUE

Synonyms None. SKU# X0012

Issue date 25-July-2023

Version number 02

Revision date 25-September-2025

Supersedes date 25-July-2023

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

### 1.3. Details of the supplier of the safety data sheet

**Supplier** 

Company name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare, Ireland

**Division** 

**Telephone** Phone 353(61)771500

e-mail customerservice.shannon@itwpp.com

Contact person Not available.

1.4. Emergency telephone

number

Emergency Number 44(0)1235 239 670

General emergency 112 or 999 SDS/Product information may not be available for the Emergency

Service.

Non-emergency medical

helpline

111 SDS/Product information may not be available for the Emergency Service.

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies. The classification of the substance or mixture has been performed in accordance with ABNT NBR 14725.

### Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.
Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

**Environmental hazards** 

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long-term aquatic hazard long lasting effects.

# 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** Reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight

≤ 700), titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic

diameter ≤ 10 µm], Quartz

**Hazard pictograms** 



Signal word Warning

**Hazard statements** 

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

Prevention

P261 Avoid breathing mist/vapours.
P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.
P280 Wear eye protection/face protection.

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage. **Storage** Not available.

**Disposal** 

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Supplemental label information** 44.99999999993 % of the mixture consists of component(s) of unknown acute oral toxicity.

44.99999999963 % of the mixture consists of component(s) of unknown acute dermal toxicity. 44.99999999963 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 47.999999999961 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 2.999999999998 % of the mixture consists of component(s) of

unknown long-term hazards to the aquatic environment.

**2.3. Other hazards**This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at

a concentration equal to or greater than 0.1% by weight.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**General information** 

weight  $\leq 700$ )

 Chemical name
 %
 CAS-No. / EC No.
 REACH Registration No.
 Index No.
 Notes

 Reaction product:
 30-60%
 25068-38-6
 01-2119456619-26-0000
 603-074-00-8

 bisphenol-A-(epichlorhydrin); epoxy
 500-033-5

bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular

rage molecular

Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1;H317, Aquatic

Chronic 2;H411

Specific Concentration Limits: Skin Irrit. 2;H315: C ≥ 5 %, Eye Irrit. 2;H319: C ≥ 5 %

Material name: Wear Resistant Liquid (WR) Resin

X0012 Version #: 02 Revision date: 25-September-2025 Issue date: 25-July-2023

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]		1-5%	13463-67-7 236-675-5	01-2119489379-17-0000	022-006-002	#
	Classification:	Carc. 2;H35	51			10,V,W
Quartz		0.10-0.99 %	14808-60-7 238-878-4	-	-	#
	Classification:	Carc. 1A;H	350			

Other components below reportable

levels

### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

### **SECTION 4: First aid measures**

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

# **SECTION 5: Firefighting measures**

**General fire hazards** No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapours.

Local authorities should be advised if significant spillages cannot be contained. Use personal

protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the

SDS.

## SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic (Lower-tier requirements = 200 tonnes;

Upper-tier requirements = 500 tonnes)

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

## Occupational exposure limits

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1							
Components	Туре	Value	Form				
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.				
titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.				
		10 mg/m3	Inhalable				

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Material name: Wear Resistant Liquid (WR) Resin

### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be

chosen according to the CEN standards and in discussion with the supplier of the personal

protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

> and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of

the workplace.

**Environmental exposure** 

controls

Inform appropriate managerial or supervisory personnel of all environmental releases.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** Viscous. Liquid.

Physical state Liquid. **Form** Liquid. Colour Dark grey Odour Slight.

**Odour threshold** Not available. Not available. pН Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

>204.0 °C (>399.2 °F) Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper

(%)

Vapour pressure Not available. Not available. Vapour density Relative density Not available.

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature** Not available. **Viscosity** Not explosive. **Explosive properties Oxidising properties** Not oxidising.

9.2. Other information

**Density** 2.80 g/cm3 Specific gravity 2.8

# SECTION 10: Stability and reactivity

**10.1. Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid**Contact with incompatible materials.

**10.5. Incompatible materials** Strong oxidising agents.

10.6. Hazardous decomposition

products

No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** No adverse effects due to inhalation are expected.

**Skin contact** Causes skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes serious eye irritation.

**Ingestion** May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

#### 11.1. Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (CAS 13463-67-7)

Acute Dermal

LD50 Hamster >= 10000 mg/kg

Oral

LD50 Rat > 10000 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

**Respiratory sensitisation**Due to partial or complete lack of data the classification is not possible.

**Skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity** Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Not applicable.

**Reproductive toxicity**Due to partial or complete lack of data the classification is not possible. **Specific target organ toxicity -**Due to partial or complete lack of data the classification is not possible.

single exposure

Due to partial of complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

### **SECTION 12: Ecological information**

**12.1. Toxicity** Toxic to aquatic life with long lasting effects.

**12.2. Persistence and**No data is available on the degradability of any ingredients in the mixture.

degradability

**12.3. Bioaccumulative potential** No data available.

Partition coefficient Not available.

n-octanol/water (log Kow)

Material name: Wear Resistant Liquid (WR) Resin

X0012 Version #: 02 Revision date: 25-September-2025 Issue date: 25-July-2023

SDS GREAT BRITAIN

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

**12.6. Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container

is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU waste code**The Waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

**Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not

allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Special precautions** Dispose in accordance with all applicable regulations.

## **SECTION 14: Transport information**

#### **ADR**

**14.1. UN number** UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin (Number

name average MW <=700))

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard Label(s) 9
Hazard No. (ADR) 90
Tunnel restriction code 14.4. Packing group III

14.5. Environmental hazards No.

14.6. Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

RID

**14.1. UN number** UN3082

**14.2. UN proper shipping** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin (Number

name average MW <=700))

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard Label(s) 9
14.4. Packing group III
14.5. Environmental hazards No.

14.6. Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

## ADN

**14.1. UN number** UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin (Number

name average MW <=700))

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard Label(s) 9
14.4. Packing group III
14.5. Environmental hazards No.

14.6. Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

#### IATA

**14.1. UN number** UN3082

14.2. UN proper shipping Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin (Number average MW

name <=700))

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard 
14.4. Packing group III

14.5. Environmental hazards No.
ERG Code 9

14.6. Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

**14.1. UN number** UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin (Number

name average MW <=700))

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard 
14.4. Packing group III

14.5. Environmental hazards
Marine pollutant No.
EmS F-A, S-F


14.6. Special precautions for Read safety instructions, SDS and emergency procedures before handling.

14.7. Transport in bulk according Not established.

to Annex II of MARPOL 73/78 and

the IBC Code

ADN; ADR; IATA; IMDG; RID



## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

## Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed

### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended -Conditions of restriction given for the associated entry number should be considered

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- E2 Hazardous to the Aquatic Environment Chronic

### Other regulations

This product is classified and labelled in accordance with the retained CLP Regulation (EC) No 1272/2008, as amended for Great Britain. This Safety Data Sheet is compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758.

Follow the requirements of the Control of Substances Hazardous to Health Regulations 2002 [SI 2002/2677], as amended, when using this material.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

### **SECTION 16: Other information**

### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

### References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H350 May cause cancer.

H351 Suspected of causing cancer by inhalation.

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

X0012 Version #: 02 Revision date: 25-September-2025 Issue date: 25-July-2023

### **Revision information**

SECTION 2: Hazards identification: Classification of the substance or mixture

SECTION 2: Hazards identification: Prevention SECTION 2: Hazards identification: Response

SECTION 2: Hazards identification: Supplemental label information

SECTION 4: First aid measures: Skin contact

SECTION 6: Accidental release measures: For emergency responders SECTION 10: Stability and reactivity: 10.3. Possibility of hazardous reactions

SECTION 11: Toxicological information: Skin contact SECTION 13: Disposal considerations: Residual waste

Regulatory Information: United States

SECTION 15: Regulatory information: 15.2. Chemical safety assessment

SECTION 16: Other information: References

GHS: Classification

## **Training information**

Disclaimer

Follow training instructions when handling this material.

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

X0012 Version #: 02 Revision date: 25-September-2025 Issue date: 25-July-2023