SAFETY DATA SHEET

Version #: 06

Issue date: 05-26-2019 Revision date: 08-03-2023 Supersedes date: 07-18-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

PLEXUS® MA320/3940 Activator

Registration number

None.

Synonyms SKU#

0639

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

ITW Performance Polymers Company Name

Bay 150 Address

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service Telephone Number 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com **Fmail**

Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU

112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Center

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons

Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National

Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center

+385 1 2348 342 (Hours of operation not provided. SDS/Product information may

not be available for the Emergency Service.)

Cyprus Poison Center

1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information

Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: PLEXUS® MA320/3940 Activator 0639 Version #: 06 Revision date: 08-03-2023 Issue date: 05-26-2019

1.4. Emergency telephone number

Greece Poison Information Centre

(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Hungary National Emergency Phone Number +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Iceland Poison Center

(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

113

Latvia Emergency medical

aid

Latvia Poison and Drug +371 67042473 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

Information Center

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department 2545 4030 (Hours of operation not provided. SDS/Product information may not be

available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC) NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

in cases of acute intoxications)

Norway Norwegian Poison Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Portugal Poison Center 800 250

 $800\ 250\ 250$ (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

available for the Emergency Service.)

Slovakia National Toxicological Information Center +421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Spain Toxicology Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.

Category 2

H319 - Causes serious eye irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

2.2. Label elements

0639 Version #: 06 Revision date: 08-03-2023 Issue date: 05-26-2019

Material name: PLEXUS® MA320/3940 Activator

Label according to Regulation (EC) No. 1272/2008 as amended

Austria: N190-0096-Q00Q-9M9F Belgium: N190-0096-Q00Q-9M9F Bulgaria: N190-0096-Q00Q-9M9F Croatia: N190-0096-Q00Q-9M9F Cyprus: N190-0096-Q00Q-9M9F

Czech Republic: N190-0096-Q00Q-9M9F Denmark: N190-0096-Q00Q-9M9F Estonia: N190-0096-Q00Q-9M9F EU: N190-0096-Q00Q-9M9F Finland: N190-0096-Q00Q-9M9F France: N190-0096-Q00Q-9M9F Germany: N190-0096-Q00Q-9M9F Greece: N190-0096-Q00Q-9M9F Hungary: N190-0096-Q00Q-9M9F Iceland: N190-0096-Q00Q-9M9F Ireland: N190-0096-Q00Q-9M9F Italy: N190-0096-Q00Q-9M9F Latvia: N190-0096-Q00Q-9M9F Lithuania: N190-0096-Q00Q-9M9F Luxembourg: N190-0096-Q00Q-9M9F Malta: N190-0096-Q00Q-9M9F Netherlands: N190-0096-Q00Q-9M9F Norway: N190-0096-Q00Q-9M9F Poland: N190-0096-Q00Q-9M9F

Portugal: N190-0096-Q00Q-9M9F Romania: N190-0096-Q00Q-9M9F Slovakia: N190-0096-Q00Q-9M9F Slovenia: N190-0096-Q00Q-9M9F Spain: N190-0096-Q00Q-9M9F Sweden: N190-0096-Q00Q-9M9F

Contains: Benzoate Esters, dibenzoyl peroxide; benzoyl peroxide, DIISODECYL ADIPATE, Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Propanol, oxybis-, dibenzoat, STYRENE BLOCK POLYMER WITH ISOPRENE, HYDROGENATED, STYRENE-ETHYLENE/BUTYLENE-STYRENE

BLOCK COPOLYMER

Hazard pictograms



Signal word Warning

Hazard statements

Causes skin irritation. H315

May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

Precautionary statements

Prevention

Avoid breathing mist/vapors. P261 Wash thoroughly after handling. P264

Contaminated work clothing should not be allowed out of the workplace. P272

Wear eye protection/face protection. P280

Wear protective gloves. P280

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

If skin irritation or rash occurs: Ğet medical advice/attention. P333 + P313 If eye irritation persists: Get medical advice/attention. P337 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Not available. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

Material name: PLEXUS® MA320/3940 Activator

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers	30 - < 40	25085-99-8 -	01-2119456619-26-0000	-	
Classification:	Skin Irrit. 2	;H315, Eye Irrit. 2;H3	319, Skin Sens. 1;H317		
DIISODECYL ADIPATE	20 - < 30	27178-16-1 248-299-9	-	-	
Classification:	-				
dibenzoyl peroxide; benzoyl peroxide	10 - < 20	94-36-0 202-327-6	01-2119511472-50-XXXX	617-008-00-0	
Classification:	Org. Perox	. B;H241, Eye Irrit. 2	;H319, Skin Sens. 1;H317		
Benzoate Esters	3 - < 5	N/A	-	-	
Classification:	-				
Propanol, oxybis-, dibenzoat	1 - < 3	27138-31-4 248-258-5	-	-	
Classification:	-				
STYRENE BLOCK POLYMER WITH ISOPRENE, HYDROGENATED	1 - < 3	68648-89-5 -	-	-	
Classification:	-				
STYRENE-ETHYLENE/BUTYLENE-S TYRENE BLOCK COPOLYMER	1 - < 3	66070-58-4 -	-	-	
Classification:	-				
Other components below reportable	20 - < 30				

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

levels

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and delaved

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Material name: PLEXUS® MA320/3940 Activator

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Observe industrial sector guidance on best practices. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria, MAK List, OEL Ordinance	(GwV).	BGBI. II	. no.	. 184/2001, as amended
----------------------------------	--------	----------	-------	------------------------

Components	Туре	Value	Form
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	Ceiling	10 mg/m3	Inhalable fraction.
	MAK	5 mg/m3	Inhalable fraction.

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -Chemical agents, as amended

Components	Туре	Value	
dibenzoyl peroxide; benzoyl	TWA	5 mg/m3	
peroxide (CAS 94-36-0)			

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Туре	Value	
dibenzoyl peroxide; benzoyl	MAC	5 mg/m3	
peroxide (CAS 94-36-0)			

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	туре	value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	Ceiling	10 mg/m3	

Material name: PLEXUS® MA320/3940 Activator

Components	Part A, as amended) Type	Value	
· · · · · · · · · · · · · · · · · · ·	TWA	5 mg/m3	
Denmark. Work Environment Authority	v. Exposure Limits for Substance	s & Materials, Annex	ζ2
Components	Туре	Value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TLV	5 mg/m3	
Estonia. OELs. Occupational Exposure		-	5/2001, Annex), as amended
Components	Type	Value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	
Finland. HTP-arvot, App 3., Binding Lin Components	nit Values, Social Affairs and Min Type	istry of Health Value	
dibenzoyl peroxide; benzoyl	STEL	10 mg/m3	
peroxide (CAS 94-36-0)		· ·	
	TWA	5 mg/m3	
France. Threshold Limit Values (VLEP) Components	for Occupational Exposure to Cl Type	hemicals in France, Value	INRS ED 984
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	VME	5 mg/m3	
Regulatory status: Indicative limit	t (VL)		
Germany. DFG MAK List (advisory OEL in the Work Area (DFG), as updated	Ls). Commission for the Investiga	ation of Health Haza	rds of Chemical Compounds
Components	Туре	Value	Form
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	Inhalable fraction.
Germany. TRGS 900, Limit Values in th	e Ambient Air at the Workplace		
Components	Туре	Value	Form
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	AGW	5 mg/m3	Inhalable fraction.
Greece. OELs, Presidential Decree No.		Volue	
Components	Type	Value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	
Hungary. OELs. Decree on protection o	of workers exposed to chemical a Type	agents (5/2020. (II.6)) Value	, Annex 1&2, as amended
<u> </u>	STEL	5 mg/m3	
	TWA	5 mg/m3	
peroxide (CAS 94-36-0) celand. OELs. Regulation 390/2009 on		_	at the Workplace, as amende
celand. OELs. Regulation 390/2009 on Components dibenzoyl peroxide; benzoyl	Pollution Limits and Measures to	o Reduce Pollution a	at the Workplace, as amende
celand. OELs. Regulation 390/2009 on Components dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0) lreland. OELVs, Schedules 1 & 2, Code	Pollution Limits and Measures to Type TWA	o Reduce Pollution a Value 5 mg/m3	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0) Iceland. OELs. Regulation 390/2009 on Components dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0) Ireland. OELVs, Schedules 1 & 2, Code Components dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	Pollution Limits and Measures to Type TWA of Practice for Chemical Agents	5 mg/m3 and Carcinogens R	

dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)

TWA

5 mg/m3

Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended

Components	Туре	Value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TLV	5 mg/m3	

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)

Components	Туре	Value	
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	STEL	10 mg/m3	
	TWA	5 mg/m3	

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Type Value dibenzoyl peroxide; benzoyl TWA 5 mg/m3

Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1. Table 1. as amended)

Components	Туре	Value
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

Components	Type	Value	Form
dibenzoyl peroxide; benzoyl	TWA	5 mg/m3	Inhalable fraction.
peroxide (CAS 94-36-0)			

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Туре	Value	
dibenzoyl peroxide; benzoyl	TWA	5 mg/m3	
peroxide (CAS 94-36-0)			

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	туре	value	FOIIII
dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)	STEL	5 mg/m3	Inhalable fraction.
	TWA	5 mg/m3	Inhalable fraction.

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 Components Type Value dibenzoyl peroxide; benzoyl TWA 5 mg/m3

peroxide (CAS 94-36-0)

Biological limit valuesNo biological exposure limits noted for the ingredient(s). **Recommended monitoring**Follow standard monitoring procedures.

Recommended monitoring procedures

peroxide (CAS 94-36-0)

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

Exposure quidelines

Hungary OELs: Skin designation

dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)

Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Material name: PLEXUS® MA320/3940 Activator

SDS FII

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid. Physical state

Form Viscous. Liquid.

Color White. Slight. Odor

Melting point/freezing point **Boiling point or initial boiling**

point and boiling range

217,4 °F (103 °C) estimated 608 °F (320 °C) estimated

Flammability

Not applicable.

Flash point 265,0 °F (129,4 °C) estimated **Auto-ignition temperature** 176 °F (80 °C) estimated

Not available. **Decomposition temperature**

Kinematic viscosity Not available.

Solubility

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water) (log value)

0,00003 hPa estimated Vapor pressure

Density and/or relative density

1,16 g/cm3 estimated Density

Not available. Vapor density Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

1,16 estimated Specific gravity

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Acids. Alcohols. Amines.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred **Symptoms**

vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not known **Acute toxicity**

Components **Species Test Results**

dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0)

Acute Oral

LD50 Rat 7710 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

dibenzoyl peroxide; benzoyl peroxide (CAS 94-36-0) 3 Not classifiable as to carcinogenicity to humans.

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity single exposure

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

No data is available on the degradability of any ingredients in the mixture.

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

degradability

assessment

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

12.2. Persistence and

dibenzoyl peroxide; benzoyl peroxide 3,46

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

Material name: PLEXUS® MA320/3940 Activator

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3082

14.2. UN proper shipping

name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Hazard No. (ADR) 90
Tunnel restriction code E

14.4. Packing group III

14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN numberNot regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

Material name: PLEXUS® MA320/3940 Activator

14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions No

for user

Not assigned.

IMDG

14.1. UN number 14.2. UN proper shipping Not regulated as dangerous goods. Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -14.4. Packing group -14.5. Environmental hazards

Marine pollutant No.

Not assi

EmS Not assigned.


14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk according to IMO instruments

Not established.

ADR



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Material name: PLEXUS® MA320/3940 Activator

0639 Version #: 06 Revision date: 08-03-2023 Issue date: 05-26-2019

SDS FIL

UFI:

Austria: N190-0096-Q00Q-9M9F Belgium: N190-0096-Q00Q-9M9F Bulgaria: N190-0096-Q00Q-9M9F Croatia: N190-0096-Q00Q-9M9F Cyprus: N190-0096-Q00Q-9M9F

Czech Republic: N190-0096-Q00Q-9M9F Denmark: N190-0096-Q00Q-9M9F Estonia: N190-0096-Q00Q-9M9F EU: N190-0096-Q00Q-9M9F Finland: N190-0096-Q00Q-9M9F France: N190-0096-Q00Q-9M9F Germany: N190-0096-Q00Q-9M9F Greece: N190-0096-Q00Q-9M9F Hungary: N190-0096-Q00Q-9M9F Iceland: N190-0096-Q00Q-9M9F Ireland: N190-0096-Q00Q-9M9F Italy: N190-0096-Q00Q-9M9F Latvia: N190-0096-Q00Q-9M9F Lithuania: N190-0096-Q00Q-9M9F Luxembourg: N190-0096-Q00Q-9M9F Malta: N190-0096-Q00Q-9M9F Netherlands: N190-0096-Q00Q-9M9F Norway: N190-0096-Q00Q-9M9F Poland: N190-0096-Q00Q-9M9F Portugal: N190-0096-Q00Q-9M9F Romania: N190-0096-Q00Q-9M9F Slovakia: N190-0096-Q00Q-9M9F Slovenia: N190-0096-Q00Q-9M9F

Slovenia: N190-0096-Q00Q-9M9F Spain: N190-0096-Q00Q-9M9F Sweden: N190-0096-Q00Q-9M9F

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers Maladies professionnelles provoquées par les résines (CAS 25085-99-8) époxydiques et leurs constituants 51

Product registration number

Austria UFI: N190-0096-Q00Q-9M9F UFI: N190-0096-Q00Q-9M9F **Belgium Czech Republic** UFI: N190-0096-Q00Q-9M9F **Denmark** UFI: N190-0096-Q00Q-9M9F **European Union** UFI: N190-0096-Q00Q-9M9F **Finland** UFI: N190-0096-Q00Q-9M9F **France** UFI: N190-0096-Q00Q-9M9F UFI: N190-0096-Q00Q-9M9F Germany UFI: N190-0096-Q00Q-9M9F Greece UFI: N190-0096-Q00Q-9M9F Hungary UFI: N190-0096-Q00Q-9M9F Italy Netherlands UFI: N190-0096-Q00Q-9M9F **Norway** UFI: N190-0096-Q00Q-9M9F **Poland** UFI: N190-0096-Q00Q-9M9F **Portugal** UFI: N190-0096-Q00Q-9M9F Slovakia UFI: N190-0096-Q00Q-9M9F

UFI: N190-0096-Q00Q-9M9F Slovenia **Spain** UFI: N190-0096-Q00Q-9M9F Sweden UFI: N190-0096-Q00Q-9M9F UFI: N190-0096-Q00Q-9M9F **Switzerland**

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

under sections 2 to 15

H241 Heating may cause a fire or explosion.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Revision information Training information

Physical & Chemical Properties: Multiple Properties Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Material name: PLEXUS® MA320/3940 Activator