# SAFETY DATA SHEET

Version #: 05

Issue date: 05-23-2019 Revision date: 06-09-2025 Supersedes date: 06-28-2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Flexane® 80-2 Liquid Resin

Registration number

Synonyms None. SKU# 0318

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Company Name ITW Performance Polymers

Address Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

Contact Person Customer Service
Telephone Number 353(61)771500

353(61)471285

Email customerservice.shannon@itwpp.com
Emergency Phone Number 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons Information Center +431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Belgium National Poisons Control Center 070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Bulgaria National Toxicological Information

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Croatia Poisons Information Center +385 1 2348 342 (Hours of operation not provided. SDS/Product information

may not be available for the Emergency Service.)

**Cyprus Poison Center** 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

Czech Republic National Poisons Information Center

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Center +45 82 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons Information Center

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Material name: DEVCON® Flexane® 80-2 Liquid Resin

0318 Version #: 05 Revision date: 06-09-2025 Issue date: 05-23-2019

## 1.4. Emergency telephone number

**Greece Poison Information** (0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

Centre be available for the Emergency Service.)

**Hungary National** +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be **Emergency Phone Number** available for the Emergency Service.)

**Iceland Poison Center** (+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

Latvia Poison and Drug +371 67042473 (Available 24 hours a day. SDS/Product information may not be **Information Center** available for the Emergency Service.)

113

Lithuania Neatideliotina +370 5 236 20 52 or +37068753378 (Hours of operation not provided. informacija apsinuodijus SDS/Product information may not be available for the Emergency Service.)

2545 4030 (Hours of operation not provided. SDS/Product information may not Malta Accident and **Emergency Department** be available for the Emergency Service.)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel

**Netherlands National Poisons Information Center** (NVIC)

in cases of acute intoxications)

**Norway Norwegian Poison Information Center** 

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**Portugal Poison Center** 800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Romania Biroul RSI si Informare Toxicologica 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)

**Slovakia National Toxicological Information** Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Spain Toxicology** Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Sweden National Poison Information Center** 

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

**Switzerland Tox Info** Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies. The classification of the substance or mixture has been performed in accordance with ABNT NBR 14725.

## Classification according to Regulation (EC) No 1272/2008 as amended

## **Health hazards**

H302 - Harmful if swallowed. Acute toxicity, oral Category 4 H331 - Toxic if inhaled. Acute toxicity, inhalation Category 3 Skin corrosion/irritation H315 - Causes skin irritation. Category 2 Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

Respiratory sensitization Category 1 H334 - May cause allergy or

asthma symptoms or breathing

difficulties if inhaled.

H317 - May cause an allergic skin Category 1

reaction.

Specific target organ toxicity - single Category 3 respiratory tract irritation H335 - May cause respiratory

exposure irritation.

## 2.2. Label elements

Skin sensitization

#### Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** Polypropylene Glycols, 4,4'-Methylenedicyclohexyl diisocyanate,

POLY[OXY(METHYL-1,2-ETHANEDIYL)], .ALPHA.-HYDRO-.OMEGA.-HYDROXY-, ETHER WITH

2-ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL (3:1), dibutyltin dilaurate;

dibutyl[bis(dodecanoyloxy)] stannane

**Hazard pictograms** 



Signal word Danger

**Hazard statements** 

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

#### **Precautionary statements**

Prevention

P261 Avoid breathing mist/vapors.
P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/face protection.

P280 Wear protective gloves.
P284 Wear respiratory protection.

Response

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P311 Call a POISON CENTER/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal** 

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Supplemental label information None.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at

a concentration equal to or greater than 0.1% by weight.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No. REACH Registration No.	Index No.	Notes
5	70 00	05000 00 4		

Polypropylene Glycols 70 - < 80 25322-69-4 500-039-8

Classification: -

CAS-No. / EC No. REACH Registration No. Chemical name % **Notes** Index No. 4,4'-Methylenedicyclohexyl 20 - < 305124-30-1 615-009-00-0 225-863-2 diisocyanate Classification: Acute Tox. 4;H302, Acute Tox. 3;H331, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Resp. Sens. 1;H334, Skin Sens. 1;H317, STOT SE 3;H335 POLY[OXY(METHYL-1,2-ETHANEDIY 25723-16-4 LA], PHA.-HYDRO-.OMEGA.-HYDROXY 500-041-9 -, ETHER WITH 2-ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL (3:1) Classification: -050-030-00-3 dibutyltin dilaurate; < 0,1 77-58-7 dibutyl[bis(dodecanoyloxy)] stannane 201-039-8 Classification: Acute Tox. 3;H301;(ATE: 175 mg/kg bw), Muta. 2;H341, Repr. 1B;H360FD, STOT RE 1;H372

## List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## **SECTION 4: First aid measures**

General information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before

4.1. Description of first aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a poison center or doctor/physician.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the

lungs. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim

under observation. Symptoms may be delayed.

## **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Water. Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters
Special protective

equipment for firefighters

tive Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Material name: DEVCON® Flexane® 80-2 Liquid Resin

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Avoid breathing mist/vapors. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the

SDS.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Do not taste or swallow. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

# 7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- H2 ACUTE TOXIC (Lower-tier requirements = 50 tons; Upper-tier requirements = 200 tons)
- H3 STOT SPECIFIC TARGET ORGAN TOXICITY (Lower-tier requirements = 50 tons; Upper-tier requirements = 200 tons)

7.3. Specific end use(s)

Observe industrial sector guidance on best practices.

## SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

## Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001, as amended

 
 Components
 Type
 Value
 Form

 dibutyltin dilaurate; dibutyl[bis(dodecanoyloxy)]
 STEL
 0,2 mg/m3
 Inhalable dust.

dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7)

# Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

ComponentsTypeValuedibutyltin dilaurate;<br/>dibutyl[bis(dodecanoyloxy)]<br/>stannane (CAS 77-58-7)STEL0,2 mg/m3TWA0,1 mg/m3

# Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components
Type
Value

dibutyltin dilaurate;
dibutyl[bis(dodecanoyloxy)]
stannane (CAS 77-58-7)

Material name: DEVCON® Flexane® 80-2 Liquid Resin

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components Value Type

MAC

dibutyl[bis(dodecanoyloxy)]

dibutyltin dilaurate;

stannane (CAS 77-58-7)

STEL 0,2 mg/m3

0,1 mg/m3

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components Value

dibutyltin dilaurate; Ceiling 0,2 mg/m3

dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7)

> **TWA** 0,1 mg/m3

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2

Components Type

**STEL** dibutyltin dilaurate; 0,2 mg/m3

dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7)

> TLV 0,1 mg/m3

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended

Components Value Type

STEL dibutyltin dilaurate; 0,2 mg/m3

dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7)

> **TWA** 0,1 mg/m3

> > Value

Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health

Type 4,4'-Methylenedicyclohexyl **STEL** 0,035 mg/m3

diisocyanate (CAS

Components

5124-30-1)

dibutyltin dilaurate; **STEL** 0,3 mg/m3

dibutyl[bis(dodecanoyloxy)]

stannane (CAS 77-58-7)

TWA 0,1 mg/m3

Greece. OELs, Presidential Decree No. 307/1986, as amended

Components Type Value

dibutyltin dilaurate; STEL 0,2 mg/m3

dibutyl[bis(dodecanoyloxy)]

stannane (CAS 77-58-7)

**TWA** 0,1 mg/m3

Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended

Components Type Value

dibutyltin dilaurate; **TWA** 0,02 mg/m3

dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7)

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended Components Value

Type STEL

dibutyl[bis(dodecanoyloxy)]

stannane (CAS 77-58-7)

dibutyltin dilaurate;

0,002 ppm

0,05 mg/m3

**TWA** 0,1 mg/m3 Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations Components Value **Type** dibutyltin dilaurate; STEL 0,2 mg/m3 dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7) TWA 0,1 mg/m3 Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended Components Value Type 0,2 mg/m3 dibutyltin dilaurate; STEL dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7) **TWA** 0,1 mg/m3 Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended Value Components **Type** 4,4'-Methylenedicyclohexyl Ceiling 0,01 ppm diisocyanate (CAS 5124-30-1) **TWA** 0,005 ppm 0,2 mg/m3 STEL dibutyltin dilaurate; dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7) **TWA** 0,1 mg/m3 Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014) Components Value Type **STEL** dibutyltin dilaurate; 0,2 mg/m3 dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7) **TWA** 0,1 mg/m3 Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended) Components Type Value dibutvltin dilaurate: STEL 0,15 mg/m3 dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7) **TWA** 0,05 mg/m3 Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended) Components Value Type dibutyltin dilaurate; STEL 0,2 mg/m3 dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7) **TWA** 0,1 mg/m3 Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs) Components Type Value dibutyltin dilaurate; **STEL** 0,2 mg/m3 dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7) **TWA** 0,1 mg/m3 Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended Value Components **Type** 4,4'-Methylenedicyclohexyl Ceiling 0,005 ppm diisocyanate (CAS 5124-30-1)

Material name: DEVCON® Flexane® 80-2 Liquid Resin

SDS EU

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended Form Components Value **Type** 

dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7)

dibutyltin dilaurate;

TWA Total dust. 0,1 mg/m3

0,2 mg/m3

Total dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

**Form** Components Value Type 4,4'-Methylenedicyclohexyl STEL 0,02 mg/m3

STEL

diisocyanate (CAS 5124-30-1)

TWA 0,02 mg/m3 dibutyltin dilaurate; **STEL** 0,2 mg/m3 Inhalable fraction.

dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7)

> **TWA** Inhalable fraction. 0,1 mg/m3

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1 Components Type Value STEL 0,07 mg/m3

4,4'-Methylenedicyclohexyl diisocyanate (CAS 5124-30-1)

> **TWA** 0,02 mg/m3 STEL 0,2 mg/m3

dibutyltin dilaurate; dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7)

> **TWA** 0,1 mg/m3

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be

chosen according to the CEN standards and in discussion with the supplier of the personal

protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Wear positive pressure self-contained breathing apparatus (SCBA). Chemical respirator with

organic vapor cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Keep away from food and drink. Always observe good personal hygiene measures, such as Hygiene measures

washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing

should not be allowed out of the workplace.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormLiquid.ColorColorless.OdorSlight.

**Melting point/freezing point** 77 °F (25 °C) estimated

Boiling point or initial boiling

point and boiling range

597 °F (313,89 °C) estimated

Flammability Not applicable.

Upper/lower flammability or explosive limits
Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Flash point 392,0 °F (200,0 °C) estimated

Auto-ignition temperature

Decomposition temperature

Not available.

Not available.

7 @ 5% solution

Kinematic viscosity

Not available.

Solubility

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure 0,00002 hPa estimated

Density and/or relative density

**Density** 1,03 g/cm3 estimated

Vapor density Not available.

Particle characteristics Not available.

9.2. Other information

**9.2.1. Information with regard to** No relevant additional information available.

physical hazard classes

9.2.2. Other safety characteristics

Specific gravity 1,03 estimated

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid**Contact with incompatible materials.

**10.5. Incompatible materials** Strong oxidizing agents.

**10.6. Hazardous decomposition** No hazardous decomposition products are known.

products

## **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Skin contact** Causes skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes serious eye irritation.

Material name: DEVCON® Flexane® 80-2 Liquid Resin
0318 Version #: 05 Revision date: 06-09-2025 Issue date: 05-23-2019

Harmful if swallowed. Ingestion

**Symptoms** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause respiratory irritation. Difficulty in breathing. Skin irritation. May cause redness

and pain. May cause an allergic skin reaction. Dermatitis. Rash.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxic if inhaled. Harmful if swallowed. Acute toxicity

Components Species **Test Results** 

dibutyltin dilaurate; dibutyl[bis(dodecanoyloxy)] stannane (CAS 77-58-7)

**Acute** 

Oral

LD50 Rat 175 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

## 11.2. Information on other hazards

**Endocrine disrupting** 

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or

greater than 0.1% by weight.

Other information Not available.

# **SECTION 12: Ecological information**

12.1. Toxicity Due to partial or complete lack of data the classification for hazardous to the aquatic

environment, is not possible.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

## 12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

> dibutyltin dilaurate; dibutyl[bis(dodecanoyloxy)] stannane 3,12

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

0318 Version #: 05 Revision date: 06-09-2025 Issue date: 05-23-2019

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner.

**Contaminated packaging**Since emptied containers may retain product residue, follow label warnings even after container

is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU waste code**The Waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

**Disposal methods/information** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Discourage

sewage disposal. Waste should not be disposed of by release to sewers. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Special precautions**Dispose in accordance with all applicable regulations.

# **SECTION 14: Transport information**

#### **ADR**

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -

Hazard No. (ADR) Not assigned. Tunnel restriction code Not assigned.

**14.4. Packing group** - **14.5. Environmental hazards** No.

14.6. Special precautions for Not assigned.

user

RID

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions for Not assigned.

user

ADN

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -14.4. Packing group -14.5. Environmental hazards No.

14.6. Special precautions for Not assigned.

user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions for Not assigned.

user

IMDG

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard -14.4. Packing group -14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned. **14.6. Special precautions for** Not assigned.

user

14.7. Maritime transport in bulk Not established.

according to IMO instruments

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other EU regulations Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances

Hazard categories in accordance with Regulation (EC) No 1272/2008

- H2 ACUTE TOXIC

- H3 STOT SPECIFIC TARGET ORGAN TOXICITY

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

Material name: DEVCON® Flexane® 80-2 Liquid Resin
0318 Version #: 05 Revision date: 06-09-2025 Issue date: 05-23-2019

#### **National regulations**

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Use of this product by young persons under the age of 18 is not allowed in accordance with the Management of Health and Safety at Work Regulations 1999 [SI 1999/3242], as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

### France regulations

### **France INRS Table of Occupational Diseases**

4,4'-Methylenedicyclohexyl diisocyanate (CAS 5124-30-1)

62

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

## **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

## References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H301 Toxic if swallowed.

Not available.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

# Revision information

**Training information** Follow training instructions when handling this material.

Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

This document has undergone significant changes and should be reviewed in its entirety.