## SAFETY DATA SHEET

Version # 01

Issue date: 06-10-2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

DEVCON® Flexane® 80 Liquid Curing Agent

Registration number

**Synonyms** None.

SKU# 0305

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

ITW Performance Polymers **Company Name** 

**Address** Bay 150

Shannon Industrial Estate

Co. Clare Ireland V14 DF82

**Contact Person Customer Service Telephone Number** 353(61)771500

353(61)471285

**Email** customerservice.shannon@itwpp.com **Emergency Phone Number** 44(0) 1235 239 670 (24 hours)

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

**Austria National Poisons Information Center** 

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Belgium National Poisons Control Center** 

070 245 245 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Bulgaria National Toxicological Information** 

Center

+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Croatia Poisons Information Center**  +385 1 2348 342 (Hours of operation not provided. SDS/Product information

may not be available for the Emergency Service.)

**Cyprus Poison Center** 1401 (Available 24 hours a day. SDS/Product information may not be available

for the Emergency Service.)

**Czech Republic National Poisons Information Center** 

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

**Denmark National Poisons Control Center** 

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

**Estonia National Poisons Information Center** 

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

**Finland National Poison** Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

**France National Poisons Control Center** 

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

#### 1.4. Emergency telephone number

**Greece Poison Information** (0030) 2107793777 (Available 24 hours a day. SDS/Product information may not

Centre be available for the Emergency Service.)

**Hungary National** +36-80-201-199 (Available 24 hours a day. SDS/Product information may not be

**Emergency Phone Number** available for the Emergency Service.)

113

**Iceland Poison Center** (+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Latvia Emergency medical

Latvia Poison and Drug +371 67042473 (Available 24 hours a day. SDS/Product information may not be **Information Center** 

available for the Emergency Service.)

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. Lithuania Neatideliotina informacija apsinuodijus

SDS/Product information may not be available for the Emergency Service.)

2545 4030 (Hours of operation not provided. SDS/Product information may not Malta Accident and **Emergency Department** be available for the Emergency Service.)

**Netherlands National Poisons Information Center** (NVIC)

NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

**Norway Norwegian Poison** 22 59 13 00 (Available 24 hours a day. SDS/Product information may not be **Information Center** available for the Emergency Service.)

**Portugal Poison Center** 800 250 250 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Romania Biroul RSI si 021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be

Informare Toxicologica available for the Emergency Service.)

Slovakia National **Toxicological Information** Center

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Spain Toxicology** Information Service

+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

**Sweden National Poison** Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

**Switzerland Tox Info** 145 (Available 24 hours a day. SDS/Product information may not be available for

Suisse the Emergency Service.)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies. The classification of the substance or mixture has been performed in accordance with ABNT NBR 14725.

## Classification according to Regulation (EC) No 1272/2008 as amended

## **Health hazards**

H302 - Harmful if swallowed. Acute toxicity, oral Category 4 H312 - Harmful in contact with Acute toxicity, dermal Category 4

skin.

H315 - Causes skin irritation. Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2

H319 - Causes serious eye

irritation.

Specific target organ toxicity - repeated Category 2 H373 - May cause damage to exposure

organs through prolonged or

repeated exposure.

## 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

UFI:

EU: FG40-50Q5-G00G-7HE1

Contains: Diethyltoluenediamine

## **Hazard pictograms**



## Signal word

#### **Hazard statements**

H302 Harmful if swallowed. H312 Harmful in contact with skin. Causes skin irritation. H315 H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

#### Prevention

P260 Do not breathe mist/vapors. P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear eye protection/face protection. P280 Wear protective gloves/protective clothing.

Response

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell. P332 + P313 If skin irritation occurs: Get medical advice/attention. P337 + P313 If eye irritation persists: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

Not available. Storage

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### Supplemental label information None.

#### 2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

## **SECTION 3: Composition/information on ingredients** 3.2. Mixtures

## General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Diethyltoluenediamine	30 - < 40	68479-98-1 270-877-4	-	612-130-00-0	
Classifi		4;H302, Acute Tox. 4 uatic Chronic 1;H410	;H312, Eye Irrit. 2;H319, ST	OT RE	
Carbon Black	< 1	1333-86-4	-	-	
		215-609-9			
Classifi	cation: Carc 2:H35	1			

Classification: Carc. 2:H351

Other components below reportable 60 - < 70

levels

## List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

#### **SECTION 4: First aid measures**

**General information** 

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

4.1. Description of first aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing. Wash with plenty of soap and water. Get medical

advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the

lungs. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

## **SECTION 5: Firefighting measures**

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Do not breathe mist/vapors. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

**7.2. Conditions for safe storage**, Store in tightly closed container. Store away from incompatible materials (see Section 10 of the **including any incompatibilities** SDS).

**7.3. Specific end use(s)**Observe industrial sector guidance on best practices.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Occupational exposure limits

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 -

Chemical agents, as amended

 Components
 Type
 Value

 Carbon Black (CAS
 TWA
 3 mg/m3

1333-86-4)

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and

Biological Limit Values, Annex I (NN 91/2018), as amended

 Components
 Type
 Value

 Carbon Black (CAS
 MAC
 3,5 mg/m3

 1333-86-4)
 3,5 mg/m3

STEL

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended

7 mg/m3

5 mg/m3

Components Type Value

Carbon Black (CAS TWA 3,5 mg/m3

1333-86-4)

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work,

361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

 Components
 Type
 Value
 Form

 Carbon Black (CAS
 TWA
 10 mg/m3
 Dust.

1333-86-4)

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2

ComponentsTypeValueCarbon Black (CASSTEL7 mg/m31333-86-4)7 mg/m3

TLV 3,5 mg/m3

**TWA** 

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended

Components Type Value Form

1333-86-4)

Carbon Black (CAS

Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health

Components Type Value

Carbon Black (CAS STEL 7 mg/m3

1333-86-4)

TWA 3,5 mg/m3

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in

the Work Area (DFG), as updated

Components Type Value Form

Carbon Black (CAS TWA 4 mg/m3 Inhalable dust.

1333-86-4)

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components Type Value Form

Carbon Black (CAS AGW 10 mg/m3 Inhalable fraction.

1333-86-4)

1,25 mg/m3 Respirable fraction.

Total dust.

Greece. OELs, Presidential Decree No. 307/1986, as amended

Components Value Type Carbon Black (CAS STEL 7 mg/m3

1333-86-4)

TWA 3,5 mg/m3

Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended

Form Components Value Type

Carbon Black (CAS **TWA** 3 mg/m3 Inhalable dust.

1333-86-4)

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended

Components Value Type

TWA 3,5 mg/m3 Carbon Black (CAS

1333-86-4)

Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations

Form Components Type

**TWA** Inhalable fraction. Carbon Black (CAS 3 mg/m3

1333-86-4)

Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended

Components Value **Form Type** 

**TWA** Carbon Black (CAS 3 mg/m3 Inhalable fraction.

1333-86-4)

Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No.

V-824/A1-389), as amended

Value **Form** Components Type

**TWA** Carbon Black (CAS 5 mg/m3 Respirable fraction.

1333-86-4)

10 mg/m3 Inhalable fraction.

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz.

1286/2018, Annex 1)

Form Components Value **Type** 

Carbon Black (CAS **TWA** 4 mg/m3 Inhalable fraction.

1333-86-4)

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)

Form Components Type Value

Carbon Black (CAS **TWA** 3 ma/m3 Fume.

1333-86-4)

Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006,

Annex 1, Table 1, as amended)

Components Type Value Carbon Black (CAS **TWA** 2 mg/m3

1333-86-4)

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due

to Exp. to Chemicals at Work, Ann. I 100/2001), as amended

Components Type Value Form

KTV Inhalable fraction. Carbon Black (CAS 20 mg/m3

1333-86-4)

2,5 mg/m3 Respirable fraction.

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due

to Exp. to Chemicals at Work, Annex I), as amended

Form Components Value **Type** 

Carbon Black (CAS **TWA** Inhalable fraction. 10 mg/m3

1333-86-4)

1,25 mg/m3 Respirable fraction.

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales

(VLAs)

Components Type Value

Carbon Black (CAS TWA 3,5 mg/m3

1333-86-4)

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

Components Type Value Form

Carbon Black (CAS TWA 5 mg/m3 Inhalable dusts and

1333-86-4) mists.

1 mg/m3 Inhalable dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components Type Value Form

Carbon Black (CAS TWA 3 mg/m3 Respirable dust.

1333-86-4)

10 mg/m3 Inhalable dust.

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1
Components Type Value

Carbon Black (CAS STEL 7 mg/m3

1333-86-4)

TWA 3,5 mg/m3

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect

concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

snower.

Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be

chosen according to the CEN standards and in discussion with the supplier of the personal

protective equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Keep away from food and drink. Always observe good personal hygiene measures, such as

washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply

with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormLiquid.ColorBlack

Material name: DEVCON® Flexane® 80 Liquid Curing Agent

0305 Version #: 01 Issue date: 06-10-2025

Odor Ammoniacal. Melting point/freezing point Not available. Not available. Boiling point or initial boiling

point and boiling range

**Flammability** Not applicable.

Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

312,8 °F (156,0 °C) estimated Flash point

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Not available. Not available. Kinematic viscosity

Solubility

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure Not available.

Density and/or relative density

Density 1,02 g/cm3 estimated

Vapor density Not available. Particle characteristics Not available.

9.2. Other information

**9.2.1. Information with regard to** No relevant additional information available.

physical hazard classes

9.2.2. Other safety characteristics

1,02 estimated Specific gravity

## **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous decomposition

products

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact Harmful in contact with skin. Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Harmful if swallowed.

**Symptoms** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Harmful in contact with skin. Harmful if swallowed. **Acute toxicity** 

**Test Results** Components Species

Carbon Black (CAS 1333-86-4)

**Acute** Oral

LD50 Rat > 8000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** 

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance information

No information available.

11.2. Information on other hazards

**Endocrine disrupting** 

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Other information Not available.

## **SECTION 12: Ecological information**

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

**Bioconcentration factor (BCF)** Not available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB

No data available.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Discourage

> sewage disposal. Waste should not be disposed of by release to sewers. Dispose of contents/container in accordance with local/regional/national/international regulations.

## **SECTION 14: Transport information**

```
ADR
```

**14.1. UN number** UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diethyltoluenediamine)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard Label(s) 9
Hazard No. (ADR) 90
Tunnel restriction code 14.4. Packing group III

**14.4. Packing group 14.5. Environmental hazards** No.

14.6. Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

**RID** 

**14.1. UN number**Not regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions for Not assigned.

user

#### ADN

**14.1. UN number** UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diethyltoluenediamine)

name

14.3. Transport hazard class(es)

Class 9
Subsidiary hazard Label(s) 9
14.4. Packing group III
14.5. Environmental hazards No.

14.6. Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

IATA

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions for Not assigned.

user

**IMDG** 

14.1. UN number Not regulated as dangerous goods.14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards
Marine pollutant No.

EmS Not assigned.


14.6. Special precautions for Not assigned.

user

# 14.7. Maritime transport in bulk according to IMO instruments

Not established.

ADN; ADR



## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

UFI:

EU: FG40-50Q5-G00G-7HE1

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

## Other EU regulations

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended. Use of this product by young persons under the age of 18 is not allowed in accordance with the Management of Health and Safety at Work Regulations 1999 [SI 1999/3242], as amended. Follow national regulation for

work with chemical agents in accordance with Directive 98/24/EC, as amended.

#### France regulations

### **France INRS Table of Occupational Diseases**

Not regulated.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

# Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

#### **Revision information**

## **Training information**

## NOHE

Follow training instructions when handling this material.

#### Disclaimer

ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.