Page: 1
Printed: 09/19/2018
Revision: 09/19/2018

Supersedes Revision: 06/29/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Jasco TSP Substitute

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100 Memphis, TN 38113

Web site address: www.wmbarr.com

**Emergency Contact:** 3E 24 Hour Emergency Contact (800)451-8346 **Information:** W.M. Barr Customer Service (800)398-3892

Intended Use: Cleaning and Surface Preparation

Product Code: QJTS00408

### 2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 1



GHS Signal Word: Danger

GHS Hazard Phrases: H315: Causes skin irritation.

H318: Causes serious eye damage.

**GHS Precaution Phrases:** P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:** P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

P321: Specific treatment see label.

P332+313: If skin irritation occurs, get medical advice/attention. P362: Take off contaminated clothing and wash before re-use.

**GHS Storage and Disposal** 

Phrases:

No phrases apply.

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

Potential Health Effects No data available.

(Acute and Chronic):

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

I	CAS#	Hazardous Components (Chemical Name)	Concentration
	112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	3.0 -7.0 %
	6834-92-0	Silicic acid (H2SiO3), Disodium salt {Sodium metasilicate (pentahydrate)}	1.0 -5.0 %
I	1300-72-7	Sodium xylenesulfonate	1.0 -5.0 %
I	68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	0.5 -1.5 %

Additional Chemical

Specific percentage of composition is being withheld as a trade secret.

nformation

Page: 2
Printed: 09/19/2018
Revision: 09/19/2018
Supersedes Revision: 06/29/2018

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

Skin:

Remove contaminated clothing. Immediately wash skin thoroughly with large amounts of water and mild soap, if available. Seek medical attention if irritation develops or

persists.

Eyes:

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush

the eyes for at least 15 minutes. Seek medical attention.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get immediate medical attention.

Ingestion:

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician or poison control center immediately. Never give anything by mouth to an

unconscious person.

Signs and Symptoms Of

Exposure:

See Potential Health Effects.

#### 5. FIRE FIGHTING MEASURES

Flash Pt: No data.

**Explosive Limits:** LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Carbon dioxide, dry powder, or foam.

Unsuitable Extinguishing

Media:

None known.

**Fire Fighting Instructions:** Use NIOSH/MSHA approved positive pressure self-contained breathing apparatus when

any material is involved in a fire.

Flammable Properties and

Hazards:

Flashpoint: No flash to boiling. Will not burn.

#### 6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled: Isolate the immediate area. Prevent unauthorized entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to compatible containers. For large spills, dike ahead of the spill.

#### 7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Precautions To Be Taken in

Storing:

Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

Page: 3 Printed: 09/19/2018 Revision: 09/19/2018

Supersedes Revision: 06/29/2018

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	No data.	No data.	No data.
6834-92-0	Silicic acid (H2SiO3), Disodium salt {Sodium metasilicate (pentahydrate)}	No data.	No data.	No data.
1300-72-7	Sodium xylenesulfonate	No data.	No data.	No data.
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	No data.	No data.	No data.

Respiratory Equipment (Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's

use.

If the work area is not properly ventilated to keep airborne levels below their exposure limits, you must use a properly fitted and maintained NIOSH approved respirator for

organic vapors. A dust mask does not provide protection against vapors.

Safety glasses, chemical goggles, or face shields are recommended to safeguard Eye Protection:

against potential eye contact, irritation, or injury. Contact lenses should not be worn

while working with chemicals.

Protective Gloves: Nitrile, neoprene, natural rubber

Various application methods can dictate use of additional protective safety equipment, Other Protective Clothing:

such as impermeable aprons, etc., to minimize exposure.

**Engineering Controls** (Ventilation etc.):

Use process enclosures, local exhaust ventilation, or other engineering controls to

control airborne levels below recommended exposure limits.

Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering -- STOP -- ventilation is inadequate. Leave area immediately

and move to fresh air.

Practices:

Work/Hygienic/Maintenance Wash hands thoroughly after use and before eating, drinking, or smoking. Do not eat, drink, or smoke in the work area. Discard any clothing or other protective equipment that

cannot be decontaminated.

Page: 4 Printed: 09/19/2018 Revision: 09/19/2018

		Supersedes Rev	rision: 06/29/2018
9.	PHYSICAL AND CHEMICA	L PROPERTIES	
Physical States:	[ ] Gas [ X ] Liquid [ ] Solid		
Appearance and Odor:	Appearance: Blue, Free and Clear		
Melting Point:	No data.		
Boiling Point:	> 200.00 F		
Autoignition Pt:	No data.		
Flash Pt:	No data.		
Explosive Limits:	LEL: No data.	EL: No data.	
Specific Gravity (Water = 1):	1.0413 - 1.0713		
Vapor Pressure (vs. Air or	No data.		
mm Hg):			
Vapor Density (vs. Air = 1):	> air		
Evaporation Rate:	< 1 (BuAC=1)		
Solubility in Water:	Complete		
Viscosity:	5 CPS		
pH:	12.7 - 13.4		
Percent Volatile:	93.0 % by weight.		
VOC / Volume:	0.0000 % WT		
	10. STABILITY AND RE	ACTIVITY	
Stability:	Unstable [ ] Stable [ X ]		
Conditions To Avoid - Instability:	No data available.		
Incompatibility - Materials To Avoid:	Strong oxidizers and acids.		
Hazardous Decomposition or Byproducts:	Carbon dioxide and carbon monoxide		
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]		
Conditions To Avoid - Hazardous Reactions:	No data available.		

Page: 5
Printed: 09/19/2018
Revision: 09/19/2018

Supersedes Revision: 06/29/2018

### 11. TOXICOLOGICAL INFORMATION

**Toxicological Information:** This product has not been tested as a whole. Refer to section 2 for acute and chronic

effects.

CAS# 112-34-5:

Chronic Toxicological Effects:

Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe.

Result:

Behavioral: Anticonvulsant.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave.,

Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

CAS# 6834-92-0:

Standard Draize Test, Skin, Species: Guinea pig, 250.0 MG, 24 H, Moderate.

Result:

Effects on Fertility: Other measures of fertility.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN

55802, Vol/p/yr: 31,481, 1975

CAS# 68439-46-3:

Acute toxicity, LD50, Oral, Rat, 1378. MG/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Behavioral: Ataxia.

Gastrointestinal: Hypermotility, diarrhea.

- Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY,

Vol/p/yr: 10(4),427, 1991

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA	
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	n.a.	n.a.	n.a.	n.a.	
6834-92-0	Silicic acid (H2SiO3), Disodium salt {Sodium metasilicate (pentahydrate)}	n.a.	n.a.	n.a.	n.a.	
1300-72-7	Sodium xylenesulfonate	n.a.	n.a.	n.a.	n.a.	
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	n.a.	n.a.	n.a.	n.a.	

### 12. ECOLOGICAL INFORMATION

General Ecological

This product has not been tested as a whole.

Information:

### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with local, state, and federal laws.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

Page: 6
Printed: 09/19/2018
Revision: 09/19/2018

Supersedes Revision: 06/29/2018

### 14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Compound Cleaning Liquid

DOT Hazard Class: UN/NA Number:

**Additional Transport** 

Not Regulated.

Information:

#### 15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists							
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)			
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	No	No	Yes-Cat. N230			
6834-92-0	Silicic acid (H2SiO3), Disodium salt {Sodium metasilicate (pentahydrate)}	No	No	No			
1300-72-7	Sodium xylenesulfonate	No	No	No			
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	No	No	No			
CAS#	Hazardous Components (Chemical Name)	Other US EPA o	r State Lists				
112-34-5	Diethylene glycol monobutyl ether	CAA HAP,ODC: Yes - Cat.; CWA NPDES: No; TSCA: Yes -					
	{2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	Inventory; CA PROP.65: No					
6834-92-0	Silicic acid (H2SiO3), Disodium salt {Sodium	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -					
	metasilicate (pentahydrate)}	Inventory; CA PROP.65: No					
1300-72-7	Sodium xylenesulfonate	CAA HAP,ODC: Inventory; CA P	No; CWA NPDES: ROP.65: No	No; TSCA: Yes -			
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -					

# Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

Inventory; CA PROP.65: No

### **16. OTHER INFORMATION**

**Revision Date:** 09/19/2018

Preparer Name: W.M. Barr EHS Dept (901)775-0100

Additional Information About No data available.

This Product:

**Company Policy or** 

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

# **SAFETY DATA SHEET**

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

Page: 7 Printed: 09/19/2018 **Jasco TSP Substitute** Revision: 09/19/2018 Supersedes Revision: 06/29/2018