Page: 1 of 6 Printed: 06/09/2022 Revision: 06/09/2022

Supersedes Revision: 09/14/2021

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Jasco Mask and Peel Aerosol

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100

Memphis, TN 38113

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346

Information: W.M. Barr Customer Service (800)398-3892

Intended Use: Primer, sealer and undercoater

Product Code: EJMS301

2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 3

GHS Signal Word: Warning

GHS Hazard Phrases: H316: Causes mild skin irritation.

GHS Precautionary Phrases:

GHS Response Phrases: P332+313: If skin irritation occurs, get medical advice/attention.

GHS Storage and Disposal

Phrases:

Medical Conditions Generally Respiratory conditions (asthma)

Aggravated By Exposure:

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Hazardous Components (Chemical Name)	Concentration
NA	(Trade Secret)	15.0 -40.0 %
8031-18-3	Magnesium aluminum silicate {Fullers earth; Colloidal clay}	1.0 -5.0 %
25265-77-4	Texanol {Ester alcohol; 2,2,4-trimethyl-1,3-penta nediol}	0.1 -1.0 %
7727-37-9	Nitrogen	0.1 -1.0 %
9004-62-0	Hydroxethyl cellulose	0.1 -1.0 %
110-91-8	Morpholine {Diethylene imidoxide}	0.1 -1.0 %
124-68-5	1-Propanol, 2-Amino-2-methyl-	0.1 -1.0 %

Additional Chemical Specific percentage of composition is being withheld as a trade secret.

nformation

Page: 2 of 6 Printed: 06/09/2022 Revision: 06/09/2022

Supersedes Revision: 09/14/2021

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

Skin:

Immediately begin washing the skin thoroughly with large amounts of water and mild soap, if available, while removing contaminated clothing. Seek medical attention if

irritation persists.

Eyes:

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush

the eyes for at least 15 minutes, then seek immediate medical attention.

Inhalation:

Remove to fresh air.

Ingestion:

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician, hospital emergency room, or poison control center immediately. Never give

anything by mouth to an unconscious person.

Signs and Symptoms Of

Exposure:

See Potential Health Effects.

5. FIRE FIGHTING MEASURES

Flash Pt: N.A. Method Used: No Flash To Boiling

Explosive Limits: LEL: na UEL: na

Autoignition Pt: N.D.

Suitable Extinguishing Media: Water spray, dry powder, carbon dioxide, foam.

Unsuitable Extinguishing

Media:

None known.

Fire Fighting Instructions: Self-contained respiratory protection should be provided for fire fighters fighting fires in

buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have

been exposed to intense heat or flame.

Flammable Properties and

Hazards:

Flashpoint: This material does not exhibit a flashpoint per the Setaflash Closed Cup test

method.

Material will not support combustion.

Hazardous Combustion

Products:

Carbon monoxide, carbon dioxide, hydrocarbons.

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures:

Wear appropriate protective clothing to prevent skin exposure.

Steps To Be Taken In Case Material Is Released Or Spilled: Wipe up or scrape up and contain for salvage or disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are

applicable.

Page: 3 of 6
Printed: 06/09/2022
Revision: 06/09/2022
Supersedes Revision: 09/14/2021

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Avoid breathing of vapors or mist. Avoid contact with eyes and skin.

A source of clean water should be available in or near the work area for flushing of the

eyes and skin if contact occurs.

Precautions To Be Taken in

Store in a cool place in original container and protect from sunlight.

Storing:

Do not store near flames or at elevated temperatures.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS # Chemical Name Jurisdiction Recommended Exposure Limits Notations

7727-37-9 Nitrogen ACGIH TLV TLV: Simple asphyxiant ppm

110-91-8 Morpholine {Diethylene ACGIH TLV TLV: 20 ppm

imidoxide}

OSHA PELs PEL: 20 ppm

Respiratory Equipment When used by the consumer following directions for use and with adequate ventilation,

(Specify Type): respiratory protection should not be needed.

Eye Protection: Safety glasses should be worn during normal handling of this material.

Protective Gloves: Wear gloves with as much resistance to the chemical ingredients as possible.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Use only with adequate ventilation to prevent build-up of vapors. Open all windows and

doors. use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or

eye-watering - STOP - ventilation is inadequate. Leave area immediately.

Work/Hygienic/Maintenance

Practices:

Wash hands thoroughly after use and before eating, drinking, or smoking.

Do not eat, drink, or smoke in the work area.

Discard any clothing or other protective equipment that cannot be decontaminated.

Facilities storing or handling this material should be equipped with an emergency

eyewash and safety shower.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [X] Gas [X] Liquid [] Solid

Appearance and Odor: White, opaque viscous liquid with a mild odor.

Odor threshold not determined.

pH: 9.0 - 10.0

Melting Point: N.D.

Boiling Point: > 212.00 F

Flash Pt: N.A. Method Used: No Flash To Boiling

Evaporation Rate: < 1 (BuAC=1)

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

Page: 4 of 6 Printed: 06/09/2022 Revision: 06/09/2022

Supersedes Revision: 09/14/2021 Flammability (solid, gas): Not flammable LEL: na **Explosive Limits:** UEL: na Vapor Pressure (vs. Air or N.D. mm Hg): Not established Vapor Density (vs. Air = 1): > 1 Air = 1Specific Gravity (Water = 1.05 - 1.07 1): Density: 8.74 - 8.94 LB/GL **Bulk density:** Not established Solubility in Water: Dispersible Saturated Vapor N.D. Concentration: Octanol/Water Partition ND Coefficient: Percent Volatile: 60.45 % by weight. VOC / Volume: 0.2500 % WT HAP / Volume: NE Autoignition Pt: N.D. Decomposition N.D. Temperature: Viscosity: 800 - 1200 CPS Particle Size: Not established Deflagration index: Not established Minimum ignition energy: Not established Heat Value: Not established Corrosion Rate: Not established a_fld_hdr[9]: NE = Not Established ND = Not Determined Information with regard to primary physical hazard: 10. STABILITY AND REACTIVITY Reactivity: **None known. Stability: Unstable [] Stable [X] Conditions To Avoid -**None known. Instability: Incompatibility - Materials To Strong acids, strong oxidizers, mineral acids, vegetable oil, turpentine and unsaturated Avoid: organic compounds. Hazardous Decomposition or Carbon monoxide, carbon dioxide, hydrocarbons. Byproducts: Possibility of Hazardous Will not occur [X] Will occur [] Reactions:

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

Conditions To Avoid - Hazardous Reactions:

None known.

Page: 5 of 6 Printed: 06/09/2022 Revision: 06/09/2022

GHS format

Supersedes Revision: 09/14/2021

11. TOXICOLOGICAL INFORMATION

Toxicological Information: This product has not been tested as a whole. Refer to section 2 for health effects.

Carcinogenicity/Other ACGIH A4 - Not Classifiable as a Human Carcinogen.

Information: IARC 3: Not Classifiable as to Carcinogenicity in Humans.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
NA	(Trade Secret)				
8031-18-3	Magnesium aluminum silicate {Fullers earth; Colloidal clay}				
25265-77-4	Texanol {Ester alcohol; 2,2,4-trimethyl-1,3-penta nediol}				
7727-37-9	Nitrogen				
9004-62-0	Hydroxethyl cellulose				
110-91-8	Morpholine {Diethylene imidoxide}		3	A4	
124-68-5	1-Propanol, 2-Amino-2-methyl-				

12. ECOLOGICAL INFORMATION

General Ecological

This product has not been tested as a whole.

Information:

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose in accordance with applicable local, state, and federal regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Aerosols, non-flammable

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

DOT Hazard Class: 2.2 NONFLAMMABLE GAS

UN/NA Number: UN1950



Additional Transport

Information:

The shipper / supplier may be able to apply one of the following exceptions if allowed under 49 CFR Regulations: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49 CFR Hazmat Regulations. Please consult 49 CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists					
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
NA	(Trade Secret)	No	No	No	
8031-18-3	Magnesium aluminum silicate {Fullers earth; Colloidal clay}	No	No	No	
25265-77-4	Texanol {Ester alcohol; 2,2,4-trimethyl-1,3-penta nediol}	No	No	No	
7727-37-9	Nitrogen	No	No	No	
9004-62-0	Hydroxethyl cellulose	No	No	No	
110-91-8	Morpholine {Diethylene imidoxide}	No	No	No	
124-68-5	1-Propanol, 2-Amino-2-methyl-	No	No	No	

Page: 6 of 6 Printed: 06/09/2022 Revision: 06/09/2022

Supersedes Revision: 09/14/2021

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
NA	(Trade Secret)	
8031-18-3	Magnesium aluminum silicate {Fullers earth; Colloidal clay}	TSCA: Inventory
25265-77-4	Texanol {Ester alcohol; 2,2,4-trimethyl-1,3-penta nediol}	TSCA: Inventory
7727-37-9	Nitrogen	TSCA: Inventory
9004-62-0	Hydroxethyl cellulose	TSCA: Inventory
110-91-8	Morpholine {Diethylene imidoxide}	TSCA: Inventory
124-68-5	1-Propanol, 2-Amino-2-methyl-	TSCA: Inventory

Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

16. OTHER INFORMATION

Revision Date: 06/09/2022 **Previous revision:** 09/14/2021

Preparer Name: W.M. Barr EHS Dept (901)775-0100

Additional Information About

This Product:

Company Policy or

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.