


## (12) United States Design Patent (10) Patent No.: US D1,089,786 S Liu


(45) Date of Patent: \*\* Aug. 19, 2025


(54)	SENSOR	STRIP LIGHT	D935,679 S * 11/2021 Yuan D26/76
(0.)	221,2011		D938,087 S * 12/2021 Zou D26/85
(71)	Annlicant:	GUANGZHOU EZVALO	D938,639 S * 12/2021 Yang D26/85
(11)	rippiicuit.	TECHNOLOGY COMPANY	D945,045 S * 3/2022 Shen D26/76
			D945,046 S * 3/2022 Shen
		LIMITED, Guangzhou (CN)	D991,521 S * 7/2023 Yang D26/72
	_		D994,945 S * 8/2023 Xie D26/85
(72)	Inventor:	Wuxu Liu, Guangzhou (CN)	D1,008,517 S * 12/2023 Guo D26/72
			D1,021,194 S * 4/2024 Huang D26/72
(73)	Assignee:	GUANGZHOU EZVALO	D1,030,121 S * 6/2024 Yang D26/85
` ′	Č	TECHNOLOGY COMPANY	D1,032,054 S * 6/2024 Xiang D26/76
		LIMITED, Guangzhou (CN)	D1,032,907 S * 6/2024 He D26/72
		Elivirias, Guanganou (Civ)	D1,035,092 S * 7/2024 Chen D26/76
(**)	Term:	15 Years	D1,041,724 S * 9/2024 Yu D26/76
()	reim.	15 Tears	D1,048,506 S * 10/2024 Liu D26/85
(01)	. 1 37	20/004 404	D1,048,507 S * 10/2024 Wu D26/72
(21)	Appl. No.:	29/891,494	D1,052,139 S * 11/2024 Jiang D26/85
			D1,057,253 S * 1/2025 Huang D26/85
(22)	Filed:	May 5, 2023	* -'11
			* cited by examiner
(30)	Fo	reign Application Priority Data	
` /		0 11	Primary Examiner — Natasha Vujcic
Fel	5. 24, 2023	(CN) 202330073949.4	(74) Attorney, Agent, or Firm—HAUPTMAN HAM,
	,		LLP
(51)			
` /		Cl	DDI
(52)	U.S. Cl.	Cl 26-04	
` /	U.S. Cl.		(57) <b>CLAIM</b>
(52)	U.S. Cl. USPC	<b>D26/76</b> ; D26/85	(57) <b>CLAIM</b>
` /	U.S. Cl. USPC Field of C		(57) <b>CLAIM</b> The ornamental design for a sensor strip light as shown and
(52)	U.S. Cl. USPC Field of C		(57) <b>CLAIM</b>
(52)	U.S. Cl. USPC Field of C		(57) <b>CLAIM</b> The ornamental design for a sensor strip light as shown and
(52)	U.S. Cl. USPC Field of C USPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138	(57) <b>CLAIM</b> The ornamental design for a sensor strip light as shown and
(52)	U.S. Cl. USPC Field of C USPC		(57) <b>CLAIM</b> The ornamental design for a sensor strip light as shown and described.
(52)	U.S. Cl. USPC Field of C USPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION
(52)	U.S. Cl. USPC Field of C USPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new
(52)	U.S. Cl. USPC Field of C USPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/00; F21S	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design;
(52)	U.S. Cl. USPC Field of C USPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design; FIG. 2 is a rear view thereof;
(52)	U.S. Cl. USPC Field of C USPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design;
(52)	U.S. CI. USPC Field of C USPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S 8/043; F21S 8	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design; FIG. 2 is a rear view thereof; FIG. 3 is a left side view thereof;
(52)	U.S. CI. USPC Field of C USPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S 8/043; F21S 8	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design; FIG. 2 is a rear view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a right side view thereof;
(52)	U.S. CI. USPC Field of C USPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design; FIG. 2 is a rear view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a top view thereof;
(52) (58)	U.S. CI. USPC Field of C USPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S 8/043; F21S 8/	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design; FIG. 2 is a rear view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a top view thereof; FIG. 6 is a bottom view thereof;
(52)	U.S. CI. USPC Field of C USPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S 8/043; F21S 8	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design; FIG. 2 is a rear view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a top view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a first perspective view thereof;
(52) (58)	U.S. Cl. USPC Field of Cl USPC CPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/007; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S 8/043; F21S 8/	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design; FIG. 2 is a rear view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a top view thereof; FIG. 6 is a bottom view thereof;
(52) (58)	U.S. Cl. USPC Field of Cl USPC CPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S 8/043; F21S 8/	CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design; FIG. 2 is a rear view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a top view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a first perspective view thereof; FIG. 8 is a second perspective view thereof;
(52) (58) (56)	U.S. Cl. USPC Field of C USPC  CPC	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S 8/043; F21S 8/063 ation file for complete search history.  References Cited S. PATENT DOCUMENTS	(57) CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design; FIG. 2 is a rear view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a top view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a first perspective view thereof;
(52) (58) (56)	U.S. CI. USPC Field of C USPC  CPC  See applic  D872,339 S	D26/76; D26/85 Classification Search D26/72, 74, 76, 78–83, 85, 86, 88, 90, D26/93, 111, 113, 118, 119, 120, 121, D26/122, 138 F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/007; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035–037; F21S 8/04; F21S 8/043; F21S 8/	CLAIM  The ornamental design for a sensor strip light as shown and described.  DESCRIPTION  FIG. 1 is a front view of a sensor strip light showing my new design; FIG. 2 is a rear view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a top view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a first perspective view thereof; FIG. 8 is a second perspective view thereof;

## 1 Claim, 9 Drawing Sheets













Aug. 19, 2025



FIG. 7




FIG. 8




FIG. 9

