



US0D1089525S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,089,525 S**
Guo (45) **Date of Patent:** **** Aug. 19, 2025**

(54) **FILTER ELEMENT**

(71) Applicant: **Yanqiong Guo**, Shiyan (CN)

(72) Inventor: **Yanqiong Guo**, Shiyan (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/941,436**

(22) Filed: **May 9, 2024**

(30) **Foreign Application Priority Data**

Apr. 29, 2024 (CN) 202430250238.4

(51) **LOC (15) Cl.** **23-01**

(52) **U.S. Cl.**

USPC **D23/209**

(58) **Field of Classification Search**

USPC D23/200, 206, 207, 208, 209, 210, 213,
D23/223, 224, 225, 226, 228, 259, 355,
D23/362, 363, 499; D24/162
CPC B01D 29/114; B01D 29/176; B01D 29/60;
B01D 29/665; B01D 29/94; B01D
33/073; B01D 33/76; B01D 33/804;
B01D 35/04; B01D 35/043; B01D 35/14;
B01D 35/153; B01D 35/1573; B01D
35/16; B01D 35/30; B01D 35/306; B01D
35/34; B01D 2201/00; B01D 2201/02;
B01D 2201/29; B01D 2201/30; B01D
2201/4015; B01D 2201/4076; B01D
46/0002; B01D 46/10; B01D 27/08;
B01D 27/105; B01D 39/04; B01D 39/06;
F02M 35/024; F02M 35/10; C02F
2307/06; C02F 1/002; C02F 1/003; C02F
9/005; C02F 9/20; A61H 9/0021; A61H
33/00; B05B 1/00; B05B 1/02; B05B
1/08; B05B 1/14; B05B 1/18; B05B
1/185; B05B 1/26; B05B 12/002; B05B
9/01

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D762,832	S	*	8/2016	Gale	D23/365
D987,025	S	*	5/2023	Yu	D23/209
D1,006,342	S	*	11/2023	Xiao	D30/132
D1,019,886	S	*	3/2024	Zhuang	D23/365
D1,035,827	S	*	7/2024	Zou	D23/209
D1,047,077	S	*	10/2024	Peng	D23/209
D1,047,079	S	*	10/2024	Chen	D23/209
D1,050,349	S	*	11/2024	Tan	D23/209
D1,051,292	S	*	11/2024	Tan	D23/209
D1,053,305	S	*	12/2024	Pan	D23/209

(Continued)

OTHER PUBLICATIONS

"NPL.Petlibro" Jul. 25, 2022, Amazon.com, site visited May 6, 2025: https://www.amazon.com/PETLIBRO-Replacement-Filters-Dockstream-Fountain/dp/B0B7J16VGK/ref=sr_ (Year: 2022).*

Primary Examiner — Eric L Goodman

Assistant Examiner — Matthew Bird

(74) *Attorney, Agent, or Firm* — Birchwood IP

(57)

CLAIM

The ornamental design for a filter element, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, and left side perspective view of a filter element, showing my new design;

FIG. 2 is a rear, bottom and right side perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a right side view thereof;


FIG. 6 is a left side view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines shown in the drawings illustrate portions of the filter element that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D1,053,306 S * 12/2024 Zhuang D23/209
D1,056,184 S * 12/2024 Peng D23/209

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8