



US0D1088716S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,088,716 S**
Yao (45) **Date of Patent:** **** Aug. 19, 2025**

(54) **BOTTLE LID**

(71) Applicant: **Iron Flask Group LLC**, Chicago, IL
(US)

(72) Inventor: **Huajun Yao**, Hangzhou (CN)

(73) Assignee: **IRON FLASK GROUP LLC**, Tampa,
FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/792,041**

(22) Filed: **Feb. 28, 2022**

Related U.S. Application Data

(63) Continuation of application No. 29/756,928, filed on
Nov. 2, 2020, now Pat. No. Des. 944,591.

(51) **LOC (15) Cl.** **09-07**

(52) **U.S. Cl.**

USPC **D7/392.1**; D9/443; D7/396.2

(58) **Field of Classification Search**

USPC D9/435, 439, 440, 442–449, 450, 454,

D9/531, 682–694, 723; D7/321, 391,

D7/392, 392.1, 396.2, 507, 509–511, 523,

D7/608, 900; D6/515

CPC B65D 83/205; B65D 83/206; B65D 83/40;

B65D 2543/00046; A47G 19/2272

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D605,942 S	12/2009	Mikovsky	
D719,780 S	12/2014	Sullivan	
D763,076 S	8/2016	Lane et al.	
D763,688 S	8/2016	Breit et al.	
D767,390 S	9/2016	Mikovsky et al.	
D772,652 S *	11/2016	Yao	D7/510
D801,111 S *	10/2017	Eyal	D9/449
D807,110 S *	1/2018	Lown	D7/391

D813,668 S	3/2018	Miller	
D817,085 S	5/2018	Davis	
D824,721 S	8/2018	Hu	
D824,722 S	8/2018	Marina et al.	
D825,332 S	8/2018	Mikovsky et al.	
D843,778 S *	3/2019	Yao	D7/392.1
D848,786 S	5/2019	Bujalska	
D856,067 S	8/2019	Barber	
D858,181 S	9/2019	Lown	
D863,879 S	10/2019	Merrigan et al.	

(Continued)

FOREIGN PATENT DOCUMENTS

CN	305876165	6/2020
JP	D1593927	12/2017
RU	00109837	7/2018

Primary Examiner — Brett Miller

Assistant Examiner — Rani J Abdallah

(74) *Attorney, Agent, or Firm* — Alston & Bird LLP

(57) **CLAIM**

The ornamental design for a bottle lid, as shown and described.

DESCRIPTION

FIG. 1 is a front and top perspective view of a bottle lid, showing my new design;

FIG. 2 is another front and top perspective view thereof;

FIG. 3 is a rear and bottom perspective view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a right side elevational view thereof;


FIG. 8 is a top plan view thereof;

FIG. 9 is a bottom plan view thereof; and,

FIG. 10 is a front and top perspective view thereof, showing a belt of the bottle lid in a lifted position.

The broken lines in the figures illustrate portions of the article that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D870,509 S 12/2019 Bo
D881,640 S 4/2020 Nichols et al.
D886,518 S 6/2020 Li
D889,198 S 7/2020 Shepard et al.
D889,199 S 7/2020 Shepard et al.
D892,556 S 8/2020 Wang et al.
D892,557 S 8/2020 Wang et al.
D892,558 S 8/2020 Wang et al.
D892,560 S 8/2020 Wang et al.
D894,669 S 9/2020 Lane et al.
D894,670 S 9/2020 Adams, Jr. et al.
D896,572 S 9/2020 Nichols et al.
D903,404 S 12/2020 Bram
D912,518 S 3/2021 Peng
D913,034 S 3/2021 Cornelius et al.
D913,036 S 3/2021 Steenari
D920,041 S 5/2021 Chen et al.

10,994,901 B2 5/2021 Cornelius et al.
D920,739 S 6/2021 Omdahl, II et al.
D922,137 S 6/2021 Chen
D922,826 S 6/2021 Lin
D925,974 S 7/2021 Pearce et al.
D928,557 S 8/2021 Spivey et al.
D935,266 S * 11/2021 Chen D7/392.1
D935,836 S * 11/2021 Wang D9/449
D944,052 S * 2/2022 Yao D7/392.1
D944,084 S * 2/2022 Hu D7/392.1
D944,591 S * 3/2022 Yao D7/392.1
D955,809 S * 6/2022 Yao D7/392.1
D957,874 S * 7/2022 Ames D7/392.1
D968,882 S * 11/2022 Chen D7/392.1
D968,885 S * 11/2022 Kutlug D7/392.1
D968,886 S * 11/2022 Ke D7/392.1
D969,537 S * 11/2022 Li D7/392.1
2017/0107023 A1 4/2017 Miksovsky et al.
2019/0135506 A1 5/2019 Merrigan et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10