



US0D1088882S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,088,882 S**
Somekawa et al. (45) **Date of Patent:** **** Aug. 19, 2025**

(54) **PACKAGING CONTAINER**

(71) Applicant: **TAISEI KAKO CO., LTD.**, Osaka (JP)

(72) Inventors: **Tsuyoshi Somekawa**, Osaka (JP);
Masaya Umezaki, Osaka (JP);
Hirotaka Kunii, Osaka (JP)

(73) Assignee: **Taisei Kako Co., Ltd.**, Osaka (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/929,704**

(22) Filed: **Feb. 23, 2024**

(30) **Foreign Application Priority Data**

Aug. 28, 2023 (JP) 2023-017362 D

(51) **LOC (15) Cl.** **09-01**

(52) **U.S. Cl.**

USPC **D9/520; D9/549**

(58) **Field of Classification Search**

USPC D9/500–504, 516, 520, 541–545,
D9/549–552, 558–560, 563, 571–575,
D9/682, 686, 690, 715, 719; D3/201,
D3/202, 316; D7/509–511, 533, 300,
D7/302, 318, 320, 368, 590–592, 669,
D7/679, 572, 412–414; D24/107,
D24/121–123, 216, 217, 224
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D
1/02; B65D 1/10; B65D 1/46; B65D
5/46; B65D 41/00; B65D 41/38; B65D
41/56; B65D 41/62; B65D 47/00; B65D
47/06; B65D 47/08; B65D 2251/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D330,429 S * 10/1992 Lewis D9/500
D469,185 S * 1/2003 Lodge D24/224

D790,726 S * 6/2017 Plante D24/224
D804,950 S * 12/2017 Spurrier D9/500
D842,109 S * 3/2019 Marotta D9/520

(Continued)

FOREIGN PATENT DOCUMENTS

JP D2020-500310 * 11/2020
JP D1711079 3/2022
JP D1711139 3/2022

OTHER PUBLICATIONS

Duran Jacketed Bottle. Online, published date Nov. 1, 2018. Retrieved on Apr. 8, 2025 from URL: <https://www.amazon.com/242565456-Jacketed-Bottle-Supplied-Connectors/dp/B07SYT8DDK> (Year: 2018).*

Primary Examiner — Richard Edgar

Assistant Examiner — David Truong

(74) *Attorney, Agent, or Firm* — Millen, White, Zelano & Branigan, P.C.; Christopher W. Brody

(57) **CLAIM**


The ornamental design for a packaging container as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a packaging container showing the claimed design;
FIG. 2 is a front elevation view thereof, wherein the rear elevation view is a mirror image thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevation view thereof, wherein the left side elevation view is a mirror image thereof; and,
FIG. 6 is a cross-sectional view taken along line 6-6 in FIG. 2.

In the drawings, the dashed broken lines show portions of the packaging container that form no part of the claimed design. The dot-dash broken lines define the bounds of the claimed design and form no part thereof.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D860,792	S *	9/2019	Brozell	D9/520
D862,233	S *	10/2019	Lerman	D9/520
D902,044	S *	11/2020	Brozell	D9/560
D921,921	S *	6/2021	Santamarta	D24/224
D923,487	S *	6/2021	Hwang	D9/711
D929,231	S *	8/2021	Saltz	D9/520
11,155,402	B2 *	10/2021	Caldas	B65D 77/0493
D977,773	S *	2/2023	Miller	D32/53
D1,004,432	S *	11/2023	Hwang	D9/503
D1,034,217	S *	7/2024	Mihashi	D9/500
D1,069,581	S *	4/2025	Lerman	D9/549
2011/0297704	A1 *	12/2011	Esteve	A45D 34/00
				222/405
2017/0313471	A1 *	11/2017	Mattos	B65D 11/04

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6