

(12) United States Design Patent (10) Patent No.:

Johansson

US D1,089,240 S

** Aug. 19, 2025 (45) Date of Patent:

(54) DISPLAY SCREEN OR PORTION THEREOF WITH A GRAPHICAL USER INTERFACE FOR A DUAL-CHAMBER WASHER DISINFECTOR SYSTEM

(71) Applicant: Getinge Disinfection AB, Växjö (SE)

Inventor: Emil Johansson, Växjö (SE)

Assignee: **GETINGE DISINFECTION AB.**

Växjö (SE)

(**) Term: 15 Years

Appl. No.: 29/893,158

(22) Filed: May 25, 2023

(30)Foreign Application Priority Data

Ap	r. 14, 2023	(EM)		. 015018116-0001
Ap	r. 14, 2023	(EM)		. 015018116-0002
		(Cont	inued)	
(51)	LOC (15)	Cl	• • • • • • • • • • • • • • • • • • • •	14-04
(52)	U.S. Cl.			
	USPC			D14/485
(58)	Field of Cl	lassification	Search	

(Continued)

(56)

References Cited U.S. PATENT DOCUMENTS

5/2011 Holzman et al. 7,942,978 B2 D761,277 S 7/2016 Harvell D14/485 (Continued)

USPC D14/485-495

OTHER PUBLICATIONS

"Getinge Aquadis Index", posted date unavailable [online], [retrieved Oct. 16, 2024]. Retrieved from internet, chrome-extension://

efaidnbmnnnibpcajpcglclefindmkaj/https://www.getinge.com/dam/ hospital/documents/english/aquadis-index-en-non_us_canada.pdf(Year:

(Continued)

Primary Examiner — Christian P. McLean

Assistant Examiner — Emilee Voigt

(74) Attorney, Agent, or Firm — McCoy Russell LLP

(57)**CLAIM**

The ornamental design for a display screen or portion thereof with a graphical user interface for a dual-chamber washer disinfector system as shown.

DESCRIPTION

FIG. 1 is a front view of the display screen or portion thereof with a graphical user interface for a dual-chamber washer disinfector system in a first sequence of an animation according to claimed design;

FIG. 2 is a front view of the display screen or portion thereof with a graphical user interface for a dual-chamber washer disinfector system in a second sequence of the animation of FIG. 1:


FIG. 3 is a front view of the display screen or portion thereof with a graphical user interface for a dual-chamber washer disinfector system in a third sequence of the animation of FIG. 1; and,

FIG. 4 is a front view of the display screen or portion thereof with a graphical user interface for a dual-chamber washer disinfector system in a fourth sequence of the animation of FIG. 1.

The dot-dash-dot broken lines illustrate a display screen, which is the environment of the design, and which forms no part of the claimed design. The remaining even-length broken lines, which make up portions of the graphical user interface, form no part of the claimed design.

The appearance of the figures sequentially transitions between FIGS. 1-4. The process or period in which one image transitions to another forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(30) Fo	oreign Application Priority Data	
Apr. 14, 2023	(EM) 015018116-0003	
Apr. 14, 2023	(EM) 015018116-0004	
Apr. 14, 2023	(EM) 015018116-0005	
Apr. 14, 2023	(EM) 015018116-0006	
Apr. 14, 2023	(EM) 015018116-0007	
Apr. 14, 2023	(EM) 015018116-0008	
Apr. 14, 2023	(EM) 015018116-0009	
(58) Field of C	Classification Search	
` CPC C	606F 3/048; G06F 3/0481; G06F 3/04812;	
	G06F 3/04815; G06F 3/04817; G06F	
	3/0482; G06F 3/0483; G06F 3/0484;	
	G06F 3/04842; G06F 3/04845; G06F	
	3/04847; G06F 3/0485; G06F 3/04855;	
	G06F 3/0486; G06F 3/04886; G06Q	
	30/00; G06Q 30/02; G06Q 30/0237;	
	G06Q 30/0238; G06Q 30/0239; H03J	
	1/00; H03J 1/0008; H03J 1/0016; H03J	
1/0025; H04N 5/00; H04N 5/08; H		
	5/14; H04N 5/222; H04N 5/225; H04N	
	5/232; H04N 5/23222; H04N 5/23293;	
	H04N 5/232933; H04N 5/232935; H04N	
	5/445; H04N 5/44504; H04N 5/45; H04N	
	21/00; H04N 21/234; H04N 21/431;	
	H04N 21/4312; H04N 21/4314; H04N	
	21/4316; H04N 21/4532; H04N 21/4622;	
	H04N 21/47; H04N 21/478; H04N	
	21/482; H04N 21/4884; H04N 21/4888;	
	H04N 21/4856; H04N 21/485; H04N	
	21/6547	

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D786,932 S *	5/2017	Kim	D14/488
9,700,195 B2	7/2017	Padtberg et al.	
D806,114 S *	12/2017	Kim	D14/488
D807,376 S *	1/2018	Mizono	D14/485

10,117,957	\mathbf{B}_{2}^{2}	2	11/2018	Ljungstrom et al.	
D837,807	S	*	1/2019	Baber	D14/485
D848,466	S	*	5/2019	Mizono	D14/486
D864,215	S	*	10/2019	Ciccarelli	D14/485
D872,737	S	*	1/2020	Ressel	D14/485
D879,799	S	*	3/2020	Wilberding	D14/485
D916,876	S	*	4/2021	Elia	D14/488
D916,896	S	*	4/2021	Ikuye	D14/489
D925,557	\mathbf{S}	*	7/2021	Wang	D14/485
D930,701	\mathbf{S}	*	9/2021	Jung	D14/492
D931,876	S	*	9/2021	Lee	D14/485
D936,077	\mathbf{S}	*	11/2021	Ressel	D14/485
D936,100	\mathbf{S}	*	11/2021	Eun	D14/489
D973,096	S	*	12/2022	Bahatyrevich	D14/489
D980,856	\mathbf{S}	*	3/2023	Hsu	D14/486
D982,613	S	*	4/2023	Li	D14/489
D990,492	S	*	6/2023	Rosburg	D14/488
D991,270	\mathbf{S}	*	7/2023	Cerminaro	D14/489
D1,000,475	S	*	10/2023	Spjuth	D14/492
D1,016,842	S	*	3/2024	Broughton	D14/486
D1,020,782	\mathbf{S}	*	4/2024	Lee	D14/485
D1,026,026	S	*	5/2024	Butcher	D14/492
D1,036,459	S	nje	7/2024	Kim	D14/485
D1,038,148	S	*	8/2024	Ko	D14/485
D1,042,480	S	*	9/2024	Beyranvand Nejad	D14/485
D1,044,864	S	*	10/2024	Shimer	D14/485
D1,045,900	\mathbf{S}	*	10/2024	Choi	D14/485
D1,069,823	\mathbf{S}	*	4/2025	Inui	D14/485
D1,070,900	\mathbf{S}	*	4/2025	Ban	D14/486
D1,071,967	\mathbf{S}	*	4/2025	Wong	D14/485


OTHER PUBLICATIONS


"Vector illustration progress pie chart", posted Sep. 27, 2022 [online], [retrieved Oct. 16, 2024]. Retrieved from internet, https://www.istockphoto.com/vector/vector-illustration-progress-pie-chart-set-sharing-circle-icons-for-infographic-gm1421479927-467092892 (Year: 2022).*

"Getinge 86-Series—a smart washer-disinfector", Getinge Group, p. 1-12, Jul. 2014.

"Getinge Automation System—Maximizing throughput for washerdisinfectors", Getinge Infection Control AB, p. 1-12, Jan. 2021. "Getinge GSS67F Low-temperature Sterilizer—Do more with less", Maquet GmbH, p. 1-16, Mar. 2022.

^{*} cited by examiner





이 <u>의</u> 따 Aug. 19, 2025

