



US0D1089194S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,089,194 S**
Khanna et al. (45) **Date of Patent:** **** Aug. 19, 2025**

(54) **ACCESS CONTROL DEVICE**(56) **References Cited**(71) Applicant: **Amazon Technologies, Inc.**, Seattle, WA (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Anubhav Khanna**, Seattle, WA (US);
Robi Thomas, Round Rock, TX (US);
Gerald J. Nievera, Las Vegas, NV (US);
Kaushik Mani, Sunnyvale, CA (US);
Mateusz Niewiadomski, Lodz (PL);
Alejo Aguilar, Las Vegas, NV (US);
Wen-Yo Lu, Pasadena, CA (US);
Jon-Christopher Parkman, Lake Villa, IL (US);
Cheng Kang Chen, New Taipei (TW);
Darsheen Dineshbhai Daulet, Ahmedabad (IN);
Robert Bernacki, Irvine, CA (US)

D500,038 S * 12/2004 Toratani D14/385
D508,245 S * 8/2005 Ozolins D14/383
D511,113 S * 11/2005 Feldman D10/104.1
D563,806 S * 3/2008 Jeon D10/65
D574,850 S * 8/2008 Zimman D14/496
D600,690 S * 9/2009 Miyaji D14/341
D673,153 S * 12/2012 Bousfield D14/383
D736,207 S * 8/2015 Bousfield D14/385
D761,260 S * 7/2016 Luo D14/383
D776,113 S * 1/2017 Bierach D14/383
D784,332 S * 4/2017 Hsu D14/383
D822,022 S * 7/2018 Huff D14/385

(Continued)

Primary Examiner — Austin Murphy(74) *Attorney, Agent, or Firm* — K&L Gates LLP(73) Assignee: **Amazon Technologies, Inc.**, Seattle, WA (US)(57) **CLAIM**(**) Term: **15 Years**

The ornamental design for an access control device, as shown and described.

(21) Appl. No.: **29/948,941****DESCRIPTION**(22) Filed: **Jun. 24, 2024**(51) **LOC (15) Cl.** **14-02**(52) **U.S. Cl.** **D14/385**
USPC(58) **Field of Classification Search**

USPC D14/356–358, 383–385, 420, 426, 427,
D14/432–439, 447, 453, 454, 217, 253,
D14/299; D13/107, 108, 133, 146, 147,
D13/152, 154, 156, 158, 162, 162.1, 168,
D13/173, 177, 102; 235/441, 451, 492,
235/380, 439, 375; 361/679.31, 600,
361/679.01, 679.02; D25/48.5; D10/49,
D10/50, 106.95; 70/91, 211
CPC G07C 9/00103; G07C 9/00039; G07C
9/00904; G06K 5/00; G06K 7/01

See application file for complete search history.

FIG. 1 is a top, front, right-side perspective view of an access control device;

FIG. 2 is a bottom, front, left-side perspective view thereof;

FIG. 3 is a bottom, back, right-side perspective view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a back view thereof;


FIG. 6 is a right-side view thereof;

FIG. 7 is a left-side view thereof;

FIG. 8 is a top view thereof; and,

FIG. 9 is a bottom view thereof.

The dashed broken lines depict portions of the access control device that form no part of the claimed design. The dot-dashed broken lines represent boundaries of the claimed design and form no part of the claimed design.

1 Claim, 9 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D841,648	S	*	2/2019	Rotsaert	D14/385
D866,291	S	*	11/2019	Morstatt	D8/334
D967,094	S	*	10/2022	Jones	D14/385
D968,405	S	*	11/2022	Lu	D14/383
D1,014,220	S	*	2/2024	Liang	D8/331
D1,037,251	S	*	7/2024	Sjögren	D14/383
D1,038,126	S	*	8/2024	Sjögren	D14/383
D1,063,936	S	*	2/2025	Huang	D14/385
D1,072,596	S	*	4/2025	Zhou	D8/331
2018/0291650	A1	*	10/2018	Zabala Zabaleta	
						E05B 47/0012

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9