

(12) United States Design Patent (10) Patent No.:

US D1,088,938 S (45) **Date of Patent:** ** Aug. 19, 2025

` /	UTILITY Applicant:	STRAP Yanling Jia, Hubei (CN)	D698,632 S *	2/2014	Wang D8/383 Wang D8/383 Fidrych D8/34
(72)	Inventor:	Yanling Jia, Hubei (CN)	D883,838 S *	5/2020	Lindgren
(**)	Term:	15 Years	D936,469 S *	11/2021	Welsh D8/367 Zhu D8/383 Bisson D24/190
(21)	Appl. No.:	29/979,093			Ormsbee

(30)Foreign Application Priority Data Dec. 12, 2024 (CN) 202430791687.X (51) LOC (15) Cl. 11-01 U.S. Cl. USPC **D11/3**; D21/771

Dec. 17, 2024

(22)

Filed:

(58) Field of Classification Search USPC D11/1-25, 218; D10/30-39; D14/344. D14/218, 440; D24/167, 186, 187; D2/627, 628, 891; D21/774, 662; D30/152; D8/383; D3/318, 327

CPC G04B 37/00; G04B 37/1486; G04B 37/16; G04B 37/18; G04B 37/14; A44C 5/00; A44C 5/0007; A44C 5/0015; A44C 5/0023; A44C 5/003; A44C 5/0046; A44C 5/0053; A44C 5/0061; A44C 5/0069; A44C 5/0076; A44C 5/0084; A44C 5/0092; A44C 5/02; A44C 5/022; A44C 5/025; A44C 5/027; A44C 5/04; A44C 5/06; A44C 5/08; A44C 5/10; A44C 5/102; A44C 5/105; A44C 5/107; A44C 5/12; A44C 5/14; A44C 5/142; A44C 5/145; A44C 5/147; A44C 5/16; A44C 5/18; A44C 5/185; A44C 5/20; B65D 63/16; B65D 63/1018; B65D 2563/107; A44B 11/22; A45F 3/14; A45F 5/102; A45F 2005/1013; A45F 2003/142; A45C

See application file for complete search history.

(56)References Cited

U.S. PATENT DOCUMENTS

D189,422	S	*	12/1960	Zeek	D8/DIG. 4
D653,408	S	*	1/2012	Sajid	D30/152

(Continued)

OTHER PUBLICATIONS

https://www.uline.com/Product/Detail/H-7965/Fall-Protection/Strap-Anchor?pricode=WB8262&gadtype=pla&id=H-7965&gad_source= 1&gclid=CjwKCAiA34S7BhAtEiwACZz4Ql1rGx_jZXMIQEMuW eryrimxhRM7FGcjVLofppJX2cH0SUtAaGw1BoCaqgQAvD_ BwE, available at least as early as Aug. 12, 2020 via web archive.

Primary Examiner — Melanie Pellegrini (74) Attorney, Agent, or Firm — Justin Lampel

(57)**CLAIM**

The ornamental design for a utility strap, as shown and

DESCRIPTION

FIG. 1 is a first perspective view of a utility strap showing my new design:

FIG. 2 is a second perspective view thereof;

FIG. 3 is a front view of FIG. 1;

FIG. 4 is a rear view of FIG. 1;

FIG. 5 is a left side view of FIG. 1;

FIG. 6 is a right side view of FIG. 1;

FIG. 7 is a top plan view of FIG. 1; and,

FIG. 8 is a bottom plan view of FIG. 1.

The broken lines in the drawings depict portions of the utility strap that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



13/30

US D1,088,938 S Page 2

(56) **References Cited**

U.S. PATENT DOCUMENTS

2011/0225776 A1* 9/	2011	Langley B29C 71/02
		264/234
2012/0017401 A1* 1/	2012	$Cheng \ \ B65D \ 63/1072$
		24/16 R
2018/0153289 A1* 6/	2018	Rose A63C 11/025
2019/0168937 A1* 6/	2019	McDowell, III H02G 3/32
2019/0185094 A1* 6/	2019	Vogel B62J 9/21
2020/0078660 A1* 3/	2020	Keohane A63C 11/025
2023/0211931 A1* 7/	2023	Ormsbee B65D 63/16
		24/68 E
2023/0211932 A1* 7/	2023	Ormsbee B65D 63/16
		53/399
2023/0331330 A1* 10/	2023	Broadbent B62J 11/00

^{*} cited by examiner



FIG. 1






FIG. 2





FIG. 3



FIG. 4






FIG. 5



FIG. 6




FIG. 7



FIG. 8