

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent Application Publication

20250264937

Kind Code

A1

Publication Date

August 21, 2025

Inventor(s)

LAU; Jonathan Howkan

GENERATING AI-CURATED AR CONTENT BASED ON COLLECTED USER INTEREST LABELS

Abstract

Systems, devices, and methods for generating a customized content item, including: detecting a user interest of a user in an object; based on the detecting of the user interest, determining an interest level corresponding to the object; obtaining a content item to be presented to the user; based on the interest level corresponding to the object being greater than a predetermined threshold interest level, providing information about the object along with the content item to a generative artificial intelligence (AI) model to obtain the customized content item; and presenting the customized content item to the user using an augmented reality (AR) device.

Inventors: LAU; Jonathan Howkan (Mountain View, CA)

Applicant: SAMSUNG ELECTRONICS CO., LTD. (Suwon-si, KR)

Family ID: 1000008169874

Assignee: SAMSUNG ELECTRONICS CO., LTD. (Suwon-si, KR)

Appl. No.: 18/901723

Filed: September 30, 2024

Related U.S. Application Data

us-provisional-application US 63554068 20240215

Publication Classification

Int. Cl.: G06F3/01 (20060101); G01S19/14 (20100101); G06T19/00 (20110101); H04L67/306 (20220101)

U.S. Cl.:

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATION(S) [0001] This application is based on and claims priority under 35 U.S.C. § 119 to U.S. Provisional Patent Application No. 63/554,068 filed on Feb. 15, 2024, in the U.S. Patent & Trademark Office, the disclosure of which is incorporated herein by reference in its entirety.

BACKGROUND

1. Field

[0002] The disclosure relates to an augmented reality (AR) device, and more particularly to an AR device for generating customized content items.

2. Description of Related Art

[0003] Augmented reality (AR) devices may refer to devices which may be used to present or display virtual content to a user superimposed on the user's view of the real world. AR devices may present interesting opportunities for delivering targeted content items such as advertisements and informational content.

[0004] However, users that are not interested in a particular content item may not watch or engage with the content item, and it may be difficult or expensive to create many different content items to appeal to a large variety of different interests.

SUMMARY

[0005] One or more embodiments of the present disclosure provide a method of generating and providing a customized content item which may be customized or curated for a user based on detected interests of the user.

[0006] In accordance with an aspect of the disclosure, a method for generating a customized content item includes: detecting a user interest of a user in an object; based on the detecting of the user interest, determining an interest level corresponding to the object; obtaining a content item to be presented to the user; based on the interest level corresponding to the object being greater than a predetermined threshold interest level, providing information about the object along with the content item to a generative artificial intelligence (AI) model to obtain the customized content item; and presenting the customized content item to the user using an augmented reality (AR) device.

[0007] The user interest may be detected based on at least one of: determining that the user is at a location corresponding to the object, and determining that a gaze of the user is directed toward the object.

[0008] The interest level may be determined based on biological information of the user collected while at least one of the user is at the location corresponding to the object and the gaze of the user is directed toward the object.

[0009] The biological information may include at least one of a heart rate of the user, a pupil dilation of the user, a direction of the gaze, and a duration of the gaze.

[0010] At least one of the direction of the gaze, the duration of the gaze, and the pupil dilation may be determined using an eye-tracking sensor included in the AR device, the heart rate may be determined using at least one of an optical sensor and an electrical sensor included in the AR device, and the location of the user may be determined using at least one of a camera included in the AR device and a global navigation satellite systems (GNSS) receiver included in the AR device.

[0011] The object may include at least one of a real object detected in an environment of the user using a camera included in the AR device, and a virtual object presented to the user using a display included in the AR device.

[0012] The method may further include: based on determining that the interest level is greater than the predetermined threshold interest level, updating a user profile associated with the user to include information about the object, the user profile may include information about at least one object for which a previous user interest has been detected, and the information about the object may be selected to be provided to the generative AI model based on the interest level and a similarity between the object and a theme corresponding to the content item.

[0013] The content item may be obtained based on determining that the user is at a location corresponding to the content item.

[0014] The customized content item may include at least one of an image, a video, and a text.

[0015] In accordance with an aspect of the disclosure, an augmented reality (AR) device for generating a customized content item includes: an eye-tracking sensor configured to obtain gaze information about a gaze of a user; a location sensor configured to determine location information about a location of the user; at least one biological sensor configured to measure biological information of the user; a display configured to present content items to the user; and at least one processor configured to: detect a user interest of the user in an object based on at least one of the gaze information and the location information; based on the detecting of the user interest, determine an interest level corresponding to the object based on at least one of the gaze information and the biological information; obtain a content item to be presented to the user; based on the interest level being greater than a predetermined threshold interest level, provide the object and the content item to a generative artificial intelligence (AI) model to obtain the customized content item; present the customized content item to the user.

[0016] The user interest may be detected based on at least one of: determining that the user is at a location corresponding to the object, and determining that the gaze of the user is directed toward the object.

[0017] The biological information of the user may be collected while at least one of the user is at the location corresponding to the object and the gaze of the user is directed toward the object.

[0018] The biological information may include at least one of a heart rate of the user, a pupil dilation of the user, a direction of the gaze, and a duration of the gaze.

[0019] At least one of the direction of the gaze, the duration of the gaze, and the pupil dilation may be determined using the eye-tracking sensor included in the AR device, the heart rate may be determined using at least one of an optical sensor and an electrical sensor included in the AR device, and the location of the user may be determined using at least one of a camera included in the AR device and a global navigation satellite systems (GNSS) receiver included in the AR device.

[0020] The object may include at least one of a real object detected in an environment of the user using a camera included in the AR device, and a virtual object presented to the user using the display.

[0021] The at least one processor may be further configured to, based on determining that the interest level is greater than the predetermined threshold interest level, update a user profile associated with the user to include information about the object, the user profile may include information about at least one object for which a previous user interest has been detected, and the information about the object may be selected to be provided to the generative AI model based on the interest level and a similarity between the object and a theme corresponding to the content item.

[0022] The content item may be obtained based on determining that the user is at a location corresponding to the content item.

[0023] The customized content item may include at least one of an image, a video, and a text.

[0024] In accordance with an aspect of the disclosure, a non-transitory computer-readable medium may store instructions which, when executed by at least one processor of a device for generating a customized content item, cause the at least one processor to: detect a user interest of a user in an object; based on the detecting of the user interest, determining an interest level corresponding to the object; obtain a content item to be presented to the user; based on the interest level corresponding

to the object being greater than a predetermined threshold interest level, provide information about the object along with the content item to a generative artificial intelligence (AI) model to obtain the customized content item; and present the customized content item to the user using an augmented reality (AR) device.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

[0025] The above and other aspects, features, and aspects of embodiments of the disclosure will be more apparent from the following description taken in conjunction with the accompanying drawings, in which:

[0026] FIG. 1 is a diagram of a system for generating customized content items, according to embodiments of the present disclosure;

[0027] FIG. 2 is a flowchart of a process for generating customized content items, according to embodiments of the present disclosure;

[0028] FIG. 3 is a flowchart of a process for generating customized content items, according to embodiments of the present disclosure;

[0029] FIG. 4 is a diagram of devices for generating customized content items, according to embodiments of the present disclosure; and

[0030] FIG. 5 is a diagram of components of one or more devices of FIG. 4 according to embodiments of the present disclosure.

DETAILED DESCRIPTION

[0031] Example embodiments are described in greater detail below with reference to the accompanying drawings.

[0032] In the following description, like drawing reference numerals are used for like elements, even in different drawings. The matters defined in the description, such as detailed construction and elements, are provided to assist in a comprehensive understanding of the example embodiments. However, it is apparent that the example embodiments can be practiced without those specifically defined matters. Also, well-known functions or constructions are not described in detail since they would obscure the description with unnecessary detail.

[0033] Expressions such as “at least one of,” when preceding a list of elements, modify the entire list of elements and do not modify the individual elements of the list. For example, the expression, “at least one of a, b, and c,” should be understood as including only a, only b, only c, both a and b, both a and c, both b and c, all of a, b, and c, or any variations of the aforementioned examples.

[0034] While such terms as “first,” “second,” etc., may be used to describe various elements, such elements must not be limited to the above terms. The above terms may be used only to distinguish one element from another.

[0035] The term “module” or “component” is intended to be broadly construed as hardware, firmware, or a combination of hardware and software.

[0036] It will be apparent that systems and/or methods, described herein, may be implemented in different forms of hardware, firmware, or a combination of hardware and software. The actual specialized control hardware or software code used to implement these systems and/or methods is not limiting of the implementations. Thus, the operation and behavior of the systems and/or methods were described herein without reference to specific software code—it being understood that software and hardware may be designed to implement the systems and/or methods based on the description herein.

[0037] Even though particular combinations of features are recited in the claims and/or disclosed in the specification, these combinations are not intended to limit the disclosure of possible implementations. In fact, many of these features may be combined in ways not specifically recited

in the claims and/or disclosed in the specification. Although each dependent claim listed below may directly depend on only one claim, the disclosure of possible implementations includes each dependent claim in combination with every other claim in the claim set.

[0038] No element, act, or instruction used herein should be construed as critical or essential unless explicitly described as such. Also, as used herein, the articles “a” and “an” are intended to include one or more items, and may be used interchangeably with “one or more.” Furthermore, as used herein, the term “set” is intended to include one or more items (e.g., related items, unrelated items, a combination of related and unrelated items, etc.), and may be used interchangeably with “one or more.” Where only one item is intended, the term “one” or similar language is used. Also, as used herein, the terms “has,” “have,” “having,” or the like are intended to be open-ended terms. Further, the phrase “based on” is intended to mean “based, at least in part, on” unless explicitly stated otherwise.

[0039] One or more embodiments of the present disclosure provide systems, methods, and apparatuses for generating customized content items. As artificial intelligence (AI) models such as generative AI models become more prevalent, they may be used by users to complete everyday tasks. This technology has the potential to be used by users on the go, and capture real-world events happening around the user. For example, user devices such as augmented reality (AR) devices may allow for collection of additional information which may allow AI models to generate a more engaging user experience.

[0040] One way to enhance the user experience is to deliver content items to the user that are curated or customized based on the user's interests. According to embodiments, an AR device may allow information about the user's current reaction to present stimulus to be collected and stored, for example in a user profile, and provided to an AI model. As a result, when a user subsequently encounters a location or an object that the AI model predicts is likely an interest to the user, the AR device may be used to present a content item such as an AI-generated video advertisement to the user, which may for example allow local businesses to be more accessible to the user. Accordingly, embodiments may provide a closer connection between the digital information and real world information to expose users to new experiences that may not otherwise be encountered.

[0041] Accordingly, embodiments may relate to an augmented reality device which may use personal preferences of a user to generate content that is curated or customized for the user. Embodiments may relate to converting user interests based on various benchmarks that translate the user's interest in an object into trigger labels which may assist an AI model such as a generative AI model in creating a content item such as an advertisement. For example, the AR device may include sensors which may collect information about the user when the user encounters a location or an object. For example, the sensors of the AR device may collect biological information such as heart rate and pupil dilation, location information such as global navigation satellite system (GNSS), and information about a user's focus such as eye tracking information. Using this information, the user's likely interests may be categorized into labels. Then, an AI model such as a generative AI model may be used to generate content items such as video or interactive advertisements based on the labels. This may allow the user to view the content items in a real time space. In some embodiments, the type of content provided to the user may be more reactive than nonreactive. Accordingly, the process of providing quick and enticing advertisements catered to a number of specific audiences may be simplified.

[0042] FIG. 1 is a diagram of a system for generating customized content items, according to embodiments of the present disclosure. As shown in FIG. 1, the system **100** may include an AR device **101**, a network **102**, a mobile device **103**, a computer **104**, and a server **105**.

[0043] The AR device **101** may include a storage **110**, one or more sensors **120**, a processor **130**, at least one AI model **140**, an input/output (I/O) interface **150**, and a communication interface **160**.

[0044] The communication interface **160** may include at least one transceiver-like component (e.g., a transceiver, a separate receiver and transmitter, a bus, etc.) that enables the components of AR

device **101** to communicate with each other and/or to communicate with one or more components external to the AR device **101**, such as via a wired connection, a wireless connection, or a combination of wired and wireless connections.

[0045] For example, the communication interface **160** may couple the processor **130** to the storage **110** to thereby enable them to communicate and to interoperate with each other in performing one or more operations. As another example, the communication interface **160** may couple the AR device **101** (or one or more components included therein) to other elements included in the system **100**, for example using the network **102**, so as to enable them to communicate and to interoperate with each other.

[0046] According to one or more embodiments, the communication interface **160** may include one or more application programming interfaces (APIs) which allow the AR device **101** (or one or more components included therein) to communicate with one or more software applications.

[0047] The I/O interface **150** may include at least one component that permits the AR device **101** to receive information and/or to provide output information. It can be understood that, in some embodiments, the I/O interface **150** may include at least one input component (e.g., a touch screen display, a button, a switch, a microphone, a sensor, etc.) and at least one output component (e.g., a display, a speaker, one or more light-emitting diodes (LEDs), etc.), each of which may be separated from each other.

[0048] The storage **110** may include one or more storage mediums suitable for storing data, information, and/or computer-executable instructions therein. According to embodiments, the storage **110** may include at least one memory storage, such as a random access memory (RAM), a read only memory (ROM), and/or another type of dynamic or static storage device (e.g., a flash memory, a magnetic memory, and/or an optical memory) that stores information and/or instructions for use by the processor **130**. Additionally or alternatively, the storage **110** may include a hard disk (e.g., a magnetic disk, an optical disk, a magneto-optic disk, and/or a solid state disk), a compact disc (CD), a digital versatile disc (DVD), a floppy disk, a cartridge, a magnetic tape, and/or another type of non-transitory computer-readable medium, along with a corresponding drive.

[0049] According to embodiments, the storage **110** may be configured to store information, such as a user profile **111** and one or more content items **112**. Additionally or alternatively, the storage **110** may be configured to store one or more information associated with one or more operations performed by at least one of the processor **130** and the AI model **140**.

[0050] In some implementations, the storage **110** may include a plurality of storage mediums, and the storage **110** may be configured to store a duplicate or a copy of at least a portion of the information in the plurality of storage mediums, for providing redundancy and for backing-up the information or the associated data. Furthermore, the storage **110** may also store computer-readable or computer-executable instructions which, when being executed by one or more processors (e.g., the processor **130**), causes the one or more processors to perform one or more actions/operations described herein.

[0051] The processor **130** may include at least one processor capable of being programmed or being configured to perform a function(s) or an operation(s) described herein. For example, the processor **130** may be configured to execute computer-executable instructions stored in at least one storage medium or a memory storage (e.g., the storage **110**, etc.) to thereby perform one or more actions or one or more operations described herein.

[0052] According to embodiments, the processor **130** may be configured to receive (e.g., via the communication interface **160**, via the I/O interface **150**, etc.) one or more signals and/or one or more user inputs defining one or more instructions for performing one or more operations. Further, the processor **130** may be implemented in hardware, firmware, or a combination of hardware and software. For example, processor **130** may include at least one of a central processing unit (CPU), a graphics processing unit (GPU), an accelerated processing unit (APU), a microprocessor, a microcontroller, a digital signal processor (DSP), a field-programmable gate array (FPGA), an

application-specific integrated circuit (ASIC), and/or another type of processing or computing component.

[0053] The sensors **120** may be used to collect information about a user and an environment of the user. For example, the AR device **101** may use one or more of the sensors **120** to collect information about an object or a location encountered by the user, as well as the user's interest in and/or reaction to the object or location. For example, the sensors **120** may include sensors directed toward the environment of the user, for example a front-facing camera **121** and a GNSS receiver **124**, which may be used to collect information about the object or the location. In addition, the sensors **120** may include sensors directed toward the user, for example an eye-tracking camera **122** and a heart rate monitor **123**, which may be used to collect information about the user, for example information about the user's interest in and/or reaction to the object or the location. For example, in embodiments the heart rate monitor **123** may include an electrical sensor and/or an optical sensor which may be used to detect an electrocardiogram (ECG) signal and/or a photoplethysmography (PPG) signal of the user. The AR device **101** may use the information collected by the sensors to create and update the user profile **111** stored in the storage **110**. For example, the AR device **101** may determine a likely interest of the user based on the information collected by the sensors **120**, and may update the user profile **111** based on the information about the likely interest.

[0054] The AI model **140** may include one or more AI models such as neural networks or machine learning models. For example, the AI model **140** may be or may include a generative AI model such as a generative adversarial network (GAN), a diffusion model, a transformer model, a variational auto-encoder, or any other type of model which may be suitable for generating and/or modifying the content items **112**, for example based on information from the sensors **120** and/or the user profile **111**. As another example, the AI model **140** may be or may include a classifier model which may be used to label or classify a user's likely interest based on information collected by the sensors **120**, and may be used by the AR device **101** to create or update the user profile **111**. As yet another example, the AI model **140** may be or may include an object recognition model which may be used by the AR device to recognize objects included in images captured by the front-facing camera **121** and the eye-tracking camera **122**.

[0055] According to embodiments, the user profile **111** may also be updated based on information about activities of the user which may be received from an external device, for example at least one of the mobile device **103** the computer **104**, and the server **105**. In addition, a corresponding user profile **151** may be stored on the server **105**, and may be updated in conjunction with the user profile **111**. For example, the server **105** may create or update the user profile **151** based on information received from at least one of the AR device **101**, the mobile device **103**, and the computer **104**, and may provide information about the updated user profile **151** to the AR device **101** so that the user profile **111** may be updated. Further, the server **105** may store content items **152**, which may be provided to the AR device **101** to be presented to the user, with or without modifications.

[0056] In embodiments, the network **102** may be or may include, for example, a long-range communication network such as a cellular network or other network that may allow the AR device **101** to connect to the Internet, and the server **105** may provide the content items **152** to the AR device **101** over the Internet. However, embodiments are not limited thereto. For example, in some embodiments the network **102** may be, or may include, a short-range communication network, and the server **105** may be operated for example by a business that is visited by the user, and may provide the content items **152** to the AR device **101** based on the user visiting a location of the business.

[0057] It will be understood that the system **100** may include more or less components than as illustrated in FIG. 1, and/or the components may be arranged in a manner different from FIG. 1, without departing from the scope of the present disclosure. For example, in some embodiments the system **100** may not include at least one of the mobile device **103** and the computer **104**, and may

include more or different devices associated with the user. As another example, in some embodiments, one or more of the AI model **140** and the sensors **120** may be included in at least one of the server **105**, the computer **104**, and the mobile device **103**, and may communicate with the AR device **101** using the network **102** in order to send or receive information or content items.

[0058] FIG. 2 illustrates a process for generating customized content items, according to embodiments of the present disclosure. In embodiments, one or more operations of the process **200** may be performed by any of the elements discussed above, for example at least one of the system **100** and the elements included therein. According to embodiments, the process **200** may be referred to as, or may be an example of, a customized content item generation method.

[0059] In operation S**201**, the process **200** may include detecting a user interest in an object. According to embodiments, the AR device **101** may determine perform a two-step determination, which may include an initial detection of the user interest, and a determination about an interest level of the user interest.

[0060] For example, the AR device **101** may initially detect the user interest in the object based on at least one of a gaze direction of the user, which may be determined using at least one of the front-facing camera **121** and the eye-tracking camera **122**, and a location of the user, which may be determined using at least one of the GNSS receiver **124** and the front-facing camera **121**. For example, the AR device **101** may detect a user interest in a particular object by detecting the object using the front-facing camera **121**, determining that the user's gaze is directed at the object using the eye-tracking camera **122**, and/or identifying the object using an image of the object captured by the front-facing camera **121** and/or a location of the object determined using the GNSS receiver **124**. Although examples are described herein in which the object is a real object that is physically present in an environment of the user, embodiments are not limited thereto. For example, in some embodiments the object may be a virtual object included in AR content displayed to the user by the AR device **101**.

[0061] Next, the interest level of the user interest may be determined using information about the user collected by the sensors **120**. For example, the AR device **101** may determine that the interest level of the user is relatively high by detecting at least one of an increased pupil dilation using the eye-tracking camera **122**, and an elevated heart rate of the user using the heart rate monitor **123**. In some embodiments, the interest level of the user may also be determined based on facial expressions (e.g., facial expressions of happiness such as a smile) detected using the eye-tracking camera **122**. According to embodiments, the interest level of the user may also be determined based on information collected by other sensors **120**. For example, the AR device **101** may determine that the interest level of the user is relatively high by determining that the user has remained in a particular location for a time period that is greater than a predetermined time period using the GNSS receiver **124**, or that the gaze of the user is directed toward the object for a time period that is greater than a predetermined time period. According to embodiments, the AR device **101** may also detect the user interest by using the front-facing camera **121** to capture images of text read by the user to determine the user's reading preferences.

[0062] In some embodiments, the AR device **101** may constantly gather information using the sensors **120** while the user performs day-to-day tasks, and may for example store the information along with a timestamp indicating a time at which the information was collected or recorded. Accordingly, the AR device **101** may sort or rank the user's interests according to the timestamps. For example, the AR device **101** may weight or rank recent user interests more highly than past user interests, but embodiments are not limited thereto.

[0063] In operation S**202**, the process **200** may include creating and/or updating the user profile **111** based on the detected user interest and the level of the detected user interest. According to embodiments the AR device **101** may categorize user's interest into labels based on the collected information such as the heart rate of the user, the pupil dilation of the user, the time spent by the user at the particular location, and the gaze direction of the user, but embodiments are not limited

thereto. According to embodiments, the AR device **101** may compare each type of information to a threshold or benchmark, and may update the user profile **111** based on a result of the comparison. For example, the AR device **101** may update the user profile to indicate a high interest level in an object based on determining that the heart rate of the user is higher than a normal heart rate of the user, for example an average heart rate of the user over a predetermined period of time, or in similar situations. In addition, the AR device **101** may update the user profile to indicate a high interest level in the object based on determining that the pupil of the user is larger than a normal pupil dilation of the user (e.g., one half of a millimeter larger than an average pupil dilation), that the user's gaze was directed at the object for greater than a predetermined period of time (e.g., eight seconds), that a particular word appeared in the user's field of view greater than a predetermined number of times, that a user has visited a location corresponding to the object greater than a predetermined number of times, etc.

[0064] According to embodiments, excitement reactions may provide a more accurate indication of interest level than curiosity reactions, and the information collected by the sensors **120** may allow the AR device to distinguish excitement reactions from curiosity reactions and update the user profile **111** accordingly. In addition, the AR device **101** may consider a plurality of these data points together to determine an overall interest level in the object and update the user profile **111** accordingly.

[0065] In some embodiments, the AR device **101** may use the AI model **140** to classify and/or label the user interests, and may update the user profile **111** based on the classifications and/or labels. In addition, the AR device **101** may request the user to review or survey the user profile **111** to confirm or modify the identified user interests in order to reduce false positives. Reduce false positives with model training classified interest labels with actual survey of user's interests.

[0066] In operation **S203**, the process **200** may include generating a customized content item. According to embodiments, the AR device **101** may use the AI model **140** to create or modify a content item such as a video advertisement, AR content, and text content based on the information stored in the user profile. For example, the content item may be created or modified to correspond to the labels that the user is most interested in. In some embodiments, the content item may be entirely generated on the AR device **101**, but embodiments are not limited thereto. For example, the content item may be a general content item that is received from the server **105** (e.g., a content item **152**) and is then customized by the AR model **140** based on the information stored in the user profile **111**. As another example, the content item may be a pre-stored content item that is stored in the storage **110** (e.g., a content item **112**). Accordingly, the process **200** may be performed even when the AR device **101** is not connected to the network **102**, for example when the user is using the AR device **101** in an area in which the user does not have access to the network **102**, or in which the connection is deactivated.

[0067] According to embodiments, the labels or other information indicating user interests may be ranked, for example in an order corresponding to at least one from among interest level, frequency, and recency. Then, the AI model **140** may create or modify the content item based on a highest ranked label, or a label that is ranked higher than a threshold rank. According to embodiments, the AR device **101** may collect media such as images, videos, text, and audio clips related to user interests to be used by the AI model **140** to generate the customized content item.

[0068] In some embodiments, the AI model **140** may be trained to generate advertisement and product presentation in order to generate an image, a video, a text, or other AR content to be used as the customized content item. For example, the AI model **140** may interpret the type of image, video, text, or other AR content to create based on user interests indicated by the user profile **111**. This interpretation may be generated according to a top-ranked user interest in a particular category capable of creating a coherent video or content. For example, a theme surrounding the product or item to be advertised may be determined based on a top-ranked user interest in a category that relates to the embodiments are not limited thereto, and the AI model **140** may generate the

customized content item according to the theme. However, embodiments are not limited thereto, and the customized content item may be generated based on any other consideration as desired. [0069] Accordingly, the process **200** may allow a content item presented to the user to be customized to appeal to the user based on detected user interests and corresponding interest level. For example, when the user approaches a business which sells a product, the AR device **101** may present to the user a customized content item such as an image, a video, a text, or other AR content that corresponds to the product anchored near the entrance of the business. The customized content item may be unique to the time that it was created because it may be generated by the AI model **140** based on the user's current top ranked interests. As a result, if the user subsequently approaches the same business, the AR device **101** may present a new customized content item corresponding to the product, which may be created by the AI model **140** based on new interests of the user. Therefore, embodiments may allow content items such as advertisements to remain relevant despite changes in the user's interests.

[0070] For example, according to embodiments, the AR device **101** may generate a user profile **111** based on information about user interests collected while the user previously used the AR device **101**. Subsequently, the user may visit a shopping mall, and the AR device **101** may collect information about the user's reaction to various objects in the shopping mall using the sensors **120**. The user may encounter a store within the shopping mall that interests the user, and the AR device **101** may determine that the user has spent ten minutes in the vicinity of the store using information obtained by the GNSS receiver **124**. Therefore, the AR device **101** may determine that an interest level of the user in this store is high, and may update the user profile **111** accordingly. The AR device **101** may further determine that a gaze of the user is directed at a particular object in the store for eight seconds, and that during this time period a dilation of the user's pupil and a heart rate of the user increased, based on information obtained from the front-facing camera **121**, the eye-tracking camera **122**, and the heart rate monitor **123**. Accordingly, the AR device **101** may determine that an interest level of the user in the object is high, and may update the user profile **111** accordingly. The AR device **101** may capture images of text that is read by the user within the store, and may determine which words within the text excite the user based on information obtained by the sensors **120**, and may update the user profile **111** accordingly. Therefore, the user profile **111** may be constantly updated in terms of ranking when user encounters other locations or objects that further excite the user.

[0071] The AI model **140** may be fed with the most current interest labels corresponding to the user profile **111** so that the AI model **140** may create customized content items such as video or AR advertisements for various products. For example, when the user approaches a new store that sells a particular product, the AR device **101** may identify the new store and obtain information about the product using information about a location of the new store obtained by the GNSS model, and/or information about the store captures by the front-facing camera **121**. Then, the AR device **101** may select a theme based on recent top interests of the user which are compatible with the product, the AI model **140** may generate a customized content item, such as a video or AR advertisement for the product, based on the selected theme, and the AR device **101** may display the customized content item for the user, for example in a position anchored near an entrance of the new store.

[0072] In some embodiments, the customized content item may be generated based on a general content item obtained by the AR device **101**. For example, after identifying the new store, the AR device **101** may obtain a general content item corresponding to the product from the server **105**, and may customize the general content item using the AI model **140** based on the user's interests to generate the customized content item. For example, the AI model **140** may segment and remove portions of a general video advertisement obtained from the server **105**, and may replace the removed portions with new portions generated based on the user's interests to create a customized video advertisement to present to the user. However, embodiments are not limited thereto. For example, in some embodiments, the customized content item may be generated based on a content

item that is stored in the storage **110** of the AR device **101**. Accordingly, the AR device **101** may generate customized content items even when the user is not connected to a network such as the network **102**, for example when the user is exploring a new area in which access to the network **102** is not available. For example, the customized content item may be generated based on a pre-stored content item which is obtained using the network **102** and then stored in the storage **110** to be used after access to the network **102** is no longer available. As another example, the customized content item may be generated based on a content item that is entirely created by the AR device **101** and stored in the storage **110**.

[0073] A detailed example of an operation of the system **100** and the AR device **101** according to embodiments is presented below. In this example, the user may wear the AR device **101** while walking down a street in Little Italy, a neighborhood with which the user may be unfamiliar. The AR device **101** may determine that the user is approaching a restaurant that sells seafood pasta based on location information obtained by the GNSS receiver **124**, image information obtained from the front-facing camera **121**, and an image search corresponding to the location information. Accordingly, the AR device **101** may display to the user a customized content item including a customized video advertisement near the door of the restaurant.

[0074] In this example, the user may be a fan of a roleplaying fantasy game, so the interest labels included in the user profile **111** may include information corresponding to text that was read by the user during a gameplay session of the roleplaying fantasy game. For example, the labels may include keywords such as adventurers, campground, and quest, which may have been selected for inclusion in the user profile **111** based on excitement detected using the heart rate monitor **123** and the eye-tracking camera **122**. The user may also frequently watch cooking shows, and the AR device **101** may have previously detected that the user's gaze was directed at kitchenware for an extended period of time using information obtained from the front-facing camera **121** and the eye-tracking camera **122**. Therefore, the user profile **111** may further indicate that the user is interested in cooking tools. These top interest labels are used as parameters to generate the video advertisement by the AI model **140**. Accordingly, the video advertisement may be customized or curated for the user to include a group of adventurers catching fish from the pier, and cooking the seafood pasta that the restaurant is selling. The theme of a medieval time period may be determined by the AR device **101** because of the top interests overlapped a common category for creating a coherent advertisement. However, the next time the user visits a seafood pasta restaurant, the video may be different because the user may be interested in a different hobby and the interest labels included in the user profile **111** may be updated according to more frequent or more recent interests of the user. The customized video advertisement may be temporarily stored on the AR device **101** until user moves away from the location of the seafood pasta restaurant.

[0075] Accordingly, embodiments may assist businesses in attracting new customers or consumers. The customized content items according to embodiments may help users encounter new experiences by associating those new experiences with familiar interests. Embodiments may also reduce advertising costs while expanding audience reach by allowing businesses to more easily adapt to changes in seasons and trends while continuing to target potential customers with varying interests. Embodiments may also allow users to experience customized AR content for outdoor activities like exploring a new city while reducing the need to actively search, and may allow users to engage in exploration and enjoy relevant media as a supplement to the user's main activity. As discussed above, the customized content items may be generated based on content items which are obtained from the server **105** using the network **102**, but embodiments are not limited thereto. For example, in some embodiments, the content items may be stored in the storage **110** of the AR device **101** so that the customized content items may be generated even when access to the network **102** is unavailable, for example when the user is exploring new areas which are out of range of the network **102**, or when the AR device **101** is otherwise disconnected from the network **102**.

[0076] FIG. 3 illustrates a process for generating customized content items, according to

embodiments of the present disclosure. In embodiments, one or more operations of the process **300** may be performed by any of the elements discussed above, for example at least one of the system **100** and the elements included in therein, for example the AR device **101**. According to embodiments, the process **200** may be referred to as, or may be an example of, a customized content item generation method.

[0077] In operation **S301**, the process **300** may include detecting a user interest in an object.

[0078] In operation **S302**, the process **300** may include, based on the detecting of the user interest, determining an interest level corresponding to the object.

[0079] In operation **S303**, the process **300** may include obtaining a content item to be presented to the user. In embodiments, the content item may correspond to the content items **112** stored in the storage **110** included in the AR device **101**. Accordingly, the process **300** may be performed even when the AR device **101** is not connected to the network **102**, for example when the user is using the AR device **101** in an area in which the user does not have access to the network **102**, or in which the AR device **101** is otherwise disconnected from the network **102**. However, embodiments are not limited thereto, and in some embodiments the content item may correspond to the content items **152** stored in the server **105**, or any other content item.

[0080] In operation **S304**, the process **300** may include providing information about the object along with the content item to a generative AI model to obtain a customized content item. In embodiments, the generative AI model may correspond to the AI model **140** discussed above.

[0081] In operation **S305**, the process **300** may include presenting the customized content item to the user using an AR device. In embodiments, the AR device may correspond to the AR device **101** discussed above.

[0082] In embodiments, the user interest may be detected based on at least one of: determining that the user is at a location corresponding to the object, and determining that a gaze of the user is directed toward the object.

[0083] In embodiments, the interest level may be determined based on biological information of the user collected while at least one of the user is at the location corresponding to the object and the gaze of the user is directed toward the object.

[0084] In embodiments, the biological information may include at least one of a heart rate of the user, a pupil dilation of the user, a direction of the gaze, and a duration of the gaze.

[0085] In embodiments, at least one of the direction of the gaze, the duration of the gaze, and the pupil dilation may be determined using an eye-tracking sensor included in the AR device, the heart rate may be determined using at least one of an optical sensor and an electrical sensor included in the AR device, and wherein the location of the user may be determined using at least one of a camera included in the AR device and a global navigation satellite systems (GNSS) receiver included in the AR device. In embodiments, the eye-tracking sensor may correspond to the eye-tracking camera **122**, the optical sensor and the electrical sensor may correspond to the heart rate monitor **123**, and the GNSS receiver may correspond to the GNSS receiver **124** discussed above.

[0086] In embodiments, the object may include at least one of a real object detected in an environment of the user using a camera included in the AR device, and a virtual object presented to the user using a display included in the AR device.

[0087] In embodiments, the process **300** may further include: based on determining that the interest level is greater than the predetermined threshold interest level, updating a user profile associated with the user to include information about the object, the user profile may include information about at least one object for which a previous user interest has been detected, and the information about the object may be selected to be provided to the generative AI model based on the interest level and a similarity between the object and a theme corresponding to the content item.

[0088] In embodiments, the content item may be obtained based on determining that the user is at a location corresponding to the content item.

[0089] In embodiments, the customized content item may include at least one of an image, a video,

and a text.

[0090] FIG. 4 is a diagram of devices for generating customized content items, according to embodiments of the present disclosure. FIG. 4 includes a user device **1110**, a server **1120**, and a network **1130**. The user device **1110** and the server **1120** may interconnect via wired connections, wireless connections, or a combination of wired and wireless connections. An AR device illustrated in FIG. 1 may correspond to the user device **1110** or a combination of the user device **1110** and the server **1120**. For example, one or more of the AR device **101**, the mobile device **103**, and the computer **104** illustrated in FIG. 1 may correspond to the user device **1110**, the server **105** illustrated in FIG. 1 may correspond to the server **1120**, and the network **102** may correspond to the network **1130**, but embodiments are not limited thereto.

[0091] The user device **1110** includes one or more devices configured to generate a customized content item. For example, the user device **1110** may include a computing device (e.g., a desktop computer, a laptop computer, a tablet computer, a handheld computer, a smart speaker, a server, etc.), a mobile phone (e.g., a smart phone, a radiotelephone, etc.), a camera device (e.g., a front-facing camera **121** and an eye-tracking camera **122** illustrated in FIG. 1), a wearable device (e.g., a pair of smart glasses or a smart watch), or a similar device.

[0092] The network **1130** includes one or more wired and/or wireless networks. For example, network **1130** may include a cellular network (e.g., a fifth generation (5G) network, a long-term evolution (LTE) network, a third generation (3G) network, a code division multiple access (CDMA) network, etc.), a public land mobile network (PLMN), a local area network (LAN), a wide area network (WAN), a metropolitan area network (MAN), a telephone network (e.g., the Public Switched Telephone Network (PSTN)), a private network, an ad hoc network, an intranet, the Internet, a fiber optic-based network, or the like, and/or a combination of these or other types of networks.

[0093] The number and arrangement of devices and networks shown in FIG. 4 are provided as an example. In practice, there may be additional devices and/or networks, fewer devices and/or networks, different devices and/or networks, or differently arranged devices and/or networks than those shown in FIG. 4. Furthermore, two or more devices shown in FIG. 4 may be implemented within a single device, or a single device shown in FIG. 4 may be implemented as multiple, distributed devices. Additionally, or alternatively, a set of devices (e.g., one or more devices) may perform one or more functions described as being performed by another set of devices.

[0094] FIG. 5 is a diagram of components of one or more devices of FIG. 4 according to embodiments of the present disclosure. An electronic device **2000** may correspond to the user device **1110** and/or the server **1120**.

[0095] The electronic device **2000** includes a bus **2010**, a processor **2020**, a memory **2030**, an interface **2040**, and a display **2050**.

[0096] The bus **2010** includes a circuit for connecting the components **2020** to **2050** with one another. The bus **2010** functions as a communication system for transferring data between the components **2020** to **2050** or between electronic devices.

[0097] The processor **2020** includes one or more of a central processing unit (CPU), a graphics processor unit (GPU), an accelerated processing unit (APU), a many integrated core (MIC), a field-programmable gate array (FPGA), a digital signal processor (DSP), a machine learning accelerator, a neural processing unit (NPU). The processor **2020** may be a single core processor or a multi core processor. The processor **2020** is able to perform control of any one or any combination of the other components of the electronic device **2000**, and/or perform an operation or data processing relating to communication. For example, the processor **2020** may include all or at least a part of the elements of the processor **130** illustrated in FIG. 1. The processor **2020** executes one or more programs stored in the memory **2030**.

[0098] The memory **2030** may include a volatile and/or non-volatile memory. The memory **2030** stores information, such as one or more of commands, data, programs (one or more instructions),

applications **2034**, etc., which are related to at least one other component of the electronic device **2000** and for driving and controlling the electronic device **2000**. For example, commands and/or data may formulate an operating system (OS) **2032**. Information stored in the memory **2030** may be executed by the processor **2020**. In particular, the memory **2030** may store original images and processed images (e.g., color transformed images).

[0099] The applications **2034** include the above-discussed embodiments. In particular, the applications **2034** may include programs to perform one or more operations discussed above. These functions can be performed by a single application or by multiple applications that each carry out one or more of these functions.

[0100] The display **2050** includes, for example, a liquid crystal display (LCD), a light emitting diode (LED) display, an organic light emitting diode (OLED) display, a quantum-dot light emitting diode (QLED) display, a microelectromechanical systems (MEMS) display, or an electronic paper display. The display **2050** can also be a depth-aware display, such as a multi-focal display. The display **2050** is able to present, for example, various contents, such as text, images, videos, icons, and symbols.

[0101] The interface **2040** includes input/output (I/O) interface **2042**, communication interface **2044**, and/or one or more sensors **2046**. The I/O interface **2042** serves as an interface that can, for example, transfer commands and/or data between a user and/or other external devices and other component(s) of the electronic device **2000**.

[0102] The communication interface **2044** may enable communication between the electronic device **2000** and other external devices, via a wired connection, a wireless connection, or a combination of wired and wireless connections. The communication interface **2044** may permit the electronic device **2000** to receive information from another device and/or provide information to another device. For example, the communication interface **2044** may include an Ethernet interface, an optical interface, a coaxial interface, an infrared interface, a radio frequency (RF) interface, a universal serial bus (USB) interface, a Wi-Fi interface, a cellular network interface, or the like. The communication interface **2044** may receive or transmit information such as information about a user profile and information about a content item from or to an external device.

[0103] The sensor(s) **2046** of the interface **2040** can meter a physical quantity or detect an activation state of the electronic device **2000** and convert metered or detected information into an electrical signal. For example, the sensor(s) **2046** can include one or more cameras (e.g., a front-facing camera **121** and/or an eye-tracking camera **122** illustrated in FIG. 1) or other imaging sensors for capturing images, and any other sensor for collecting or obtaining information about an object or location corresponding to a user and the user's interest in or reaction to the object or the location (e.g., a heart rate monitor **123** and/or a GNSS receiver **124** illustrated in FIG. 1). The sensor(s) **2046** can also include any one or any combination of a microphone, a keyboard, a mouse, and one or more buttons for touch input. The sensor(s) **2046** can further include an inertial measurement unit. In addition, the sensor(s) **2046** can include a control circuit for controlling at least one of the sensors included herein. Any of these sensor(s) **2046** can be located within or coupled to the electronic device **2000**.

[0104] The customized content item generation method may be written as computer-executable programs or instructions that may be stored in a medium.

[0105] The medium may continuously store the computer-executable programs or instructions, or temporarily store the computer-executable programs or instructions for execution or downloading. Also, the medium may be any one of various recording media or storage media in which a single piece or plurality of pieces of hardware are combined, and the medium is not limited to a medium directly connected to an electronic device, but may be distributed on a network. Examples of the medium include magnetic media, such as a hard disk, a floppy disk, and a magnetic tape, optical recording media, such as CD-ROM and DVD, magneto-optical media such as a floptical disk, and ROM, RAM, and a flash memory, which are configured to store program instructions. Other

examples of the medium include recording media and storage media managed by application stores distributing applications or by websites, servers, and the like supplying or distributing other various types of software.

[0106] The customized content item generation method may be provided in a form of downloadable software. A computer program product may include a product (for example, a downloadable application) in a form of a software program electronically distributed through a manufacturer or an electronic market. For electronic distribution, at least a part of the software program may be stored in a storage medium or may be temporarily generated. In this case, the storage medium may be a server or a storage medium of a server.

[0107] A model related to the neural networks described above may be implemented via a software module. When the model is implemented via a software module (for example, a program module including instructions), the model may be stored in a computer-readable recording medium.

[0108] Also, the model may be a part of the electronic device described above by being integrated in a form of a hardware chip. For example, the model may be manufactured in a form of a dedicated hardware chip for artificial intelligence, or may be manufactured as a part of an existing general-purpose processor (for example, a CPU or application processor) or a graphic-dedicated processor (for example a GPU).

[0109] While the embodiments of the disclosure have been described with reference to the figures, it will be understood by those of ordinary skill in the art that various changes in form and details may be made therein without departing from the spirit and scope as defined by the following claims.

Claims

1. A method for generating a customized content item, the method comprising: detecting a user interest of a user in an object; based on the detecting of the user interest, determining an interest level corresponding to the object; obtaining a content item to be presented to the user; based on the interest level corresponding to the object being greater than a predetermined threshold interest level, providing information about the object along with the content item to a generative artificial intelligence (AI) model to obtain the customized content item; and presenting the customized content item to the user using an augmented reality (AR) device.
2. The method of claim 1, wherein the user interest is detected based on at least one of: determining that the user is at a location corresponding to the object, and determining that a gaze of the user is directed toward the object.
3. The method of claim 2, wherein the interest level is determined based on biological information of the user collected while at least one of the user is at the location corresponding to the object and the gaze of the user is directed toward the object.
4. The method of claim 3, wherein the biological information comprises at least one of a heart rate of the user, a pupil dilation of the user, a direction of the gaze, and a duration of the gaze.
5. The method of claim 4, wherein at least one of the direction of the gaze, the duration of the gaze, and the pupil dilation is determined using an eye-tracking sensor included in the AR device, wherein the heart rate is determined using at least one of an optical sensor and an electrical sensor included in the AR device, and wherein the location of the user is determined using at least one of a camera included in the AR device and a global navigation satellite systems (GNSS) receiver included in the AR device.
6. The method of claim 1, wherein the object comprises at least one of a real object detected in an environment of the user using a camera included in the AR device, and a virtual object presented to the user using a display included in the AR device.
7. The method of claim 1, further comprising: based on determining that the interest level is greater than the predetermined threshold interest level, updating a user profile associated with the user to

include information about the object, wherein the user profile comprises information about at least one object for which a previous user interest has been detected, and wherein the information about the object is selected to be provided to the generative AI model based on the interest level and a similarity between the object and a theme corresponding to the content item.

8. The method of claim 1, wherein the content item is obtained based on determining that the user is at a location corresponding to the content item.

9. The method of claim 1, wherein the customized content item comprises at least one of an image, a video, and a text.

10. An augmented reality (AR) device for generating a customized content item, the AR device comprising: an eye-tracking sensor configured to obtain gaze information about a gaze of a user; a location sensor configured to determine location information about a location of the user; at least one biological sensor configured to measure biological information of the user; a display configured to present content items to the user; and at least one processor configured to: detect a user interest of the user in an object based on at least one of the gaze information and the location information; based on the detecting of the user interest, determine an interest level corresponding to the object based on at least one of the gaze information and the biological information; obtain a content item to be presented to the user; based on the interest level being greater than a predetermined threshold interest level, provide the object and the content item to a generative artificial intelligence (AI) model to obtain the customized content item; present the customized content item to the user.

11. The AR device of claim 10, wherein the user interest is detected based on at least one of: determining that the user is at a location corresponding to the object, and determining that the gaze of the user is directed toward the object.

12. The AR device of claim 10, wherein the biological information of the user is collected while at least one of the user is at the location corresponding to the object and the gaze of the user is directed toward the object.

13. The AR device of claim 12, wherein the biological information comprises at least one of a heart rate of the user, a pupil dilation of the user, a direction of the gaze, and a duration of the gaze.

14. The AR device of claim 13, wherein at least one of the direction of the gaze, the duration of the gaze, and the pupil dilation is determined using the eye-tracking sensor included in the AR device, wherein the heart rate is determined using at least one of an optical sensor and an electrical sensor included in the AR device, and wherein the location of the user is determined using at least one of a camera included in the AR device and a global navigation satellite systems (GNSS) receiver included in the AR device.

15. The AR device of claim 10, wherein the object comprises at least one of a real object detected in an environment of the user using a camera included in the AR device, and a virtual object presented to the user using the display.

16. The AR device of claim 10, wherein the at least one processor is further configured to, based on determining that the interest level is greater than the predetermined threshold interest level, update a user profile associated with the user to include information about the object, wherein the user profile comprises information about at least one object for which a previous user interest has been detected, and wherein the information about the object is selected to be provided to the generative AI model based on the interest level and a similarity between the object and a theme corresponding to the content item.

17. The AR device of claim 10, wherein the content item is obtained based on determining that the user is at a location corresponding to the content item.

18. The AR device of claim 10, wherein the customized content item comprises at least one of an image, a video, and a text.

19. A non-transitory computer-readable medium configured to store instructions which, when executed by at least one processor of a device for generating a customized content item, cause the

at least one processor to: detect a user interest of a user in an object; based on the detecting of the user interest, determining an interest level corresponding to the object; obtain a content item to be presented to the user; based on the interest level corresponding to the object being greater than a predetermined threshold interest level, provide information about the object along with the content item to a generative artificial intelligence (AI) model to obtain the customized content item; and present the customized content item to the user using an augmented reality (AR) device.

20. The non-transitory computer-readable medium of claim 19, wherein the instructions further cause the at least one processor to: based on determining that the interest level is greater than the predetermined threshold interest level, update a user profile associated with the user to include information about the object, wherein the user profile comprises information about at least one object for which a previous user interest has been detected, and wherein the information about the object is selected to be provided to the generative AI model based on the interest level and a similarity between the object and a theme corresponding to the content item.
