# US Patent & Trademark Office Patent Public Search | Text View

United States Patent

Kind Code

B2

Date of Patent

August 19, 2025

Inventor(s)

McLaughlin; Michael et al.

# Fertilizers containing slow and fast release sources of boron

#### **Abstract**

A granular fertilizer product having at least two sources of boron having different solubilities to tailor boron availability during the entire growing season of a plant, while reducing the risk of boron toxicity. A first source of boron can include a sodium-based or highly water soluble boron compound such as sodium tetraborate and/or boric acid, while a second source of boron can include a calcium-based boron compound such as colemanite (CaB.sub.3OH).sub.3.Math.(H.sub.2O)) (e.g. when the carrier fertilizer is N- or K-based) and/or boron phosphate (BPO.sub.4) (e.g., when the carrier fertilizer is P-based). The solubility of the first source of boron is higher than the solubility of the second source of boron such that the sources of boron have different release rates into the soil.

Inventors: McLaughlin; Michael (Montacute, AU), Degryse; Jozefien (Parkside, AU), Baird;

Roslyn (Aberfoyle Park, AU), da Silva; Rodrigo Coqui (Redwood Park, AU),

Freeman; Kyle (Plymouth, MN), Fry; Thomas (St. Louis Park, MN)

**Applicant: The Mosaic Company** (Plymouth, MN)

Family ID: 1000008763916

Assignee: The Mosaic Company (Tampa, FL)

Appl. No.: 17/380508

Filed: July 20, 2021

### **Prior Publication Data**

**Document Identifier**US 20210347704 A1
Publication Date
Nov. 11, 2021

# **Related U.S. Application Data**

continuation parent-doc US 16934456 20200721 US 11066340 child-doc US 17380508 continuation parent-doc US 15943161 20180402 US 10717682 20200721 child-doc US 16934456

# **Publication Classification**

**Int. Cl.: C05D1/02** (20060101); **C05D9/00** (20060101); **C05D9/02** (20060101); C05B7/00 (20060101); C05C9/00 (20060101); C05C11/00 (20060101); C05G5/12 (20200101)

**U.S. Cl.:** 

CPC **C05D1/02** (20130101); **C05D9/00** (20130101); **C05D9/02** (20130101); C05B7/00 (20130101); C05C9/00 (20130101); C05C11/00 (20130101); C05G5/12 (20200201)

# **Field of Classification Search**

**CPC:** C05D (1/02); C05D (9/00); C05D (9/02); C05C (11/00); C05B (7/00)

## **References Cited**

#### **U.S. PATENT DOCUMENTS**

Patent No.	<b>Issued Date</b>	Patentee Name	U.S. Cl.	CPC
2935387	12/1959	Phillips	N/A	N/A
3005696	12/1960	Higuett et al. N/A N		N/A
3135473	12/1963	Schrader et al. N/A		N/A
3560381	12/1970	Winters, Jr. et al.	N/A	N/A
3655357	12/1971	Ray	71/33	C05B 17/00
3794478	12/1973	Dirksen et al.	N/A	N/A
3961932	12/1975	Miller	N/A	N/A
4025329	12/1976	Goertz	N/A	N/A
4045204	12/1976	Matsunaga et al.	N/A	N/A
4154593	12/1978	Brown et al.	N/A	N/A
4332609	12/1981	Ott	N/A	N/A
4758261	12/1987	Parker et al.	N/A	N/A
4789391	12/1987	Detroit	N/A	N/A
4797265	12/1988	Inoue et al.	N/A	N/A
4832728	12/1988	Allan et al.	N/A	N/A
5120345	12/1991	Kayaert et al.	N/A	N/A
5435821	12/1994	Duvdevani et al.	N/A	N/A
5630861	12/1996	Yaniv	N/A	N/A
5653782	12/1996	Stern et al.	N/A	N/A
6179893	12/2000	Bendix et al.	N/A	N/A
6241796	12/2000	Jardine et al.	N/A	N/A
6254655	12/2000	Goertz	N/A	N/A
6379414	12/2001	Kleine-Kleffmann et al.	N/A	N/A
6517600	12/2002	Dinel	N/A	N/A
6544313	12/2002	Peacock et al.	N/A	N/A
6936087	12/2004	Wommack et al.	N/A	N/A
7497891	12/2008	Peacock	N/A	N/A
7727501	12/2009	Ferguson et al.	N/A	N/A

7789932	12/2009	Anderson et al.	N/A	N/A
8282898	12/2011	Phinney	N/A	N/A
8323371	12/2011	Phinney		
9162932	12/2014	Peacock et al.	N/A	N/A
9266784	12/2015	Ferguson	N/A	C05B 7/00
10717682	12/2019	McLaughlin	N/A	C05D 9/02
11066340	12/2020	McLaughlin	N/A	C05D 9/02
2002/0178772	12/2001	Hince	N/A	N/A
2004/0237615	12/2003	Green	71/28	C05G 3/80
2005/0036929	12/2004	Ferguson et al.	N/A	N/A
2006/0084573	12/2005	Grech et al.	N/A	N/A
2009/0048319	12/2008	Kohle	514/383	C05G 3/60
2009/0270257	12/2008	Pursell et al.	N/A	N/A
2010/0040882	12/2009	Phinney	N/A	N/A
2010/0240533	12/2009	Varadachari	N/A	N/A
2010/0291237	12/2009	Cook	N/A	N/A
2011/0214465	12/2010	Peacock et al.	N/A	N/A
2012/0036906	12/2011	Pedersen	N/A	N/A
2012/0067094	12/2011	Pursell et al.	N/A	N/A
2013/0031943	12/2012	Ferguson et al.	N/A	N/A
2013/0143737	12/2012	Varadachari	N/A	N/A
2013/0219979	12/2012	Deb	N/A	N/A
2013/0230605	12/2012	Ceulemans et al.	N/A	N/A
2014/0007633	12/2013	Tang et al.	N/A	N/A
2014/0083148	12/2013	Kuo et al.	N/A	N/A
2014/0109639	12/2013	Taylor et al.	N/A	N/A
2014/0260467	12/2013	Peacock et al.	N/A	N/A
2014/0274719	12/2013	Davison	504/297	C05F 11/10
2015/0158776	12/2014	Wells	N/A	N/A
2016/0168040	12/2015	Ferguson et al.	N/A	N/A
2017/0283334	12/2016	Rohrer et al.	N/A	N/A
2018/0290940	12/2017	McLaughlin et al.	N/A	N/A
2019/0292111	12/2018	Ferguson et al.	N/A	N/A
EODEICN DATE	NIT DOCLINER	TC		

## FOREIGN PATENT DOCUMENTS

I OILLIGITIZED	II DOCCIIILIII		
Patent No.	<b>Application Date</b>	Country	CPC
102012009949.7	12/2020	BR	N/A
1417170	12/2002	CN	N/A
101648838	12/2009	CN	N/A
103930387	12/2013	CN	N/A
104163709	12/2013	CN	N/A
1194220	12/2003	EP	N/A
2248790	12/2009	EP	N/A
2014524400	12/2013	JP	N/A
2182142	12/2001	RU	N/A
1002274	12/1982	SU	N/A
1022774	12/1982	SU	N/A
1428748	12/1987	SU	N/A
WO-2012011056	12/2011	WO	N/A
WO-2012063091	12/2011	WO	N/A

WO-2013019935 12/2012 WO N/A

#### OTHER PUBLICATIONS

Application and File History for U.S. Appl. No. 13/567,645, filed Aug. 6, 2012, inventors Ferguson et al. cited by applicant

Application and File History for U.S. Appl. No. 15/050,659, filed Feb. 23, 2016, Inventors Ferguson et al. cited by applicant

Application and File History for U.S. Appl. No. 16/361,516, filed Sep. 26, 2019, Inventors Ferguson et al. cited by applicant

Application and File History for U.S. Appl. No. 15/943,161, filed Apr. 2, 2018. Inventors: Mclaughlin et al. cited by applicant

International Preliminary Report on Patentability for Application No. PCT/US2018/025499, mailed Oct. 10, 2019, 8 pages. cited by applicant

Boron phosphates (BPO4) as a seedling-save boron fertilizer source, Abat, M., et al., 11 pages. cited by applicant

Kali, "Korn-Kali®+B," Technical Data Sheet, Version 2.2, Mar. 15, 2012, 1 page. cited by applicant

Kali, "Malaysia and Indonesia: Korn-Kali+B—A Four Nutrient Fertiliser for the Oil Palm," The Authority in Potassium and Magnesium, Dec. 17, 2008, 2 pages. cited by applicant Mosaic Agri Facts, "Aspire," Printout from web page www.aspirepotash.com/performance, last

Mosaic Agri Facts, "Aspire," Printout from web page www.aspirepotash.com/performance, last visited Sep. 23, 2015, 7 pages. cited by applicant

Office Action dated Jan. 16, 2019 for Bangladesh Application No. 105/2018, 1 page. cited by applicant

Swift Brochure, known to Applicant at least as of Nov. 19, 2013, 3 pages. cited by applicant Extended Search Report dated Dec. 11, 2020 for EP Application No. 1877556.6; 5 pages. cited by applicant

Primary Examiner: Langel; Wayne A

Attorney, Agent or Firm: Husch Blackwell LLP

# **Background/Summary**

RELATED APPLICATIONS (1) This application is a continuation of application Ser. No. 16/934,456 filed Jul. 21, 2020, which in turn is a continuation of application Ser. No. 15/943,161 filed Apr. 2, 2018, now U.S. Pat. No. 10,717,682 issued Jul. 21, 2020, which claims the benefit of U.S. Provisional Application No. 62/479,948 filed Mar. 31, 2017, which is hereby incorporated herein in its entirety by reference. The present application is related to U.S. Pat. No. 9,266,784, which claims the benefit of U.S. Provisional Application No. 61/514,952 filed Aug. 4, 2011, both of which are incorporated herein in their entirety by reference.

#### TECHNICAL FIELD

(1) The invention relates generally to fertilizer compositions. More specifically, the invention relates to incorporation of at least two different sources of boron into a macronutrient carrier fertilizer as a means of providing plants more timely access to boron.

#### **BACKGROUND**

(2) Essential plant nutrients can be divided into two groups, the macronutrients, both primary and secondary, and micronutrients. Plants access primary nutrients including nitrogen, phosphorus, and potassium from the soil and hence they make up the major part of fertilizers used to supplement

soils that are lacking in these nutrients.

- (3) According to the conventional fertilizer standards, the chemical makeup or analysis of fertilizers is expressed in percentages (by weight) of the essential primary nutrients nitrogen, phosphorus, and potassium. More specifically, when expressing the fertilizer formula, the first value represents the percent of nitrogen expressed on the elemental basis as "total nitrogen" (N), the second value represents the percent of phosphorus expressed on the oxide basis as "available phosphoric acid" (P.sub.2O.sub.5), and the third value represents the percent of potassium also expressed on the oxide basis as "available potassium oxide" (K.sub.2O), or otherwise known as the expression (N—P.sub.2O.sub.5—K.sub.2O).
- (4) Even though the phosphorus and potassium amounts are expressed in their oxide forms, there technically is no P.sub.2O.sub.5 or K.sub.2O in fertilizers. Phosphorus exists most commonly as monocalcium phosphate, but also occurs as other calcium or ammonium phosphates. Potassium is ordinarily in the form of potassium chloride or sulfate. Conversions from the oxide forms of P and K to the elemental expression (N—P—K) can be made using the following formulas:
- % P=% P.sub.2O.sub.5×0.437% K=% K.sub.2O×0.826
- % P.sub.2O.sub.5=% P×2.29% K.sub.2O=% K×1.21
- (5) In addition to the primary nutrients that are made available to plants via fertilizer added to soil, secondary nutrients and micronutrients are also essential for plant growth. These are required in much smaller amounts than those of the primary nutrients. Secondary nutrients include sulfur (S), calcium (Ca), and magnesium (Mg). Micronutrients include, but are not limited to, for example, boron (B), zinc (Zn), manganese (Mn), nickel (Ni), molybdenum (Mo), copper (Cu), iron (Fe), and chlorine (Cl).
- (6) Among the micronutrients, boron deficiency is a major concern in many agricultural areas particularly in sandy soils. Fertilization with boron presents a challenge due to the narrow window between nutrient deficiency and toxicity. The amount of boron available to a plant's root zone should be carefully considered as plants are highly sensitive to boron and need only very small amounts. The presence of high levels of boron can pose risks of seedling injury from boron toxicity. Traditional methods of bulk blending boron with fertilizer granules, such as borax, are ineffective or unsuitable due to uneven boron distribution, which can result in too high levels of B close to the granule and deficient levels further away.
- (7) To aid in even distribution of boron, the applicant of the present application proposes that different sources of boron added to muriate of potash (MOP) granules before or during compaction, as described in U.S. Pat. No. 9,266,784, reduces the occurrence of boron toxicity and provides an even application of small amounts of boron required by the plant.
- (8) Another challenge with respect to boron fertilizer management is providing sufficient boron during all plant growth stages, as this micronutrient plays crucial roles from seedling to flowering. Commonly used sources of soluble boron, such as sodium tetraborate, are highly water soluble and therefore tend to have extremely high mobility in soils compared to most other nutrients, which the exception of nitrate and sulfate, as it is predominately uncharged in most soils. Soluble boron sources can therefore be easily leached from soils before being taken up by the roots, particularly in rainy environments, resulting in boron deficiency later in the growing season, particularly at flowering. It is therefore a difficult balance of providing an appropriate level of boron to ensure the plant is getting the essential nutrient during the growing season while minimizing the occurrence of boron toxicity.
- (9) There remains a need for a boron fertilizer product with both fast and slow release characteristics to ensure even and sufficient distribution of boron to the root zone of plants, while reducing the risk of boron toxicity.

#### SUMMARY OF THE INVENTION

(10) Embodiments of the invention include a NPK fertilizer product having at least two sources of boron having different release rates or characteristics. In embodiments, the NPK fertilizer product

can comprise a macronutrient carrier including a nitrogen based fertilizer (e.g. urea), a potassium based fertilizer (e.g. potash or muriate of potash (MOP)), or a phosphate based fertilizer (e.g. mono or di-ammonium phosphate (MAP or DAP)). In one embodiment, a first source of boron is highly soluble, and is therefore a fast release source of boron available to plants in the early stages of the growing season. A second source of boron has lower solubility than the first source, and is therefore a slow release source of boron relative to the first source and is available to plants in the later stages of the growing season. The two sources of boron ensure a more even and continual release of boron than a single source, resulting in increased availability to the root zone of a plant over the course of a growing season, while reducing or eliminating the risk of boron toxicity and seedling injury.

- (11) The first source of boron can comprise a highly soluble source or fast release source, such as, for example, a sodium-based or acidic boron source including sodium tetraborate (i.e. borax) and/or boric acid, while the second source of boron can comprise a source having a solubility significantly less than the first source, such as, for example, a calcium-based boron source including colemanite (CaB.sub.3O.sub.4(OH).sub.3.Math.(H.sub.2O)), and/or boron phosphate (BPO.sub.4). For P fertilizers, a preferred source of slow release boron is boron phosphate. Specifically with respect to boron phosphate, in embodiments, the solubility can be tailored by heating the reaction product of phosphoric acid and boric acid to different temperatures. Another source of boron having a solubility less than the first source and greater than the second source can include, for example, ulexite (NaCaB.sub.5O.sub.6(OH).sub.6.Math.5(H.sub.2O)), and can be used as a fast release source when combined with slower release boron sources, or a slow release source when combined with faster release boron sources.
- (12) The fertilizer product can optionally contain one or more additional sources of micronutrients and/or secondary nutrients, such as, but not limited to, micronutrients including an additional source of boron (B), zinc (Zn), manganese (Mn), molybdenum (Mo), nickel (Ni), copper (Cu), iron (Fe), and/or chlorine (Cl), and/or secondary nutrients including sources of sulfur (S) in its elemental form, sulfur in its oxidized sulfate form (SO.sub.4), magnesium (Mg), and/or calcium (Ca), or any of a variety of combinations thereof at various concentrations. The fertilizer can also include a compaction aid, coloring agent, and/or one or more binding ingredients such as sodium hexametaphosphate (SHMP) in the case of a compacted material.
- (13) According to one embodiment of the invention in which the carrier comprises a cohered MOP fertilizer, the fertilizer product is prepared by compacting MOP feed material with at least two sources of boron. In another embodiment of the invention, the fertilizer comprises a granulated or prilled nitrogen or phosphate-containing carrier formed by standard granulation processes in which the sources of boron are added within the granulation or prilling circuit.
- (14) The above summary of the invention is not intended to describe each illustrated embodiment or every implementation of the present invention. The detailed description that follows more particularly exemplifies these embodiments.

# **Description**

#### BRIEF DESCRIPTION OF THE DRAWINGS

- (1) Subject matter hereof may be more completely understood in consideration of the following detailed description of various embodiments in connection with the accompanying figures, in which:
- (2) FIG. **1** depicts a perfusion cell assembly for analyzing leached boron from soil according to an embodiment of the invention;
- (3) FIG. **2** is a plot of a weight percent of boron released as a function of pore volume (i.e. a time series of boron leaching) for various formulations in a perfusion cell assembly according to an

- embodiment of the invention;
- (4) FIG. **3** is a pot trial assembly for analyzing boron availability according to an embodiment of the invention;
- (5) FIG. **4** is a plot comparing boron uptake per pot in leached treatments and boron leached as a percent of added boron versus water-soluble boron as a percent of total boron in a pot trial assembly;
- (6) FIG. **5** is a plot comparing boron uptake per pot per formulation in a pot trial assembly; FIG. **6** is a graph depicting boron uptake per pot in leached or unleached pots for six fertilizer treatments in a pot trial assembly;
- (7) FIG. **7** is a side by side comparison of canola plants grown in pre-leached pots versus plants grown in non-leached pots for different formulations in a pot trial assembly according to an embodiment; and
- (8) FIG. **8** is a process flow diagram for a compaction circuit according to an embodiment.
- (9) While the invention is amenable to various modifications and alternative forms, specifics thereof have been shown by way of example in the drawings and will be described in detail. It should be understood, however, that the intention is not to limit the invention to the particular embodiments described. On the contrary, the intention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the invention.

#### **DETAILED DESCRIPTION**

- (10) Embodiments of the invention include a NPK fertilizer product having at least two sources of boron having different release rates or characteristics to tailor boron availability during the entire growing season of a plant, while reducing the risk of boron toxicity.
- (11) In embodiments, the NPK fertilizer product can comprise a macronutrient carrier including a nitrogen based fertilizer (e.g. urea), a potassium based fertilizer (e.g. potash or muriate of potash (MOP)), or a phosphate based fertilizer (e.g. mono or di-ammonium phosphate (MAP or DAP)). With respect to MOP carriers, the MOP fertilizer base can be any of a variety of commercially available MOP sources, such as, but not limited to, for example, a MOP feed material having a K.sub.2O content ranging from about 20 weight percent to about 80 weight percent, more particularly about 48 to 62 weight percent, and more particularly about 55 to 62 weight percent. (12) In one embodiment, a first source of boron is highly soluble, and is therefore a fast release source of boron. A second source of boron has lower solubility than the first source, and is therefore a slow release source of boron. The first source of boron can comprise a highly soluble source or fast release source, such as, for example, a sodium-based boron source including sodium tetraborate (i.e. borax), while the second source of boron can comprise a source having a solubility significantly less than the first source, such as, for example, a calcium-based boron source including colemanite (CaB.sub.3O.sub.4(OH).sub.3.Math.(H.sub.2O)), and/or boron phosphate (BPO.sub.4). Regarding boron phosphate specifically, in embodiments, the solubility can be tailored by heating the reaction product of phosphoric acid and boric acid to different temperatures and for different periods of time at a temperature.
- (13) Another source of boron having a solubility less than the first source and greater than the second source can include, for example, ulexite
- (NaCaB.sub.5O.sub.6(OH).sub.6.Math.5(H.sub.2O)), and can be used as a fast release source when combined with slower release boron sources, or a slow release source when combined with faster release boron sources. Table 1 shows the solubility of selected borate compounds.
- (14) TABLE-US-00001 TABLE 1 Solubility of the different sources of boron: Boron Sources Solubility (mg/L) Sodium borate (borax) 1504 Ulexite 886 Colemanite 538 BPO.sub.4 500° C. 1 h 285 BPO.sub.4 500° C. 24 h 225 BPO.sub.4 800° C. 1 h 75 BPO.sub.4 800° C. 24 h 59
- (15) In embodiments, at least two sources of boron are present in amounts which deliver B from about 0.001 weight percent (wt %) to about 1.0 wt % B in the fertilizer granule, more particularly from about 0.1 wt % to about 0.7 wt %, and more particularly from about 0.3 wt % to about 0.6 wt

- %. Ratios of fast release boron to slow release boron can be, for example, 5:1, 4:1, 3:1, 2:1, 1:2, 1:3, 1:4, or 1:5, or any of a variety of ratios tailored to the plant needs.
- (16) The fertilizer product, in the case of a cohered, compacted granule, can also include one or more binding agents or ingredients in order to improve the strength or handling ability of the finished product so that the granules are less likely to wear or break down during handling or transport, as described in U.S. Pat. No. 7,727,501, entitled "Compacted granular potassium chloride, and method and apparatus for production of same," incorporated herein by reference in its entirety. A binding agent is a chemical that is added into the feed of a compaction circuit to improve the strength and quality of compacted particles. The binding agent acts to sequester or chelate impurities in the fertilizer feedstock, while providing adhesive properties to the compacted blend. Binding agents can include, for example, sodium hexametaphosphate (SHMP), tetra-sodium pyrophosphate (TSPP), tetra-potassium pyrophosphate (TKPP), sodium tri-polyphosphate (STPP), di-ammonium phosphate (DAP), mono-ammonium phosphate (MAP), granular mono-ammonium phosphate (GMAP), potassium silicate, sodium silicate, starch, dextran, lignosulfonate, bentonite, montmorillonite, kaolin, or combinations thereof. In addition to or alternatively to the binding agents, some of the micronutrients themselves can act as binding agents to improve particle strength.
- (17) According to an embodiment of the invention, a cohered granular the NPK fertilizer product containing at least two sources of boron is made by blending a first source of boron having a first solubility and a second source of boron having a second solubility less than the first source into a primary nutrient feed of a compaction circuit. The sources of boron can be added to the feed in advance of compaction, and can either be added separately to the feed, or can be bulk blended prior to their addition to the feed. The compaction of this blended feed stock and then conventional further processing, such as crushing and sizing, yields cohered fertilizer granules containing at least two sources of boron that are evenly distributed throughout the granular product.
- (18) A production line or production circuit for producing the compacted granular fertilizer composition generally includes a material feed apparatus such as a belt conveyor, pneumatic conveyor or the like which input various particulate primary nutrient streams, screenings, recovered or discarded material, the first and second sources of boron, one or more optional secondary nutrients and/or micronutrients, and one or more optional binding agents to a compactor. The compactor then presses the feed material at elevated pressures into a cohered intermediate sheet or cake, which can then be crushed, classified, resized, or otherwise refinished into a desired finished granular product containing the at least two sources of boron.
- (19) FIG. **8** is a flow chart illustrating the steps involved in one contemplated embodiment of the method of production of the present invention. Specifically, FIG. **8** shows the injection of a boron sources, either blended or separately, into the primary nutrient feed of a production circuit. The boron sources can be added to the feed material at various locations in the circuit by one or more injectors including metering equipment to allow more precise control of the amounts of each component added per unit of feedstock.
- (20) After addition of the boron sources and optional binding agent(s) to the feed material, the additives and feed material are blended. The blending step can either take place passively, by allowing these materials to come together or blend during their joint carriage through the feed mechanism, or alternatively there may be specific blending equipment added to the production circuit between the injector and the compactor to provide more aggressive or active blending of the boron sources, optional binders, optional other additives, and feedstock prior to compaction. (21) The blended feed material, now properly mixed with the boron sources and optional other additives, is then compacted. The compaction process can be performed using conventional compaction equipment such as a roll compactor or the like. The cohered intermediate composition yielded can then be further processed into the desired finished granular product using methods such as crushing, screening or other conventional classification methods suitable to yield a finished

- product of the desired particle size or type, as depicted in FIG. 8.
- (22) It will be understood that any attendant process or equipment modifications to permit the addition of one or more additional micronutrients, secondary nutrients, and/or binding agents, either concurrently or separately, to the feedstock are contemplated within the scope of the present invention.
- (23) The following examples further exemplify embodiments of the present application. EXAMPLES
- (24) Trial 1: Column Dissolution
- (25) MOP fines were compacted with varying proportions of boron from borax and colemanite, to give a total boron content of about 0.5 wt % of the fertilizer granule. The varying proportions of boron supplied as borax to colemanite were 1:0 (i.e. no colemanite), 1:1, 1:3, and 0:1 (i.e. no borax). Dissolution of boron from the granules was measured over 72 hours using a column perfusion technique. Referring to FIG. 1, the column perfusion technique uses a perfusion cell assembly 100 in which a known weight of fertilizer 102 is embedded within a volume of soil 104 in a vertical column cell 106. A percolation solution S is pumped from bottom to top through a glass wool barrier 108 followed by the soil 104 which encloses the fertilizer sample 102 and a portion of acid washed sand 104a. The top end 103 includes a filter paper 110 so that soil is not removed with the collected leachates 112.
- (26) In this particular perfusion example, a one-gram sample of fertilizer product was embedded within the column of soil. The percolation solution was 10 mM CaCl.sub.2, having a pH of about 6, and was introduced into the column at a flow rate of 10 mL/h.
- (27) The results of the perfusion technique are depicted in the graph of FIG. **2**, in which the weight percent of boron released (i.e. captured in the leachates) per composition was plotted, showing that the fast and slow release characteristics can be tailored by varying the proportions of borax to colemanite.
- (28) Trial 2: Pot trials
- (29) Pot trials were performed using canola plants, a MOP fertilizer control (without boron), and the same four fertilizer formulations as used in Trial 1, consisting of MOP with 0.5% boron and varying ratio of fast (borax) to slow release boron (colemanite) (Table 2). The soil consisted of 1 kg per pot of Mt. Compass sandy loam, the chemical analysis of which is set forth in Table 3 below. The boron source was added at an equivalent rate of 1.5 kg boron/hectare, which corresponded to 0.9 mg boron and 86.6 mg K per 1-kg pot. There were five replicates for each fertilizer treatment. (30) TABLE-US-00002 TABLE 2 Comparison of acid extrable and water extractable B Water extractable Ratio B Acid extractable B as Fertilizer % K (%) B (%) B (%) % total MOP + Borax 100 45.1 0.57 0.52 90.0 MOP + 100 46.1 0.53 0.06 10.8 Colemanite MOP + 50:50 48.6 0.60 0.29 49.0 Colemanite:Borax MOP + 75:25 48.5 0.61 0.18 48.6 Colemanite:Borax MOP + Ulexite 100 47.0 0.43 0.28 65.1 MOP + 50:50 46.5 0.59 0.29 29.2 Ulexite:Borax
- (31) TABLE-US-00003 TABLE 3 Selected characteristics of the Southern Australia soil used in the experiments Soils Sand Location Mt Compass pH (water) 5.9 pH (CaCl.sub.2) 4.9 Total C (%) 0.5 CEC (cmol.sub.c kg.sup.-1) 2.0 Hot water 0.20 extractable B (mg kg.sup.-1) CaCO.sub.3 (%) <0.2 Clay (%) 4.3 Silt (%) 0.9 Sand (%) 96.3 Field capacity (%) 3.5
- (32) In this trial, thirty of the pots were leached, and thirty pots were not leached prior to planting the canola crop. Referring to FIG. **3**, the leached pots **300** were leached by applying four pore volumes **302** (or 350 mL×4) of demineralized water to the 1 kg of soil **304** to which the MOP fertilizer **306** was applied at 1 cm below the surface of the soil **304**. The leachate **308** captured at the bottom of the pot **300** was analyzed for boron. The amount of boron leached from the pots **300** decreased with increasing amount of slow-release boron in the fertilizer (FIG. **4**). The canola plant crop was then planted and allowed to grow for about twelve weeks, and was then analyzed for boron concentration in the plant shoots. As depicted in FIG. **7**, the non-leached pots **700** at varying formulations outgrew the leached pots **702** at the same formulations

- (33) As shown in Table 2, and FIGS. **2** (column perfusion), **4** (pot trial), **5** (pot trial) and **6** (pot trial), in both the column perfusion and pot trial techniques, it was observed that as the percentage of water soluble boron increases, the release rate of boron increases and boron uptake by plants decreases, while having minimum effect on acid extractable K.
- (34) Referring specifically to FIG. **6**, the plant uptake of boron per pot was measured after twelve weeks. In the unleached pots, there was no consistent effect of boron fertilizer formulation on the uptake of boron. For the leached pots, the plant uptake of boron increased as the amount of slow-releasing boron from colemanite increased in the fertilizer formulation.
- (35) From these trials, it has been determined boron uptake can be improved with the balance of slow release boron and fast release boron, and that the addition of a slow release source of boron to a macronutrient fertilizer provides an excellent supply of boron in leaching environments over the course of a plant's growing season.
- (36) Various embodiments of systems, devices, and methods have been described herein. These embodiments are given only by way of example and are not intended to limit the scope of the claimed inventions. It should be appreciated, moreover, that the various features of the embodiments that have been described may be combined in various ways to produce numerous additional embodiments. Moreover, while various materials, dimensions, shapes, configurations and locations, etc. have been described for use with disclosed embodiments, others besides those disclosed may be utilized without exceeding the scope of the claimed inventions.
- (37) Persons of ordinary skill in the relevant arts will recognize that the subject matter hereof may comprise fewer features than illustrated in any individual embodiment described above. The embodiments described herein are not meant to be an exhaustive presentation of the ways in which the various features of the subject matter hereof may be combined. Accordingly, the embodiments are not mutually exclusive combinations of features; rather, the various embodiments can comprise a combination of different individual features selected from different individual embodiments, as understood by persons of ordinary skill in the art. Moreover, elements described with respect to one embodiment can be implemented in other embodiments even when not described in such embodiments unless otherwise noted.
- (38) Although a dependent claim may refer in the claims to a specific combination with one or more other claims, other embodiments can also include a combination of the dependent claim with the subject matter of each other dependent claim or a combination of one or more features with other dependent or independent claims. Such combinations are proposed herein unless it is stated that a specific combination is not intended.
- (39) Any incorporation by reference of documents above is limited such that no subject matter is incorporated that is contrary to the explicit disclosure herein. Any incorporation by reference of documents above is further limited such that no claims included in the documents are incorporated by reference herein. Any incorporation by reference of documents above is yet further limited such that any definitions provided in the documents are not incorporated by reference herein unless expressly included herein. For purposes of interpreting the claims, it is expressly intended that the provisions of 35 U.S.C. § 112(f) are not to be invoked unless the specific terms "means for" or "step for" are recited in a claim.

### **Claims**

1. A granular fertilizer product comprising a plurality of compacted granules, each compacted granule comprising: a primary nutrient source; a first source of boron comprising a sodium-based boron source or boric acid and having a first solubility such that the granule is configured to release boron primarily during a first part of a growing season; and a second source of boron having a second solubility lower than the first solubility such that the granule is configured to release boron primarily during a second part of the growing season after the first part, wherein the second source

- of boron is a calcium-based boron source.
- 2. The granular fertilizer product composition of claim 1, wherein the first source of boron comprises sodium tetraborate.
- 3. The granular fertilizer product of claim 2, wherein the second source of boron comprises colemanite.
- 4. The granular fertilizer product of claim 3, wherein the first and second sources of boron are present in a total amount of from about 0.1 wt % to about 0.7 wt % B.
- 5. The granular fertilizer product of claim 1, wherein the first and second sources of boron are present in an amount in the fertilizer granule to provide a total amount of from about 0.001 weight percent (wt %) to about 1.0 wt % B.
- 6. The granular fertilizer product of claim 5, wherein the first and second sources of boron are present in a total amount of from about 0.3 wt % to about 0.6 wt % B.
- 7. The granular fertilizer product of claim 1, wherein the first part of the growing seasons corresponds to a seedling stage of a targeted plant and the second part of the growing season corresponds to a flowing stage of the targeted plant.
- 8. The granular fertilizer product of claim 1, wherein the primary nutrient source comprises muriate of potash (MOP), and the granular fertilizer composition comprises a compacted MOP composition.
- 9. The granular fertilizer product of claim 1, wherein the primary nutrient source comprises a source of potassium.
- 10. The granular fertilizer product of claim 1, wherein a ratio of the first source of boron to the second source of boron is between 5:1 and 1:5.
- 11. A method of forming a fertilizer product comprising a plurality of granules, each granule containing multiple sources of boron, the method comprising: providing a primary nutrient source; combining a first source of boron comprising a sodium-based boron source or boric acid and having a first solubility, and a second source of boron comprising a calcium-based boron source and having a second solubility less than the first source; compacting the primary nutrient source, the first source of boron, and the second source of boron to form a fertilizer composition; and crushing the compacted fertilizer composition to form the plurality of granules.
- 12. The method of claim 11, wherein the first and second sources of boron are present in an amount in the fertilizer granule to provide a total amount of from about 0.001 weight percent (wt %) to about 1.0 wt % B.
- 13. The method of claim 12, wherein the first and second sources of boron are present in a total amount of from about 0.1 wt % to about 0.7 wt % B.
- 14. The method of claim 13, wherein the first and second sources of boron are present in a total amount of from about 0.3 wt % to about 0.6 wt % B.
- 15. The method of claim 11, wherein the primary nutrient source comprises a source of potassium.
- 16. The method of claim 11, wherein the source of potassium comprises muriate of potash (MOP).
- 17. The method of claim 11, wherein the primary nutrient source comprises a source of potassium.