



US0D1089532S

(12) **United States Design Patent**
Ying

(10) **Patent No.:** **US D1,089,532 S**
(45) **Date of Patent:** **** Aug. 19, 2025**

(54) **HIGH PRESSURE CLEANING DUAL-USE SWITCH**

(71) Applicant: **Shengchen Ying**, Zhejiang (CN)

(72) Inventor: **Shengchen Ying**, Zhejiang (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/923,881**

(22) Filed: **Jan. 2, 2024**

(51) **LOC (15) Cl.** **23-01**

(52) **U.S. Cl.** **D23/223**
USPC **D23/223**

(58) **Field of Classification Search**

USPC D23/213, 235, 249, 223
CPC B05B 11/1011; B05B 9/01; B05B 12/002
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D857,312 S * 8/2019 Chavana, Jr. D32/15
D891,579 S * 7/2020 Cai D23/213
D936,179 S * 11/2021 Murray D23/223
D1,066,576 S * 3/2025 Lin D23/223

* cited by examiner

Primary Examiner — Gino Colan

(74) *Attorney, Agent, or Firm* — Hawaii Patent Services;
Nathaniel K. Fedde; Kenton N. Fedde

(57) **CLAIM**

The ornamental design for a high pressure cleaning dual-use switch, as shown and described.

DESCRIPTION

FIG. 1 is a front, left, top perspective view of a high pressure cleaning dual-use switch, showing my new design;

FIG. 2 is a rear, right, bottom perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a front, left, top perspective view of the high pressure cleaning dual-use switch, indicating the usage environment;

FIG. 10 is a rear, right, bottom perspective view of the high pressure cleaning dual-use switch, indicating the usage environment;

FIG. 11 is an enlarged view of detail 11 in FIG. 1;

FIG. 12 is an enlarged view of detail 12 in FIG. 1;

FIG. 13 is an enlarged view of detail 13 in FIG. 1;

FIG. 14 is an enlarged view of detail 14 in FIG. 2;

FIG. 15 is an enlarged view of detail 15 in FIG. 2;

FIG. 16 is an enlarged view of detail 16 in FIG. 3;

FIG. 17 is an enlarged view of detail 17 in FIG. 3;

FIG. 18 is an enlarged view of detail 18 in FIG. 3;

FIG. 19 is an enlarged view of detail 19 in FIG. 7; and,


FIG. 20 is an enlarged view of detail 20 in FIG. 7.


The dashed broken lines in the figures are for the purposes of illustrating portions of the high pressure cleaning dual-use switch that form no part of the claimed design.

The dash-dot-dash broken lines are for notating enlarged views and form no part of the claimed design.

The dashed broken lines in the FIG. 9 and FIG. 10 are for the purposes of indicating the usage environment of the high pressure cleaning dual-use switch and form no part of the claimed design.

1 Claim, 20 Drawing Sheets








FIG.2




FIG.3




FIG. 4




FIG. 5




FIG. 6




FIG.7




FIG. 8




FIG.9




FIG. 10





FIG. 11

FIG. 12






FIG. 13

FIG. 14




FIG. 15




FIG. 16




FIG. 17





FIG. 18






FIG. 19




FIG. 20