

# US Patent & Trademark Office

## Patent Public Search | Text View

---

United States Design Patent	D1089805
Kind Code	S
Date of Patent	August 19, 2025
Inventor(s)	Eastwood; Steve et al.

---

### Light housing

---

**Inventors:** Eastwood; Steve (Los Angeles, CA), Brush; James Andrew (Greenville, SC), Weston; Russell (Greer, SC), Duckworth; Jason (Simpsonville, SC)

**Applicant:** HLI SOLUTIONS, INC. (Greenville, SC)

**Assignee:** HLI SOLUTIONS, INC. (Greenville, SC)

**(\*\*) Term:** 15 Years **Appl. No.:**

**D/815882**

**Filed:**

**November 17, 2021**

### Publication Classification

**LOC Cl.:** 2605

**U.S. Cl.:**

**USPC** D26/71; D26/67

### Field of Classification Search

**CPC:** F21S (8/03); F21S (8/033); F21S (8/036); F21S (8/085); F21S (8/086); F21V (21/108); F21V (21/26); F21W (2111/02); F21W (2111/023); F21W (2131/10); F21W (2131/101); F21W (2131/107)

**USPC:** D26/61; D26/63; D26/64; D26/66; D26/67; D26/68; D26/71; D26/72; D26/85; D26/87; D26/92; D26/113; D26/120; D26/138; D26/142; D26/145; D26/155

---

### Description

(1) FIG. 1 is a top perspective view of a first embodiment of a light housing showing our new design.

(2) FIG. 2 is a top view of the light housing shown in FIG. 1.

(3) FIG. 3 is a bottom view of the light housing shown in FIG. 1.

- (4) FIG. 4 is a first side view of the light housing shown in FIG. 1.
- (5) FIG. 5 is a second side view of the light housing shown in FIG. 1.
- (6) FIG. 6 is a front view of the light housing shown in FIG. 1.
- (7) FIG. 7 is a rear view of the light housing shown in FIG. 1.
- (8) FIG. 8 is a bottom perspective view of an alternative bottom portion of the light housing shown in FIG. 1.
- (9) FIG. 9 is a bottom perspective view of another alternative bottom portion of the light housing shown in FIG. 1.
- (10) FIG. 10 is a top perspective view of a second embodiment of a light housing showing our new design.
- (11) FIG. 11 is a top view of the light housing shown in FIG. 10.
- (12) FIG. 12 is a bottom view of the light housing shown in FIG. 10.
- (13) FIG. 13 is a first side view of the light housing shown in FIG. 10.
- (14) FIG. 14 is a second side view of the light housing shown in FIG. 10.
- (15) FIG. 15 is a front view of the light housing shown in FIG. 10.
- (16) FIG. 16 is a rear view of the light housing shown in FIG. 10.
- (17) FIG. 17 is a bottom perspective view of an alternative bottom portion of the light housing shown in FIG. 10.
- (18) FIG. 18 is a bottom perspective view of another alternative bottom portion of the light housing shown in FIG. 10.
- (19) FIG. 19 is a top perspective view of a third embodiment of a light housing showing our new design.
- (20) FIG. 20 is a top view of the light housing shown in FIG. 19.
- (21) FIG. 21 is a bottom view of the light housing shown in FIG. 19.
- (22) FIG. 22 is a first side view of the light housing shown in FIG. 19.
- (23) FIG. 23 is a second side view of the light housing shown in FIG. 19.
- (24) FIG. 24 is a front view of the light housing shown in FIG. 19.
- (25) FIG. 25 is a rear view of the light housing shown in FIG. 19.
- (26) FIG. 26 is a bottom perspective view of an alternative bottom portion of the light housing shown in FIG. 19.
- (27) FIG. 27 is a bottom perspective view of another alternative bottom portion of the light housing shown in FIG. 19.
- (28) FIG. 28 is a top perspective view of a fourth embodiment of a light housing showing our new design.
- (29) FIG. 29 is a top view of the light housing shown in FIG. 28.
- (30) FIG. 30 is a bottom view of the light housing shown in FIG. 28.
- (31) FIG. 31 is a first side view of the light housing shown in FIG. 28.
- (32) FIG. 32 is a second side view of the light housing shown in FIG. 28.
- (33) FIG. 33 is a front view of the light housing shown in FIG. 28.
- (34) FIG. 34 is a rear view of the light housing shown in FIG. 28.
- (35) FIG. 35 is a bottom perspective view of an alternative bottom portion of the light housing shown in FIG. 28; and,
- (36) FIG. 36 is a bottom perspective view of another alternative bottom portion of the light housing shown in FIG. 28.
- (37) The broken lines in the drawings depict portions which form no part of the claimed design.

## Claims

The ornamental design for a light housing, as shown and described.

---

