

US0D1089896S

## (12) United States Design Patent (10) Patent No.:

(45) Date of Patent:

## (54) BARKING RESTRAINING DEVICE (71) Applicant: Shenzhen Smart Pet Technology Co., Ltd, Guangdong (CN) (72) Inventor: Yaya Jia, Guangdong (CN) Assignee: Shenzhen Smart Pet Technology Co., Ltd, Shenzhen (CN) (\*\*) 15 Years Term: Appl. No.: 29/901,061 (22) Filed: Aug. 28, 2023 (30)Foreign Application Priority Data May 31, 2023 (CN) ...... 202330331596.3 U.S. Cl.

119/792-798, 850, 855-859, 863-865, 119/654, 905, 907, 815, 712, 802, 784, 119/769, 760, 776, 862, 908, 860, 119/719-721; 242/381.1-381.2, 385.4, 242/378.3, 376.1, 385.1, 916, 601, 570, 242/405, 404, 371, 223, 170, 388.1, 242/405.2, 377, 381.3, 381.6, 405.3, 242/388.6, 384.7, 382, 396.1, 404.1, 380; 362/108; 33/767, 769, 414; D12/400; D3/229, 230, 207, 208, 215; 40/1.5, 455, 40/640, 303; 206/63.3, 459.5, 702, 408; D6/515; D8/358, 360, 347, 360.1, 359, D8/356, DIG. 1; D24/145, 167, 186, 146, D24/169; D10/57, 72, 106.1, 104.1, D10/104.2, 109.2, 70, 97, 98, 78, 65; D20/28; 224/666, 678; 16/445; 283/74, 283/70; D11/232, 200, 216, 1, 2, 86, 87, D11/201, 206-210, 212-215, 218; 24/163 K, 122.3, 323, 702, 600.4-600.7,

24/163 R, 169–171, 173, 177–179, 191, 24/194, 195, 197, 200, 303, 616, 635, 24/313, 615, 3, 6, 3 K, 599.2, 96, 221, 24/237, 311, 312, 314, 321, 338, 339, 24/309; 428/3, 4; 54/76, 1, 71; 63/29.1, 63/3; 191/12.2 R, 12.4; D13/154, 153, D13/137.4, 155, 103, 168; D19/69, 67; 379/438; 446/26; 473/576; D22/140; 174/135; 439/504, 13, 501; D34/33; (Continued)

US D1,089,896 S

\*\* Aug. 19, 2025

#### (56) References Cited

#### U.S. PATENT DOCUMENTS

D400,458	S	*	11/1998	Titus		D10/104.1			
D541,689	$\mathbf{S}$	*	5/2007	Meyers		D10/118			
(Continued)									

#### OTHER PUBLICATIONS

Sep. 22, 2020, NBJU Rechargeable Anti Bark Collar Device, https://www.amazon.com/NBJU-Rechargeable-Adjustable-Sensitivity-Intensity/dp/B08JPGTXJ3/ref=sr\_1\_23.\*

Primary Examiner — Susan Moon Lee

(57) **CLAIM** 

The ornamental design for a barking restraining device, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of a barking restraining device showing my new design;

FIG. 2 is another perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;


FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.


The broken lines in the drawings depict portions of the barking restraining device that form no part of the claimed design.


### 1 Claim, 8 Drawing Sheets



# US D1,089,896 S Page 2

(58)	Field of Classification Search	D708,797 S *	7/2014	MacDonald D30/199
` /	USPC 188/83, 82.1, 65.1; 254/134.3 FT;	8,803,692 B2*	8/2014	Goetzl A01K 27/009
	D29/124; D2/627, 624, 633, 625;			340/573.3
	132/145, 146, 148; 2/314; 59/79.1;	D726,052 S *		Henning D10/70
	340/573.3, 573.1, 573, 573.4,	D835,533 S *		Zheng D10/70
	340/539.13–539.19; 343/895;	10,154,651 B2 *		Goetzl A01K 15/021
	278/8 AES; 231/7; 361/232; D14/344,	D925,141 S *		Lai D10/104.1
	D14/341, 137, 155, 496, 203.5, 203.3,	D929,879 S *		Paschke
	D14/144, 218, 188, 216, 192;	11,470,814 B2 *	10/2022	Goetzl A01K 15/021
	342/357.51, 357.57, 357.52, 357.55;	D970,827 S * D985,864 S *	11/2022 5/2023	Zhuang D30/152 Liu D10/104.1
	455/100, 352, 456.1, 550.1; 315/291	D985,865 S *	5/2023	Miao D10/104.1
	CPC A01K 15/021; A01K 15/02; A01K 15/022;	D985,865 S D996,746 S *	8/2023	Li D10/104.1
	A01K 15/023; A01K 15/029; A01K	D1.001.398 S *		Lan D10/104.1
	15/04; A01K 15/00; A01K 15/006; A01K	D1,001,399 S *	10/2023	Pan D10/104.1
	12/022; A01K 27/009; A01K 27/00;	D1,006,354 S *	11/2023	Yuan D10/104.1
	A01K 27/001; A01K 27/006–008; A01K	D1,007,788 S *	12/2023	Chen D10/104.1
		D1,010,953 S *	1/2024	Yu D10/104.1
	29/005; A01K 29/00; A61B 5/0002–0028;	D1,011,656 S *	1/2024	Pan D10/104.1
	A61B 5/681; A61B 5/6822; A61B	D1,041,098 S *	9/2024	Wen D30/199
	5/6824; A61B 5/6829; G01S 5/0294	D1,049,519 S *	10/2024	Ying D30/199
	See application file for complete search history.	D1,054,130 S *	12/2024	Ye D10/104.1
		D1,058,959 S *		Yan D30/152
(56)	References Cited	D1,063,260 S *		Zhou D30/199
		2018/0153137 A1*	6/2018	Goetzl A01K 27/001
	U.S. PATENT DOCUMENTS	2024/0147963 A1*	5/2024	Huang A01K 27/001
	D631,552 S * 1/2011 Kasabach	* cited by examiner		











FIG. 3










FIG. 7

