

US0D1088800S

US D1,088,800 S

** Aug. 19, 2025

(12) United States Design Patent (10) Patent No.:

Evans (45) **Date of Patent:**

(54) ADJUSTABLE TENSION DEVICE

(71) Applicant: Edge-Works Manufacturing Co.,

Burgaw, NC (US)

(72) Inventor: Scott V. Evans, Jacksonville, NC (US)

(**) Term: 15 Years

(21) Appl. No.: 29/792,506

(22) Filed: Apr. 1, 2022

(52) U.S. Cl.

USPC **D8/308**; D3/222

(58) Field of Classification Search

USPC D8/300–302, 307–309, 336, 337, 338, D8/343, 400; D3/222; D22/108, 199 (Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

Primary Examiner — Lauren R Calve

(74) Attorney, Agent, or Firm — Intellectual Property Consulting, LLC; Stephen M. Kepper

(57) CLAIM

The ornamental design for an adjustable tension device, as shown and described.

DESCRIPTION

FIG. 1 is a front, perspective view of an embodiment of an adjustable tension device.

FIG. 2 is a front view of an embodiment of an adjustable tension device.

FIG. 3 is a rear view of an embodiment of an adjustable tension device.

FIG. 4 is a first side view of an embodiment of an adjustable tension device.

FIG. 5 is a second side view of an embodiment of an adjustable tension device.

FIG. 6 is a top view of an embodiment of an adjustable tension device.

FIG. 7 is a bottom view of an embodiment of an adjustable tension device.

FIG. 8 is a front, perspective view of a second embodiment of an adjustable tension device.

FIG. 9 is a front view of a second embodiment of an adjustable tension device.

FIG. 10 is a rear view of a second embodiment of an adjustable tension device.

FIG. 11 is a first side view of a second embodiment of an adjustable tension device.

FIG. 12 is a second side view of a second embodiment of an adjustable tension device.

FIG. 13 is a top view of a second embodiment of an adjustable tension device.

FIG. 14 is a bottom view of a second embodiment of an adjustable tension device.

FIG. 15 is a front, perspective view of a third embodiment of an adjustable tension device.

FIG. 16 is a front view of a third embodiment of an adjustable tension device.

FIG. 17 is a rear view of a third embodiment of an adjustable tension device.

FIG. 18 is a first side view of a third embodiment of an adjustable tension device.

FIG. 19 is a second side view of a third embodiment of an adjustable tension device.


FIG. 20 is a top view of a third embodiment of an adjustable tension device.

FIG. 21 is a bottom view of a third embodiment of an adjustable tension device; and,

FIG. 22 is a front, perspective view of a third embodiment of an adjustable tension device attached to an exemplary (unclaimed) holster.

The broken lines in the drawings depict unclaimed subject matter only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



US D1,088,800 S

Page 2

(58) **Field of Classification Search**CPC ... F41C 33/02; F41C 33/0272; F41C 33/0263
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D292,550	S	*	11/1987	Jackson D19/74
D305,544		*		Ganter D8/309
D346,739	\mathbf{S}	*	5/1994	Tinz D8/309
D361,490	\mathbf{S}	*	8/1995	Vetter D8/309
D379,917	\mathbf{S}	*	6/1997	Vetter D8/308
D543,353	\mathbf{S}	*	5/2007	Carver D3/222
D652,468	S	*	1/2012	Burt D22/108
D760.057	S	*	6/2016	Bertani D8/309
10,619,974	В2	*	4/2020	Smith F41C 33/043
D919,964			5/2021	Evans D3/222
2018/0106576				Tedder F41C 33/0263

^{*} cited by examiner





FIG. 1



Aug. 19, 2025






FIG. 4 FIG. 5










FIG. 8











FIG. 12








FIG. 15








FIG. 22