

US Patent & Trademark Office

Patent Public Search | Text View

United States Design Patent	D1093772
Kind Code	S
Date of Patent	September 16, 2025
Inventor(s)	Luo; Xingsheng

Transmitter

Inventors:	Luo; Xingsheng (Shenzhen, CN)
Applicant:	SHENZHEN WELLTURN TECHNOLOGY CO., LTD (Shenzhen, CN)
Assignee:	SHENZHEN WELLTURN TECHNOLOGY CO., LTD (Shenzhen, CN)
(**) Term:	15 Years
Appl. No.:	
D/952862	Filed:
July 18, 2024	

Foreign Application Priority Data

CN	202430433805.X	Jul. 11, 2024
----	----------------	---------------

Publication Classification

LOC Cl.:	3099
U.S. Cl.:	
USPC	D10/104.1; D30/199

Field of Classification Search

CPC:	A01K (15/021); A01K (15/02); A01K (15/022); A01K (15/023); A01K (15/029); A01K (15/04); A01K (15/00); A01K (15/006); A01K (12/022); A01K (27/009); A01K (27/00); A01K (27/001); A01K (27/006-008); A01K (29/005); A01K (29/00); A61B (5/0002-0028); A61B (5/681); A61B (5/6822); A61B (5/6824); A61B (5/6829)
USPC:	D30/151-155; D30/144; D30/199; D30/160; 119/792-798; 119/850; 119/855-859; 119/863-865; 119/654; 119/905; 119/907; 119/815; 119/712; 119/802; 119/784; 119/769; 119/760; 119/776; 119/862; 119/908; 119/860; 119/719-721; 242/381.1-38; 242/385.4; 242/378.3; 242/376.1; 242/385.1; 242/916; 242/601; 242/570; 242/405; 242/404; 242/371; 242/223; 242/170; 242/388.1; 242/405.2; 242/377; 242/381.3; 242/381.6; 242/405.3; 242/388; 242/6; 242/384.7; 242/382; 242/396.1; 242/404.1;

242/380; 362/108; 33/767; 33/769; 33/414; D12/400; D3/229; D3/230; D3/207; D3/208; D3/215; 40/1.5; 40/455; 40/640; 40/303; 206/63.3; 206/459.5; 206/702; 206/408; D6/515; D8/358; D8/360; D8/347; D8/360.1; D8/359; D8/356; D8/DIG.1; D24/145; D24/167; D24/186; D24/146; D24/169; D10/57; D10/72; D10/106.1; D10/104.1; D10/104.2; D10/109.2; D10/70; D10/97; D10/98; D10/78; D10/65; D20/28; 224/666; 224/678; 16/445; 283/74; 283/70; D11/232; D11/200; D11/216; D11/1; D11/2; D11/86; D11/87; D11/201; D11/206-210; D11/212-215; D11/218; 24/163K; 24/122.3; 24/323; 24/702; 24/600.4-6; 24/163R; 24/169-171; 24/173; 24/177-179; 24/191; 24/194; 24/195; 24/197; 24/200; 24/303; 24/616; 24/635; 24/313; 24/615; 24/3; 24/6; 24/3K; 24/599.2; 24/96; 24/221; 24/237; 24/311; 24/312; 24/314; 24/321; 24/338; 24/339; 24/309; 428/3; 428/4; 54/76; 54/1; 54/71; 63/29.1; 63/3; 191/12.2 R; 191/12.4; D13/154; D13/153; D13/137.4; D13/155; D13/103; D13/168; D19/69; D19/67; 379/438; 446/26; 473/576; D22/140; 174/135; 439/504; 439/13; 439/501; D34/33; 188/83; 188/82.1; 188/65.1; 254/134.3 FT; D29/124; D2/627; D2/624; D2/633; D2/625; 132/145; 132/146; 132/148; 2/314; 59/79.1; 340/573.3; 340/573.1; 340/573; 340/573.4; 340/539.13-5; 343/895; 278/8AES; 231/7; 361/232; D14/344; D14/341; D14/137; D14/155; D14/496; D14/203.5; D14/203.3; D14/144; D14/218; D14/188; D14/216; D14/1; D14/92; 342/357.51; 342/357.57; 342/357.52; 342/357.55; 455/100; 455/352; 455/456.1; 455/550.1; 315/291

Description

- (1) FIG. 1 is a front, right and top perspective view in the used configuration with the two parts assembled together of a transmitter, showing my new design;
- (2) FIG. 2 is a front, right and top perspective view of a first component of the transmitter;
- (3) FIG. 3 is a rear, left and bottom perspective view thereof;
- (4) FIG. 4 is a front view thereof;
- (5) FIG. 5 is a rear view thereof;
- (6) FIG. 6 is a left side view thereof;
- (7) FIG. 7 is a right side view thereof;
- (8) FIG. 8 is a top plan view thereof;
- (9) FIG. 9 is a bottom plan view thereof; and
- (10) FIG. 10 is an enlarged detail view of portion 9 encircled in FIG. 2.
- (11) FIG. 11 is a front, right and top perspective view of a second component of the transmitter, showing my new design;
- (12) FIG. 12 is a rear, left and bottom perspective view thereof;
- (13) FIG. 13 is a front view thereof;
- (14) FIG. 14 is a rear view thereof;
- (15) FIG. 15 is a left side view thereof;
- (16) FIG. 16 is a right side view thereof;
- (17) FIG. 17 is a top plan view thereof; and,
- (18) FIG. 18 is a bottom plan view thereof.
- (19) The broken lines shown in the drawings illustrate portions of the transmitter that form no part of the claimed design.
- (20) The dot-dash broken lines depict the boundaries of the enlargements that form no part of the claimed design.

Claims

The ornamental design for a transmitter, as shown and described.
