

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12400217
Kind Code	B2
Date of Patent	August 26, 2025
Inventor(s)	Geiger; Darryl

Credit card system having limited card data indicia

Abstract

A transaction card for secure payments. The transaction card including a personalized indicia displayed on a surface of the transaction card. The user of the transaction card may select the personalized indicia. The transaction card further includes an encoded portion configured to communicate with a transaction card reader. A complete transaction card number associated with the transaction card is stored on the encoded portion. A method of manufacturing a secure transaction card. The secure transaction card comprises an encoded portion. The method includes the step of receiving, from a user, a personalized indicia associated with the secure transaction card. The method further includes the step of displaying the personalized indicia on the secure transaction card. The method further includes storing a complete transaction card number on the encoded portion, wherein the encoded portion communicates with a transaction card reader.

Inventors:	Geiger; Darryl (DeSoto, TX)
Applicant:	Geiger; Darryl (DeSoto, TX)
Family ID:	1000008779922
Assignee:	CJG Tech LLC (Dallas, TX)
Appl. No.:	18/241322
Filed:	September 01, 2023

Prior Publication Data

Document Identifier	Publication Date
US 20240086895 A1	Mar. 14, 2024

Related U.S. Application Data

us-provisional-application US 63405794 20220912

Publication Classification

Int. Cl.: G06Q20/34 (20120101); G06Q20/40 (20120101)

U.S. Cl.:

CPC G06Q20/355 (20130101); G06Q20/40 (20130101);

Field of Classification Search

CPC: G06Q (20/355); G06Q (20/40)

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
7748616	12/2009	Wong et al.	N/A	N/A
8678288	12/2013	Eng	N/A	N/A
2001/0034717	12/2000	Whitworth	N/A	N/A
2009/0159696	12/2008	Mullen	N/A	N/A
2009/0309701	12/2008	Peled	N/A	N/A
2014/0114779	12/2013	Singhal	N/A	N/A
2021/0027276	12/2020	Wyatt	N/A	N/A
2021/0110391	12/2020	Mullen et al.	N/A	N/A

OTHER PUBLICATIONS

BBVA Launches Aqua, the first card without numbers or a CVV, accessed on Dec. 1, 2021; <https://www.bbva.com/en/es/bbva-launches-aqua-the-first-card-without-numbers-or-a-cvv/>. cited by applicant

Primary Examiner: Trotter; Scott S

Attorney, Agent or Firm: Carstens, Allen & Gourley, LLP

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS (1) This application claims priority to U.S. Provisional Application No. 63/405,794, filed on Sep. 12, 2022, which is hereby incorporated herein by reference in its entirety.

BACKGROUND

Technical Field

(1) The present disclosure relates to credit card security. More particularly, and not by way of limitation, the present disclosure is directed to an apparatus, system, and/or method for a credit card having limited card data.

Description of Related Art

(2) Traditional credit cards provide various ways of communicating transaction data. A first type of credit card utilizes a magnetic strip for swiping through credit card readers, automated teller

machines (ATMs), and other devices that support the present credit card and banking infrastructure. Another type of credit card utilizes a chip having a microprocessor to communicate with credit card readers. Another type of credit card utilizes radio frequencies to wirelessly communicate with credit card readers. However, each of the available credit card types remain susceptible to fraud and/or misappropriation because they display complete information associated with the credit card holder and/or account. It would be advantageous to have an apparatus, system, and/or method for a credit card having limited card data that overcomes the disadvantages of the art. The present disclosure provides such an apparatus, system, and method.

BRIEF SUMMARY

(3) The present disclosure is directed to a transaction card for secure payments. The transaction card includes a personalized indicia displayed on a surface of the transaction card. The user of the transaction card may select the personalized indicia. The transaction card further includes an encoded portion configured to communicate with a transaction card reader. A complete transaction card number associated with the transaction card is stored on the encoded portion.

(4) In another aspect, the present disclosure is directed to a method of manufacturing a secure transaction card. The secure transaction card comprises an encoded portion. The method includes the step of receiving, from a user, a personalized indicia associated with the secure transaction card. The method further includes the step of displaying the personalized indicia on the secure transaction card. The method further includes storing a complete transaction card number on the encoded portion, wherein the encoded portion communicates with a transaction card reader.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

(1) The novel features believed characteristic of the disclosure are set forth in the appended claims. The disclosure itself, however, as well as a preferred mode of use, further objectives and advantages thereof, will be best understood by reference to the following detailed description of illustrative embodiments when read in conjunction with the accompanying drawings, wherein:

(2) FIG. 1A is a front view of a transaction card.

(3) FIG. 1B is a rear view of the transaction card in FIG. 1A.

(4) FIG. 2 is a diagram of an overview of an embodiment of an implementation described herein.

(5) FIG. 3 is a diagram of an environment in which systems and/or methods, described herein, may be implemented.

(6) FIG. 4 is a diagram of example components of one or more devices of FIG. 3.

DETAILED DESCRIPTION

(7) FIGS. 1A-1B illustrates front and rear views of a transaction card **100** for secure payments. The transaction card **100** may be a credit card, debit card, gift card, or any similar financial instrument known in the art. The transaction card **100** may include an encoded portion **110**, **160** an issuer identification **120**, a personalized indicia **140**, and an expiration date **150**. The encoded portion **110**, **160** may be a magnetic strip, a contact chip, and/or a contactless chip. The encoded portion **110**, **160** is configured to communicate with a transaction card reader for payment of goods and/or services. The issuer identification **120** is a marking identifying the name of the financial institution or company issuing the transaction card **100** to a user. The expiration date **150** indicates the date through which the transaction card **100** is valid.

(8) The personalized indicia **140** is displayed on the transaction card **100** and comprises characters such as numbers, letters, symbols, or any combination thereof. The user of the transaction card **100** selects the personalized indicia **140**. While the length of the characters in the personalized indicia **140** may vary from between one to ten characters. In at least one example, the personalized indicia **140** comprises four characters. The personalized indicia **140** may form a portion of the transaction

card number, but only the personalized indicia **140** is displayed on the transaction card **100**. The remaining portion **130** of the transaction card number is not displayed to enhance the security of the transaction card **100**. The complete transaction card number is stored on the encoded portion **110** for communication with the transaction card reader. In at least one example, the transaction card number comprises sixteen digits, with four sets of four digits. The user may select any set of four digits for display as the personalized indicia **140**. In another example, the user can choose any four digits within the sixteen-digit transaction card number for display as the personalized indicia **140**. The encoded portion **110** may also include information relating to the user's name, the issuing bank, expiration date, credit card verification numbers, and type of credit card. The transaction card **100** may also include a card verification value **170** and a user signature block **180** for added security.

(9) It is advantageous to display only the personalized indicia **140** on the transaction card **100** because it decreases the likelihood of fraudulent transactions. Traditional cards display the complete account number and other information on one of the faces of the card, which enables others to misappropriate the card by memorizing or copying the card information. For example, cards are generally presented to servers at restaurants and bars to open a "tab" for the food and drinks that the patron orders. If the server retains the card until the patron closes the tab, the card is susceptible to copying without the patron's knowledge. By displaying only the personalized indicia **140** on the transaction card, another person cannot capture the necessary card information for purchases that do not require presenting the card for payment.

(10) Moreover, the personalized indicia **140** still enables merchants to verify a purchase before approval. For example, a server can compare the receipt corresponding to the user's closed tab and verify that the ending characters match with the characters of the personalized indicia **140**. Other information from the encoded portion **110**, **160** can be compared to the visible information appearing on the face of the card portion to verify the card and purchase. It is also advantageous for the user to select the personalized indicia **140** because the user is more likely to remember the personalized indicia **140** compared to random indicia or the full transaction card number. It is also advantageous in situations where the user has multiple transaction cards because the user is not required to memorize or remember multiple, random indicia.

(11) Another security benefit of the transaction card **100** is the ability for a customer to obtain the remaining portion **130** of the transaction card number. For example, if the customer forgets the remaining portion **130** of the transaction card number, they may request the information by notifying the bank or card issuer. The bank or card issuer will send the information to the customer via a preferred secure notification method which the customer selects when signing up for the transaction card **100**. The secure notification method may include text message, email, app notification, phone call, or other secure notification method.

(12) The process for creating or manufacturing the transaction card **100** involves the user selecting a personalized indicia that will be associated with the transaction card **100**. The personalized indicia **140** selected by the user may form a portion of the number associated with the transaction card **100**. For example, the account number for a transaction card **100** may contain about sixteen characters, with the last three or four characters identifying the user's account number. In configurations where the personalized indicia **140** forms a portion of the transaction card number, the user is selecting the last three or four characters of the transaction card number. Alternatively, the personalized indicia **140** may form an added portion of the transaction card number where the user is selecting three or four characters to add to the transaction card number. Once selected, the personalized indicia **140** is displayed on the transaction card **100**. In one example, the personalized indicia **140** is displayed at a bottom portion of the top surface of the transaction card **100**. In another example, the personalized indicia **140** is displayed at a bottom portion of the bottom surface of the transaction card **100**. The personalized indicia **140** may also be displayed at any other portion of any surface of the transaction card **100**. The complete transaction card number is stored on the encoded portion **110**, **160** of the transaction card **100**. The personalized indicia **140** of

the transaction card **100** may comprise characters such as numbers, letters, symbols, or any combination thereof.

(13) FIG. 2 is a diagram illustrating a simplified transaction process **200** involving the disclosed transaction card. The transaction process **200** involves the user **210** purchasing goods or services from a merchant **220**. The transaction card is swiped, tapped, or inserted into a transaction card reader for sending a credit payment **240** to the merchant **220**. The merchant **220** submits a reimbursement request and the transaction card information **270** to the issuing bank **230**. The issuing bank **230** may include the transaction card issuer. The issuing bank **230** reviews the transaction card information **270** and the available funds in the account associated with the transaction card. The issuing bank **230** validates the transaction card if the transaction card information **270** is verified and the account has sufficient funds for the purchase. Upon receiving a notification that the transaction card information **270** is verified, the merchant **220** provides the purchased goods or services **250**. The issuing bank **230** transmits the requested reimbursement **260** to the merchant when the transaction card is validated. The issuing bank **230** submits an invoice **290** to the user **210** for the accrued charges to the user's account, to which the user **210** submits a payment **280**.

(14) During the transaction process **200**, the complete transaction card number (e.g., account number) is never publicly displayed. Importantly, the complete transaction card number is not provided during the credit payment **240** or the receipt of the goods or services **250**. Instead, transactions **240** and **250** only disclose the personalized indicia of the transaction card. Further, the merchant may verify the credit card by comparing the personalized indicia with the visible account characters on the receipt.

(15) In another embodiment, a user **210** may set a charge limit on the amount that can be charged in a single credit card payment **240**. If the credit card payment **240** exceeds the charge limit, then a charge limit alert will be sent to the user **210**. In at least one example, the alert may be sent to the user **210** via text message, email, app notification, phone call, or other secure notification method. In some embodiments, the alert contains information describing the transaction **250**, the credit payment **240**, the merchant **202**, the time, date, location of the transaction **250**, or other relevant information.

(16) The charge limit alert may ask the user **210** whether the transaction **250** is authorized or not. If the user **210** confirms the transaction **250**, then the transaction process **200** proceeds normally. If the user **210** annuls the transaction **250**, then the bank **230** will decline the merchant's **220** reimbursement request **270**. Declining the merchant's **220** reimbursement request **270** stops the transaction **250** and will prevent the user's **210** account from being charged the credit card payment **240** amount. This technique provides the benefit of stopping fraudulent transactions with the transaction card because the user **210** becomes notified about the transaction **250** from the charge limit alert and must confirm the transaction **250** before the bank **230** sends a reimbursement **260** to the merchant **220**.

(17) In another embodiment, the transaction process **200** does not involve the transaction card, but instead involves the user **210** purchasing goods or services from a merchant **220** online. Instead of swiping, tapping, or inserting the transaction card, the user **210** enters the transaction card number with the merchant's **220** online payment portal to make a purchase. The merchant **220** submits a reimbursement request and the transaction card information **270** to the issuing bank **230**. The user **210** will be sent an online purchase alert regarding the transaction **250**. In at least one example, the alert may be sent to the user **210** via text message, email, app notification, phone call, or other secure notification method. In some embodiments, the alert contains information describing the transaction **250**, the credit payment **240**, the merchant **202**, the time, date, and location of the transaction **250**, or other relevant information. If the user **210** confirms the transaction **250**, then the transaction process **200** proceeds normally. If the user **210** annuls the transaction **250**, then the bank **230** will decline the merchant's **220** reimbursement request **270**. Declining the merchant's **220**

reimbursement request **270** stops the transaction **250** and will prevent the user's **210** account from being charged the credit payment **240** amount.

(18) In yet further embodiments, the user **210** may purchase a monthly subscription from a merchant **220** using the transaction card or the transaction card number online. The merchant **220** submits a reimbursement request and the transaction card information **270** to the issuing bank **230**. The user **210** will be sent a subscription alert regarding the recurring transaction **250**. In at least one example, the alert may be sent to the user **210** via text message, email, app notification, phone call, or other secure notification method. In some embodiments, the alert contains information describing the transaction **250**, the credit payment **240**, the merchant **202**, the time, date, and location of the transaction **250**, or other relevant information. In at least one example, the user **210** will need to provide details about the merchant **220** to confirm the recurring transaction **250**. The user **210** may need to provide the merchant's **220** name, address, phone number, or other information. After the bank **230** receives and verifies the information, the credit payment **240** will be charged every subscription period. The subscription period may be monthly, yearly, or some other fixed period. If the user **210** has set a charge limit on the transaction card, then the subscription credit payment **240** must be less than the charge payment to automatically process at every subscription period. Otherwise, the user **210** will be sent a charge limit alert as described above. If the user **210** annuls the transaction **250**, then the bank **230** will decline the merchant's **220** reimbursement request **270**.

(19) In yet another embodiment, the user **210** may confirm the transaction **250** with the merchant **220** by selecting an option within each alert titled "yes," or some equivalent thereof. The user **210** may annul the transaction **250** with the merchant **220** by selecting an option within each alert titled "no," or some equivalent thereof. In one example, an alert will be sent to the user **210** for every subsequent transaction with the merchant **220**.

(20) FIG. 3 is a diagram illustrating a simplified environment implementing systems and/or methods, described herein. The environment includes a transaction card **310**, a transaction card reader **320**, and an issuing bank platform **340**. As described herein, the transaction card **310** may include an encoded portion and a personalized indicia. The encoded portion stores the complete transaction card number and is configured to communicate with the transaction card reader **320**. The transaction card reader **320** and the issuing bank platform **340** may communicate via a network **330**.

(21) The issuing bank platform **340** may include one or more devices **350** capable of receiving, generating, storing, processing, and/or providing information associated with the transaction card. For example, the issuing bank platform **340** may include a server, a group of servers, and/or the like. In some configurations, the issuing bank platform **340** may be partially or entirely implemented in a cloud computing environment. A cloud computing environment includes an environment that delivers computing as a service, whereby shared resources, services, etc. may be provided to the issuing bank platform **340**.

(22) The number and arrangement of devices and networks shown in FIG. 3 are provided as an example. In practice, there may be additional devices and/or networks, fewer devices and/or networks, different devices and/or networks, or differently arranged devices and/or networks than those shown in FIG. 3. Furthermore, two or more devices shown in FIG. 3 may be implemented within a single device, or a single device shown in FIG. 3 may be implemented as multiple, distributed devices. Additionally, or alternatively, a set of devices (e.g., one or more devices) of the environment may perform one or more functions described as being performed by another set of devices or the environment.

(23) FIG. 4 is an illustration of example components of a device (not pictured) The device may correspond to the transaction card reader and/or the issuing bank platform. In some configurations, the transaction card reader and the issuing bank platform may include one or more devices and/or one or more components of the device. As shown in FIG. 4, the device may include a bus **410**, a

processor **420**, a memory **430**, a storage component **440**, an input component **450**, an output component **460**, and a communication interface **470**.

(24) Bus **410** includes a component that permits communication among the components of the device. Processor **420** is implemented in hardware, firmware, or a combination of hardware and software. The processor **420** is a central processing unit (CPU), a graphics processing unit (GPU), an accelerated processing unit (APU), a microprocessor, a microcontroller, a digital signal processor (DSP), a field-programmable gate array (FPGA), an application-specific integrated circuit (ASIC), or another type of processing component. In some embodiments, the processor **420** includes one or more processors capable of being programmed to perform a function. Memory **430** includes a random access memory (RAM), a read only memory (ROM), and/or another type of dynamic or static storage device (e.g., a flash memory, a magnetic memory, and/or an optical memory) that stores information and/or instructions for use by processor **420**.

(25) Storage component **440** stores information and/or software related to the operation and use of the device. For example, storage component **440** may include a hard disk (e.g., a magnetic disk, an optical disk, a magneto-optic disk, and/or a solid state disk), a compact disc (CD), a digital versatile disc (DVD), a floppy disk, a cartridge, a magnetic tape, and/or another type of non-transitory computer-readable medium, along with a corresponding drive.

(26) Input component **450** includes a component that permits the device to receive information, such as via user input (e.g., a touch screen display, a keyboard, a keypad, a mouse, a button, a switch, and/or a microphone). Additionally, or alternatively, input component **450** may include a sensor for sensing information (e.g., a global positioning system (GPS) component, an accelerometer, a gyroscope, and/or an actuator). Output component **460** includes a component that provides output information from the device (e.g., a display, a speaker, and/or one or more light-emitting diodes (LEDs)).

(27) Communication interface **470** includes a transceiver-like component (e.g., a transceiver and/or a separate receiver and transmitter) that enables the device to communicate with other devices, such as via a wired connection, a wireless connection, or a combination of wired and wireless connections. Communication interface **470** may permit the device to receive information from another device and/or provide information to another device. For example, communication interface **470** may include an Ethernet interface, an optical interface, a coaxial interface, an infrared interface, a radio frequency (RF) interface, a universal serial bus (USB) interface, a Wi-Fi interface, a cellular network interface, or the like.

(28) The device may perform one or more processes described herein. The device may perform these processes based on the processor **420** executing software instructions stored by a non-transitory computer-readable medium, such as memory **430** and/or storage component **440**. A computer-readable medium is defined herein as a non-transitory memory device. A memory device includes memory space within a single physical storage device or memory space spread across multiple physical storage devices.

(29) Software instructions may be read into memory **430** and/or storage component **440** from another computer-readable medium or from another device via communication interface **470**. When executed, software instructions stored in memory **430** and/or storage component **440** may cause processor **420** to perform one or more processes described herein. Additionally, or alternatively, hardwired circuitry may be used in place of or in combination with software instructions to perform one or more processes described herein. Thus, implementations described herein are not limited to any specific combination of hardware circuitry and software.

(30) The number and arrangement of components shown in FIG. 4 are provided as an example. In practice, the device may include additional components, fewer components, different components, or differently arranged components than those shown in FIG. 4. Additionally, or alternatively, a set of components (e.g., one or more components) of the device may perform one or more functions described as being performed by another set of components of the device.

(31) While this disclosure has been particularly shown and described with reference to preferred embodiments, it will be understood by those skilled in the art that various changes in form and detail may be made therein without departing from the spirit and scope of the invention. The inventors expect skilled artisans to employ such variations as appropriate, and the inventors intend the invention to be practiced otherwise than as specifically described herein. Accordingly, this disclosure includes all modifications and equivalents of the subject matter recited in the claims appended hereto as permitted by applicable law. Moreover, any combination of the above-described elements in all possible variations thereof is encompassed by the disclosure unless otherwise indicated herein or otherwise clearly contradicted by context.

(32) While various embodiments in accordance with the principles disclosed herein have been described above, it should be understood that they have been presented by way of example only, and not limitation. Thus, the breadth and scope of this disclosure should not be limited by any of the above-described exemplary embodiments, but should be defined only in accordance with any claims and their equivalents issuing from this disclosure. Furthermore, the above advantages and features are provided in described embodiments, but shall not limit the application of such issued claims to processes and structures accomplishing any or all of the above advantages.

(33) Additionally, the section headings herein are provided for consistency with the suggestions under 37 C.F.R. 1.77 or otherwise to provide organizational cues. These headings shall not limit or characterize the invention(s) set out in any claims that may issue from this disclosure. Specifically, and by way of example, although the headings refer to a “Technical Field,” the claims should not be limited by the language chosen under this heading to describe the so-called field. Further, a description of a technology as background information is not to be construed as an admission that certain technology is prior art to any embodiment(s) in this disclosure. Neither is the “Brief Summary” to be considered as a characterization of the embodiment(s) set forth in issued claims. Furthermore, any reference in this disclosure to “invention” in the singular should not be used to argue that there is only a single point of novelty in this disclosure. Multiple embodiments may be set forth according to the limitations of the multiple claims issuing from this disclosure, and such claims accordingly define the embodiment(s), and their equivalents, that are protected thereby. In all instances, the scope of such claims shall be considered on their own merits in light of this disclosure, but should not be constrained by the headings set forth herein.

Claims

1. A transaction card for secure payments comprising: a personalized indicia displayed on a surface of the transaction card; and an encoded portion configured to communicate with a transaction card reader, wherein a complete transaction card number associated with the transaction card is stored on the encoded portion.
2. The transaction card of claim 1, wherein the personalized indicia consist of numbers.
3. The transaction card of claim 1, wherein the personalized indicia consist of letters.
4. The transaction card of claim 1, wherein the personalized indicia consist of numbers and letters.
5. The transaction card of claim 1, wherein the complete transaction card number includes the personalized indicia.
6. The transaction card of claim 5, wherein when the complete transaction card number is transmitted to the transaction card reader for authorizing a payment, only the personalized indicia is displayed on the transaction card reader.
7. The transaction card of claim 1, wherein a billing address associated with the transaction card is stored on the encoded portion.
8. The transaction card of claim 1, wherein the encoded portion is a magnetic strip, a contact chip, a contactless chip, or any combination thereof.
9. The transaction card of claim 1, wherein the personalized indicia is displayed on a rear surface of

the secure transaction card.

10. The transaction card of claim 1, wherein the personalized indicia is displayed on a front surface of the secure transaction card.

11. A method of manufacturing a transaction card having an encoded portion, the method comprising: receiving, from a user, a personalized indicia associated with the transaction card; displaying the personalized indicia on the transaction card; and storing a complete transaction card number on the encoded portion, wherein the encoded portion communicates with a transaction card reader.

12. The method of claim 11, wherein the personalized indicia consist of numbers.

13. The method of claim 11, wherein the personalized indicia consist of letters.

14. The method of claim 11, wherein the personalized indicia consist of numbers and letters.

15. The method of claim 11, wherein the personalized indicia is displayed on a rear surface of the transaction card.

16. The method of claim 11, wherein the personalized indicia is displayed on a front surface of the transaction card.

17. The method of claim 11, wherein the complete transaction card number includes the personalized indicia.

18. The method of claim 17, wherein when the complete transaction card number is transmitted to the transaction card reader for authorizing a payment, only the personalized indicia is displayed on the transaction card reader.

19. The method of claim 11, wherein a billing address associated with the transaction card is stored on the encoded portion.

20. The method of claim 11, wherein the encoded portion is a magnetic strip, a contact chip, a contactless chip, or any combination thereof.
