

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12412293
Kind Code	B2
Date of Patent	September 09, 2025
Inventor(s)	Mcfarland; Charles

System and method of scoring animals

Abstract

A system includes a smart device, cloud platform, and an application on the smart device. The smart device via the application may communicate with the cloud platform, which in turn, communicates with the smart device. The application allows a user to upload or capture images of antlers, horns, etc. and select the type of animal to be scored. Once the image is selected, it is sent to the cloud platform, where it is broken into separate cropped sections. Each section may contain a tine and one section may contain the main beam. Accordingly, each portion of antler is measured. The completed measurements are then sent to the smart device as a score for the animal.

Inventors:	Mcfarland; Charles (Tremonton, UT)
Applicant:	Mcfarland; Charles (Tremonton, UT)
Family ID:	89576824
Appl. No.:	18/140117
Filed:	April 27, 2023

Prior Publication Data

Document Identifier	Publication Date
US 20240029290 A1	Jan. 25, 2024

Related U.S. Application Data

us-provisional-application US 63391946 20220725

Publication Classification

Int. Cl.: G06T7/62 (20170101); G06F3/04817 (20220101); G06F3/0482 (20130101);
G06V10/74 (20220101); G06V40/10 (20220101)

U.S. Cl.:

CPC **G06T7/62** (20170101); **G06F3/04817** (20130101); **G06F3/0482** (20130101);
G06V10/761 (20220101); **G06V40/10** (20220101); G06T2207/20132 (20130101)

Field of Classification Search

CPC: G06T (7/62); G06V (10/761); G06V (4/10); G06F (3/04817); G06F (3/0482)

USPC: 382/286

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
8483446	12/2012	Demarais	382/110	G06T 7/62
9842277	12/2016	Demarais	N/A	G06V 40/10
10591282	12/2019	Krien	N/A	G06T 7/62
11328822	12/2021	Ellison	N/A	G16H 50/30
2002/0170201	12/2001	Trout et al.	N/A	N/A
2006/0002553	12/2005	Krien	380/245	G01B 11/22
2007/0198115	12/2006	Krien	700/98	G06T 7/62
2009/0135402	12/2008	Krien	382/103	G06T 7/62
2011/0311109	12/2010	Demarais	382/110	G06T 7/0012
2013/0103345	12/2012	Krien	702/155	G06T 7/62
2014/0012861	12/2013	Bradsher	715/753	G06F 16/958
2016/0140706	12/2015	Demarais	382/110	G06T 7/62
2019/0378621	12/2018	Ellison	N/A	G06F 3/011

Primary Examiner: Titcomb; William D

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS (1) This application claims the benefit of U.S. Provisional Application Ser. No. 63/391,946, filed on Jul. 25, 2022, which is incorporated herein by reference.

TECHNICAL FIELD

(1) The present disclosure relates to an animal scoring system. More particularly, the present disclosure relates to a mobile application on a smart device that can measure the size and/or score of animals.

BACKGROUND

(2) Hunting and wildlife observation have been an important part of the world and conservation for many years. Scoring animals based upon their size has helped conservationists to protect animals and promote conservation. Specifically, scoring animals allows conservationists the ability to know the health and genetics of a species in a particular region. Knowing this information leads to informed decisions on the number of animals that may be taken by sportsman, and in some situations, whether or not steps need to be taken to protect the species in that area.

(3) Furthermore, conservation programs are helped by the money received from the numerous scoring systems. The owners of these systems often pay considerable amounts of money to conservation organizations. Scoring animals also helps individuals know the variations in a single species across the country or world. For many, it is exciting to know the size of the animal and to know the potential of harvesting a trophy in a given area based upon scores of other harvested animals in that area. Animals may be scored numerous ways, with scoring typically being uniform for each species. For example, bears may be scored by taking multiple measurement of its skull, while an ungulate, like elk, may be scored by taking multiple measurements of its antlers, including length and mass. These measurements are performed with tape measures for most animals and calipers are often used for bears and mountain lions, when skulls are measured.

(4) There are multiple scoring systems used to measure an animal. Some of these systems include Pope and Young, Boone and Crockett®, and Safari Club International®. These systems focus on different animals and different methods of take. One thing that these scoring systems have in common is that they all require a physical measuring device, such as a tape measure, in order to score an animal. Each of these systems typically include a score sheet so that a user may tally each measurement in order to obtain the gross and net score of the animal. Due to the numerous measurements that have to be made to obtain a score, it is extremely difficult to score animals correctly. Accordingly, many individuals have to rely on official scorers and their expertise to receive an accurate or official score for their animal. This often is time consuming and may become expensive over time.

(5) Accordingly, there is a need for a system and method for scoring animals without the need of a physical measuring device and for a system that allows lay users to obtain accurate scores for their animals. The present invention seeks to solve these and other problems.

SUMMARY OF EXAMPLE EMBODIMENTS

(6) In one embodiment, a system comprises a smart device, a cloud platform, and an application (e.g., mobile or software) on the smart device. The smart device may be a smart phone, tablet, or any other computing device. The smart device may comprise a display, a processor, memory, a camera, and storage. The smart device via the application may communicate with the cloud platform, which in turn, communicates with the smart device. The cloud platform may comprise stored data and other features necessary to operate the application. The application may comprise a main user interface having a user identification icon. The main user interface may comprise images of past antler submissions and their score cards. An addition icon may be present on the main user interface that allows a user to select a target antler to upload to the cloud platform.

(7) Once a user selects the addition icon, a menu may populate that allows a user to choose a photo. In some embodiments, the menu may produce a tab that allows a user to select either to score a single antler or to select a tab that allows a set of antlers to be scored. The menu may also comprise options to choose a left antler from a smart device photo storage system, a right antler from the smart device photo storage system, a capture left antler, and a capture right antler. The capture left and right antlers allows a user to utilize the camera of the smart device to take a photo via the software application instead of uploading an image from the smart device photo storage system. After the image is uploaded or captured, the user may select a score icon that communicates the information to the cloud platform. The score icon may produce a second user interface that allows the user to select the species of the uploaded image.

(8) The application may produce a third user interface screen (e.g., a score card of the antler(s)). The third user interface may show the antler and a score sheet. The score sheet may describe the measurement system of the selected species and the actual measurements of the analyzed antler(s). Accordingly, the score sheet allows a user to know the score of the uploaded or captured image. The software application may be integrated with the native device. As such the application may be native, meaning the application is designed for a specific operating system such as iOS or Android. In some embodiments, the application may be hybrid. In some embodiments, the application may

be a web app.

(9) In one embodiment, a method of scoring an antler via a system and method of scoring animals comprises opening a software application on a smart device. A user may select an addition icon to open up a menu. Selecting from the menu whether to measure a single antler or a set of antlers and whether to access stored images or capture an image via the smart device's camera at step. The user may select a score icon that matches the antler type to its species. This allows a user to send correct information to the cloud platform so as to produce the most correct result. Artificial Intelligence (AI) on the cloud platform analyzes the image and compares it to stored data. The analyzed images with scores are sent to the smart device, where a user may access the information on a third interface via the application.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) FIG. 1 illustrates a smart device of a system and method of scoring animals;
- (2) FIG. 2 illustrates a first, main interface of an application of a system and method of scoring animals;
- (3) FIG. 3 illustrates a menu of an application of a system and method of scoring animals;
- (4) FIG. 4 illustrates a third user interface of an application of a system and method of scoring animals;
- (5) FIG. 5 illustrates a diagram of a system and method of scoring animals;
- (6) FIG. 6 illustrates a front elevation view of a set of antlers of a system and method of scoring animals;
- (7) FIG. 7 illustrates a flowchart of a system and method of scoring animals; and
- (8) FIG. 8 illustrates a diagram of a system and method of scoring animals.

DETAILED DESCRIPTION OF EXAMPLE EMBODIMENTS

(9) While embodiments of the present disclosure may be subject to various modifications and alternative forms, specific embodiments have been shown by way of example in the drawings and will be described in detail herein. However, the present disclosure is not intended to be limited to the particular features, forms, components, etc. disclosed. Rather, the present disclosure will cover all modifications, equivalents, and alternatives falling within the scope of the present disclosure.

(10) Reference to the invention, the present disclosure, or the like are not intended to restrict or limit the invention, the present disclosure, or the like to exact features or steps of any one or more of the exemplary embodiments disclosed herein. References to “one embodiment,” “an embodiment,” “alternate embodiments,” “some embodiments,” and the like, may indicate that the embodiment(s) so described may include a particular feature, structure, or characteristic, but not every embodiment necessarily includes the particular feature, structure, or characteristic.

(11) Any arrangements herein are meant to be illustrative and do not limit the invention's scope. Although specific terms are employed herein, they are used in a generic and descriptive sense only and not for purposes of limitation. Unless otherwise defined herein, such terms are intended to be given their ordinary meaning not inconsistent with that applicable in the relevant industry and without restriction to any specific embodiment hereinafter described.

(12) It will be understood that the steps of any such processes or methods are not limited to being carried out in any particular sequence, arrangement, or with any particular graphics or interface. In fact, the steps of the disclosed processes or methods generally may be carried out in various, different sequences and arrangements while still being in the scope of the present invention. Certain terms are used herein, such as “comprising” and “including,” and similar terms are meant to be “open” and not “closed” terms. These terms should be understood as, for example, “including, but not limited to.”

(13) Portions of the system and method for scoring animals may be implemented wholly in hardware, wholly in software or combining software and hardware implementation that may all generally be referred to herein as a “circuit,” “module,” “component,” or “system.” It will be understood that computer program code for carrying out operations for features of the system and method of scoring animals on a smart device may be written in any programming language, which may include, but is not limited to, Objective-C, C++, C#, VB.NET, Java, Python, “C” programming language, Visual Basic, Perl, COBOL 2002, PHP, ABAP, Python, PHP, HTML, AJAX, or Ruby and Groovy. The program code may operate any portion of the system.

(14) Portions of the system are illustrated in flowcharts and/or block diagrams. These flowcharts and/or block diagrams depict computer and mobile application program products according to embodiments of the system described herein. It will be understood that each block of the flowchart illustrations and/or block diagrams, and combinations of blocks in the flowchart illustrations and/or block diagrams, can be implemented by computer or mobile application program instructions.

(15) As previously described, there is a need for a system and method for scoring animals without the need of a physical measuring device and for a system that allows lay users to obtain accurate scores for their animals. The present invention seeks to solve these and other problems.

(16) Scoring animals to determine their size has been important to hunters and conservationists for years. Various measuring systems have been put in place to score North American animals all the way to African animals. Some of these systems include Pope and Young, Boone and Crockett®, and Safari Club International®. All of these scoring systems have one thing in common: they all require a trained scorer utilizing a physical measuring device, such as a tape measure. That is, the individual scorer needs to fully understand the scoring system and how to properly measure to obtain an accurate score. Due to the limited number of official scorers, it is hard for hunters and conservationists to find individuals to properly score their animals, and quickly score them.

(17) The system and method to score animals described herein comprises a smart device, a cloud platform, and an application (e.g., mobile or software). The smart device may send images of antlers, horns, etc. from the application to the cloud platform. Once the selected image is sent to the cloud platform, the image is then broken into measurable components based on the scoring system and analyzed. The components are then compared to previously stored data relating to all antler sizes (e.g., length and circumference of previously uploaded antlers). Accordingly, the antler in the selected image is given a score and sent to the smart device, where a user can view the information and save it. It will be appreciated that the system herein does not require the use of a physical measuring device (e.g., tape measure) as found in the prior art. Instead of using a tape measure, a user may simply take a photo or use an image in storage of an antler and upload it into the system to produce an accurate score of the antler.

(18) As shown in FIG. 1, in one embodiment, a system **100** comprises a smart device **102**, cloud platform **104** (Shown in FIG. 5), and an application (e.g., mobile or software) **106** on the smart device **102**. The smart device **102** may be a smart phone, tablet, or any other computing device, such as a computer. The smart device **102** may comprise a display **108** (e.g., a touch screen display), a processor **110**, memory **112**, a camera **114**, and storage **115**. The memory **112** may be RAM, such as LPDDR, LPDDR2, LPDDR3, LPDDR4, or any other variation of RAM. The memory **112** may also comprise ROM, such as EPROM or Flash EEPROM.

(19) The smart device **102** via the application **106** may communicate with the cloud platform **104**, which in turn, communicates with the smart device **102**. The cloud platform **104** may comprise information storage (i.e., stored data) and other features necessary to operate the application **106**. For example, the cloud platform may store big game animal scoring data on a server **116** on the cloud (Shown in FIG. 5). The server **116** may comprise the stored data, which may include lengths and circumferences of numerous antlers **117**; lengths and circumferences of numerous horns; and animal body size measurements for a variety of species, skull width and length sizes for, for example, bears and mountain lions. It will also be understood that the stored data may include data

on fish or any other type of species. The cloud platform **104** may also store other information pertinent to scoring big game animals. The cloud platform **104** may comprise the stored data (e.g., information of previously uploaded antlers) so as to compare and score new antler submissions submitted thereto and communicate an accurate score to the smart device **102**. The server **116** on the cloud platform **104** may comprise artificial intelligence (AI) technology that analyzes each submitted photo, whether it is captured via the camera **114** or uploaded from the smart device storage **115**. The AI can analyze each section of the antler to produce a score card as described below.

(20) As shown in FIG. 2, the application **106** may comprise a main user interface **118** having a user identification icon **120** on the display **108**. The user identification icon **120** may allow a user to add personal information, such as a name, address, and/or a personal photo. When accessing the user identification icon, in some embodiments, a user may be able to allow the application **106** to access the GPS of the smart device, thereby allowing a user to mark the location of where the photo of the antler, whether a shed or connected to an animal, was taken. The main user interface **118** may display images of past submitted antlers and their scores that may be accessed. An addition icon **122** may be present on the main user interface **118** that allows a user to select a target antler or capture an image to upload to the cloud platform **104**.

(21) As shown in FIG. 3, once a user selects the addition icon **122**, a photo menu **124** may appear which allows a user to choose a photo. In some embodiments, the photo menu **124** may produce a first tab **126** that allows a user to select to score a single antler or a second tab **128** that allows a user to select a set of antlers to be scored. The photo menu **124** may also comprise options to choose a left antler from the smart device photo storage **115** at first menu icon **130**, a right antler from the smart device photo storage **115** at second menu icon **132**, a capture left antler at third menu icon **134**, and a capture right antler at fourth menu icon **136**. The capture left and right antlers **134**, **136** allows a user to utilize the camera **114** of the smart device **102** to take a photo utilizing the application **106** instead of uploading an image from the smart device photo storage **115**. The camera **114** may be used in any camera mode the smart device **102** may offer, such as portrait or landscape. In some embodiments, the camera mode is set to portrait. In some embodiments, to capture an image, a user places the phone in portrait mode, captures an image of the antler **117** in horizontal framing, and uses a dark-colored background (discussed below). After the image or images are uploaded or captured, the user may select a score icon that communicates the information to the cloud platform **104**. In particular, the score icon may produce a second user interface that allows the user to select the species of the uploaded or captured image. At this point, the smart device **102** communicates with the server **116** the cloud platform **104** and the cloud platform **104**, where the image is analyzed.

(22) As shown in FIG. 4, once the image is analyzed, the application **106** may produce a third user interface screen **138** with a score card **139** (e.g., a score card of the antler(s)). The score card **139** may show the antler and a score sheet. The score sheet may describe the measurement system of the selected species and the actual measurements of the analyzed antler(s). Accordingly, the score sheet **139** allows a user to know the score of the uploaded or captured image.

(23) As illustrated in FIGS. 5-6, the application **106** on the smart device may be configured to communicate with the camera **114** and/or the storage **115** on the smart device **102**. As a user opens the application **106**, the user may take a photo inside the application **106** or may upload a previously saved photo, either one that the user took or stored on storage **115**, by pressing the addition icon **122**, as described above. When taking a photo with the camera **114**, a user may place the antler on a dark-colored background **140** (e.g., black mat) or any other dark background, such as a dark colored rug or asphalt road/driveway. The dark-colored background **140** allows the system **100** to analyze the antler **117**, each tine and the main beam. Once the user selects how to upload a photo of an antler, a user may then upload the selected photo to the cloud platform **104**. The selected photo may be a right or left antler, or in some embodiments, the selected photo may

comprise a matching set of antlers. Artificial intelligence (AI), or other computing systems and software, located on the server **116** on the cloud platform **104** may recognize different antlers, horns, etc. and the species they belong to. At which point, the uploaded photo is cropped from the background **140** shown in the uploaded photo. The AI recognizes each tine of the antler and crops them from the main beam (i.e., the beam where tines extend from) of the antler. More particularly, in one embodiment, the server **116** may comprise numerous AI systems (e.g., ten) where three AI systems are used to classify (determine the species) and crop the antler from the image to be scored. Then multiple other AI systems, or the same, may be dedicated to each measurement group. As an example, there may be an AI system for T1, another AI system for the main beam, and another AI system for the other measurements. In some embodiments, the server **116** may comprise a single AI system to analyze the uploaded or captured antler. The cropped images may then be separated into tine cropped images and a main beam cropped image. The cloud platform **104**, with the server **116**, may then compare the tine cropped images and the main beam cropped image to the stored data **142** (i.e., previously uploaded antler data). After the comparison has occurred, the AI on the server **116** measures the uploaded antler so as to produce a score and/or make a prediction of the length and circumference of the tines in the tine cropped images and the main beam in the main beam cropped image. The measurement/prediction may then be sent from the cloud platform **104** and the server **116** to the smart device **102** to be viewed on the application **106**, more particularly on the score card **139** found on the third user interface **138**. The measurements (i.e., antler score) may then be placed on the score card **139** within the application **106**. Once the score card **139** is produced, the user may be able to view the produced score and then save their score cards to the home screen, storage, or application **106** of the smart device **102**.

(24) FIG. **6** illustrates an example of the antler measurements analyzed by the AI systems. The AI systems analyzes the measurements of the tine cropped images and main beam cropped image. The tines may be counted in ascending order from the bur of the antler (i.e., where the antler attaches to the skull of the animal). The first branch off of the main beam closest to the burr is classified as T1 (Tine one). The following details the measurements of a whitetail deer antler that are measured by AI on the server **116**: T1—tine one, measured from tip to intersection of main beam following the center line of the tine; T2—tine two, measured from tip to intersection of main beam following the center line of the tine; T3—tine three, measured from tip to intersection of main beam following the center line of the tine; T4—tine four, measured from tip to intersection of main beam following the center line of the tine; T5—tine five, measured from tip to intersection of main beam following the center line of the tine; T6—tine six, measured from tip to intersection of main beam following the center line of the tine; T7—tine six, measured from tip to intersection of main beam following the center line of the tine; M1—mass one, circumference of Main Beam taken midway between the Burr and T1; M2—mass two, circumference of main beam taken midway between T1 & T2; M3—mass three, circumference of main beam taken midway between T2 & T3 (if T3 is off main beam); M4—mass four, circumference of Main Beam taken midway between T3 & T4 (if T3 is off main beam). If no T4 is present, the M4 will be measured midway between the T3 and end of Main Beam. The main beam is measured from the end of the burr to the tip of the antler following the center line of the beam. After these measurements are taken, the total score, sum of all above measurements present on antler, is produced. In addition, the score may be categorized by class. In the case of single antler score cards, the class is calculated by $(\text{Total Score} \times 2) + 18''$ inside spread credit. In the case of a set of antlers, score card is calculated by Total Score of Right Antler + Total Score of Left Antler + $18''$ inside spread credit. It will be understood that other species, such as mule deer and elk, may be analyzed in a similar manner.

(25) The application **106** may be integrated with the native device. As such the application **106** may be native, meaning the application **106** is designed for a specific operating system such as iOS or Android. In some embodiments, the software application **106** may be hybrid. In some embodiments, the application **106** may be a web app.

(26) In one embodiment, as shown in FIG. 7, a method of scoring an antler via a system and method of scoring animals **200** comprises opening an application on a smart device at step **202**. At step **204**, a user may select an addition icon to open up a menu. Selecting from the menu whether to measure a single antler or a set of antlers and whether to access stored images or capture an image via the smart device's camera at step **206**. At step **208**, the user may select a score icon that matches the antler type to its species. This allows a user to send correct information to be analyzed on the cloud platform and the server so as to produce the most accurate result. At step **210**, AI on the cloud platform analyzes the image and compares it to stored data. That is, data that includes numerous antler measurements. At step **212**, the analyzed images with scores are sent to the smart device, where a user may access the information on a third interface via the software application.

(27) FIG. 8. illustrates a diagram of a system of scoring animals **300** comprising a smart device **302** with a mobile application **304**. The mobile application **304** may comprise all features described in the mobile application described in the above embodiments. The mobile application **304** may comprise a function that allows users to upload a video of a scorable object, such as an antler, deadhead, fish, or any other type of game animal. Then the scorable object may be converted into a three-dimensional image that is viewable in augmented reality. More particularly, a user may upload a short 360-degree video of the scorable object. At this point, the image processing engine captures a series of photos throughout the videos. The series of photos may include 100-200 images. However, in some embodiments, more or less than 100-200 images may be used. These images are then passed through a three-dimensional reconstruction software (e.g., Meshroom) which helps reconstruct the three-dimensional object based off of the series of photos. To use Meshroom, we need to provide it with a set of images that capture the object or scene from different viewpoints. Meshroom then uses a series of algorithms to extract information from these images and construct a 3D model. The process involves several steps, including feature extraction, camera calibration, 3D point cloud generation, and surface reconstruction. After this occurs, a user may view the three-dimensional scorable object and rotate the object in augmented reality. In particular, the three-dimensional object is viewable within the augmented reality viewer on the smart device **302**. The augmented reality viewer may scale the three-dimensional object as well as allow a user to rotate the object to view from any angle. The three-dimensional object may be set at 100% scale or, in other words, to the actual size of the scorable object. The three-dimensional objects may then be shared within the mobile application **304**. In some embodiments, the three-dimensional image may be shared to a social media page where other users, having the mobile application, can view the scorable object in their augmented-reality viewer via the mobile application **304**.

(28) It will be understood that while various embodiments have been disclosed herein, other embodiments are contemplated. Further, systems and/or methods according to certain embodiments of the present disclosure may include, incorporate, or otherwise comprise properties or features described in other embodiments. Consequently, various features of certain embodiments can be compatible with, combined with, included in, and/or incorporated into other embodiments of the present disclosure. Therefore, disclosure of certain features or components relative to a specific embodiment of the present disclosure should not be construed as limiting the application or inclusion of said features or components to the specific embodiment unless stated. As such, other embodiments can also include said features, components, members, elements, parts, and/or portions without necessarily departing from the scope of the present disclosure.

(29) The embodiments described herein are examples of the present disclosure. Accordingly, unless a feature or component is described as requiring another feature or component in combination therewith, any feature herein may be combined with any other feature of a same or different embodiment disclosed herein. Although only a few of the example embodiments have been described in detail herein, those skilled in the art will appreciate that modifications are possible

without materially departing from the present disclosure described herein. Accordingly, all modifications may be included within the scope of this invention.

Claims

1. A system for measuring antler size comprising: a smart device that captures and stores, in a memory, images of one or more antlers, the smart device comprising a mobile application and a camera; a cloud platform; the mobile application comprising a main user interface; the mobile application programmed to: capture an image with the camera of an antler or set of antlers or upload a stored image of an antler or set of antlers; provide a score icon that produces a second user interface that includes options for one or more species to be selected; communicate with and send either the captured image or the stored image to the cloud platform, the cloud platform programmed to analyze and compare the captured image or the stored image to stored data, the cloud platform sends a score card to the mobile application; produce a third user interface that comprises the score card that describes antler measurements of the captured image or the stored image; and save the score card to the main user interface.
2. The system for measuring antler size of claim 1, wherein the smart device comprises a touchscreen display, one or more processors, one or memories, and storage.
3. The system for measuring antler size of claim 1, wherein the main user interface comprises a user identification icon and an addition icon that allows access to images of one or more antlers stored on the smart device.
4. The system for measuring antler size of claim 1, wherein the cloud platform comprises a server.
5. The system for measuring antler size of claim 4, wherein in response to receiving either the captured image or stored image, software on the server crops the uploaded photo from a dark-colored background, a main beam and each tine of the antler is recognized and cropped from the main beam, tine cropped images and a main beam cropped image is produced, and all cropped images are then compared to stored data on the cloud platform to produce length and circumference measurements.
6. The system for measuring antler size of claim 4, wherein the server comprises artificial intelligence to analyze the captured image or stored image.
7. The system for measuring antler size of claim 1, wherein the smart device comprises a smart phone or a tablet.
8. The system for measuring antler size of claim 1, wherein the smart device is set to capture images of the antler or set of antlers in portrait mode.
9. The system for measuring antler size of claim 1, wherein the mobile application further comprises a photo menu that includes a first tab that provides a user an option to select to score the single antler and a second tab that provides the user to select the set of antlers to be scored.
10. The system for measuring antler size of claim 9, wherein the photo menu further allows the user to choose between a first menu icon, the stored image of a left antler; a second menu icon, the stored image of a right antler; a third menu icon, capture the image of a left antler; or a fourth menu icon, capture the image of a right antler.
11. The system for measuring antler size of claim 1, wherein the main user interface displays images of past score cards that may be accessed.
12. The system for measuring antler size of claim 1, further comprising a dark-colored background where the antler or set of antlers is placed prior to capturing the image.
13. A system for measuring antler size comprising: a smart device that captures and stores images of one or more antlers, the smart device comprising a display, a processor, memory, a camera, storage, and a mobile application; a cloud platform comprising a server; a dark-colored background that receives the one or more antlers; the mobile application comprising a main user interface having a user identification icon and an addition icon that allows access to images of one or more

antlers stored on the smart device; the mobile application programmed to: capture an image with the camera in portrait mode of an antler or set of antlers or upload a stored image of an antler or set of antlers; select a score icon that produces a second user interface that includes options for one or more species; communicate with and send either the captured image or the stored image to the server on the cloud platform, the server programmed to analyze and compare the captured image or the stored image to stored data based upon selected species and send a score card to the mobile application; produce a third user interface that comprises the score card that describes antler measurements of the captured image or the stored image.

14. The system for measuring antler size of claim 13, wherein the mobile application further comprises a photo menu that includes a first tab that provides a user to select to score a single antler and a second tab that provides the user to select a set of antlers to be scored.

15. The system for measuring antler size of claim 14, wherein the photo menu further allows the user to choose between a first menu icon, the stored image of a left antler; a second menu icon, choose the stored image of a right antler; a third menu icon, capture the image of a left antler; or a fourth menu icon, capture the image of a right antler.

16. The system for measuring antler size of claim 13, wherein the main user interface displays images of past score cards that may be accessed.

17. The system for measuring antler size of claim 13, wherein the dark-colored background where the antler is placed prior to capturing the image comprises a black mat.

18. The system for measuring antler size of claim 13, wherein in response to receiving either the captured image or stored image, software on the server crops the uploaded photo from the dark-colored background.

19. The system for measuring antler size of claim 13, wherein in response to receiving either the captured image or stored image, software on the server crops a main beam and each tine of the antler from the main beam, which produces tine cropped images and a main beam cropped image, all cropped images are then compared to stored data on the cloud platform to produce length and circumference measurements.

20. The system for measuring antler size of claim 13, wherein the server comprises artificial intelligence to analyze the captured image or stored image.
