



US012389740B2

(12) **United States Patent**
Park et al.(10) **Patent No.:** **US 12,389,740 B2**(45) **Date of Patent:** **Aug. 12, 2025**(54) **ORGANOMETALLIC COMPOUND,
ORGANIC LIGHT-EMITTING DEVICE
INCLUDING THE SAME, AND ELECTRONIC
APPARATUS INCLUDING THE ORGANIC
LIGHT-EMITTING DEVICE**(71) Applicant: **Samsung Electronics Co., Ltd.,**
Suwon-si (KR)(72) Inventors: **Bumwoo Park**, Yongin-si (KR); **Ohyun
Kwon**, Seoul (KR); **Virendra Kumar
Rai**, Hwaseong-si (KR); **Soyeon Kim**,
Seoul (KR); **Yongsuk Cho**,
Hwaseong-si (KR); **Byoungki Choi**,
Hwaseong-si (KR); **Jongwon Choi**,
Yongin-si (KR)(73) Assignee: **SAMSUNG ELECTRONICS CO.,
LTD.**, Gyeonggi-Do (KR)(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 833 days.(21) Appl. No.: **17/685,741**(22) Filed: **Mar. 3, 2022**(65) **Prior Publication Data**

US 2023/0022068 A1 Jan. 26, 2023

(30) **Foreign Application Priority Data**

Jun. 11, 2021 (KR) 10-2021-0076330

(51) **Int. Cl.**
H10K 85/30 (2023.01)
C07F 15/00 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H10K 50/11** (2023.02); **C07F 15/0033**
(2013.01); **C09K 11/06** (2013.01);
(Continued)(58) **Field of Classification Search**
None
See application file for complete search history.(56) **References Cited****U.S. PATENT DOCUMENTS**6,465,115 B2 10/2002 Shi et al.
6,596,415 B2 7/2003 Shi et al.

(Continued)

FOREIGN PATENT DOCUMENTSCN 1696137 A 11/2005
CN 111690015 A * 9/2020 C07F 15/0033

(Continued)

OTHER PUBLICATIONSOffice Action issued Jan. 27, 2025 of KR Patent Application No.
10-2021-0076330.


(Continued)

Primary Examiner — Robert S Loewe(74) *Attorney, Agent, or Firm* — CANTOR COLBURN
LLP(57) **ABSTRACT**


An organometallic compound, represented by Formula 1:

 $M_1(Ln_1)_{n1}(Ln_2)_{n2}$ Formula 1wherein, in Formula 1, M_1 is a transition metal, Ln_1 is a
ligand represented by Formula 1-1, Ln_2 is a ligand repre-
sented by Formula 2-1 or 2-2, $n1$ is 1 or 2, and $n2$ is 1 or 2:


Formula 1-1



Formula 2-1



Formula 2-2

wherein, in Formulae 1-1, 2-1, and 2-2, CY_1 , X_{21} to X_{28} ,
 X_{31} , X_{32} , R_{10} , R_{31} to R_{37} , R_{41} to R_{44} , and $b10$ are as
defined herein, and * and *' each indicates a binding
site to M_1 .**20 Claims, 1 Drawing Sheet**

(51) **Int. Cl.**

C09K 11/06 (2006.01)
H10K 50/11 (2023.01)
H10K 101/10 (2023.01)
H10K 101/30 (2023.01)

(52) **U.S. Cl.**

CPC *C09K 2211/1044* (2013.01); *C09K 2211/185* (2013.01); *H10K 2101/10* (2023.02);
H10K 2101/30 (2023.02)

(56)

References Cited

U.S. PATENT DOCUMENTS

2001/0019782 A1 9/2001 Igarashi et al.
 2004/0239237 A1* 12/2004 Matsusue H05B 33/14
 313/504
 2012/0068165 A1 3/2012 Hayashi
 2016/0164012 A1 6/2016 Lee et al.
 2019/0214582 A1* 7/2019 Thompson C07F 7/0812
 2019/0252619 A1 8/2019 Tsai et al.
 2020/0087334 A1* 3/2020 Ji H10K 85/40
 2020/0308205 A1 10/2020 Lee et al.
 2022/0185834 A1 6/2022 Kwon et al.

FOREIGN PATENT DOCUMENTS

CN 112759617 A * 5/2021 C07F 15/0033
 JP 2007169474 A * 7/2007 C09K 11/06
 JP 2010278354 A 12/2010
 JP 5305637 B2 * 10/2013 C07C 17/14
 KR 1020200115240 A 10/2020
 WO 2008044723 A1 4/2008

OTHER PUBLICATIONS

Chunyu Shang et al., "Quantum chemistry investigation on the photophysical properties of phosphorescent iridium(III) complexes with modified cyclometalating ligands," Polyhedron, Dec. 17, 2015, pp. 186-191, vol. 105.

M. A. Baldo et al., "Highly efficient phosphorescent emission from organic electroluminescent devices," Nature, Sep. 10, 1998, pp. 151-154, vol. 395.

M. A. Baldo et al., "Very high-efficiency green organic light-emitting devices based on electrophosphorescence," Applied Physics Letters, May 10, 1999, pp. 4-6, vol. 75, No. 1.

Qin Wang et al., "Effects of charged self-assembled quantum dots on two-dimensional quantum transport," Applied Physics Letters, Feb. 1, 2000, pp. 1704-1706, vol. 76, No. 13.


Raymond C. Kwong et al., "High operational stability of electrophosphorescent devices," Applied Physics Letters, Apr. 30, 2002, pp. 162-164, vol. 81, No. 1.

Sergey Lamansky et al., "Highly Phosphorescent Bis-Cyclometalated Iridium Complexes: Synthesis, Photophysical Characterization, and Use in Organic Light Emitting Diodes," J. Am. Chem. Soc., 2001, pp. 4304-4312, vol. 123.

Sergey Lamansky et al., "Synthesis and Characterization of Phosphorescent Cyclometalated Iridium Complexes," Inorg. Chem., 2001, pp. 1704-1711, vol. 40.

Xiaohong Shang et al., "DFT/TDDFT study on the electronic structures and optoelectronic properties of a series of iridium(III) complexes based on quinoline derivatives in OLEDs," J. Phys. Org. Chem., Jul. 11, 2013, pp. 784-790, vol. 26.

* cited by examiner



**ORGANOMETALLIC COMPOUND,
ORGANIC LIGHT-EMITTING DEVICE
INCLUDING THE SAME, AND ELECTRONIC
APPARATUS INCLUDING THE ORGANIC
LIGHT-EMITTING DEVICE**

CROSS-REFERENCE TO RELATED
APPLICATION

This application claims priority to Korean Patent Application No. 10-2021-0076330, filed on Jun. 11, 2021, in the Korean Intellectual Property Office, and all benefits accruing therefrom under 35 U.S.C. § 119, the content of which is incorporated by reference herein in its entirety.

BACKGROUND

1. Field

The present disclosure relates to organometallic compounds, organic light-emitting devices including the same, and electronic apparatuses including the organic light-emitting devices.

2. Description of the Related Art

Organic light-emitting devices (OLEDs) are self-emissive devices, which have improved characteristics in terms of viewing angles, response time, luminance, driving voltage, and response speed. OLEDs are useful for producing full-color images.


In an example, an organic light-emitting device includes an anode, a cathode, and an organic layer that is arranged between the anode and the cathode and includes an emission layer. A hole transport region may be arranged between the anode and the emission layer, and an electron transport region may be arranged between the emission layer and the cathode. Holes provided from the anode may move toward the emission layer through the hole transport region, and electrons provided from the cathode may move toward the emission layer through the electron transport region. The holes and the electrons recombine in the emission layer to produce excitons. These excitons transition from an excited state to a ground state, thereby generating light.

SUMMARY

Provided are organometallic compounds, organic light-emitting devices including the same, and electronic apparatuses including the organic light-emitting devices.

Additional aspects will be set forth in part in the detailed description which follows, and, in part, will be apparent from the detailed description, or may be learned by practice of the presented exemplary embodiments.

According to an aspect, provided is an organometallic compound represented by Formula 1:



Formula 1

In Formula 1,

M_1 is a transition metal,


Ln_1 is a ligand represented by Formula 1-1,

Ln_2 is a ligand represented by Formula 2-1 or 2-2,


n_1 is 1 or 2,

n_2 is 1 or 2,


Formula 1-1



Formula 2-1



Formula 2-2



wherein, in Formulae 1-1, 2-1, and 2-2,

each bond between a $*-N$ moiety in Formula 1-1 and M_1 is a coordinate bond, and each bond between a $*-C$ moiety and M_1 is a covalent bond,

each bond between a $*-X_{31}$ moiety in Formula 2-1 and M_1 in Formula 1 is a coordinate bond, each bond between a $*-X_{32}$ moiety in Formula 2-1 and M_1 in Formula 1 is a covalent bond, each bond between a $*-O$ moiety in Formula 2-2 and M_1 in Formula 1 is a covalent bond, and each bond between a $*-N$ moiety in Formula 2-2 and M_1 in Formula 1 is a coordinate bond,

CY_1 is a quinoline group, an isoquinoline group, a benzoquinoline group, or a benzoisoquinoline group,

X_{21} is N or C(R_{21}), X_{22} is N or C(R_{22}), X_{23} is N or C(R_{23}), X_{24} is N or C(R_{24}), X_{25} is N or C(R_{25}), X_{26} is N or C(R_{26}), X_{27} is N or C(R_{27}), and X_{28} is N or C(R_{28}),

at least one of X_{21} to X_{28} is N,

X_{31} and X_{32} are each independently O or S,

R_{10} , R_{21} to R_{28} , R_{31} to R_{37} , and R_{41} to R_{44} are each independently hydrogen, deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1-C_{60} alkyl group, a substituted or unsubstituted C_2-C_{60} alkenyl group, a substituted or unsubstituted C_2-C_{60} alkynyl group, a substituted or unsubstituted C_1-C_{60} alkoxy group, a substituted or

3

unsubstituted C₁-C₆₀ alkylthio group, a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₂-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₇-C₆₀ alkyl aryl group, a substituted or unsubstituted C₇-C₆₀ aryl alkyl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted C₂-C₆₀ alkyl heteroaryl group, a substituted or unsubstituted C₂-C₆₀ heteroaryl alkyl group, a substituted or unsubstituted C₁-C₆₀ heteroaryloxy group, a substituted or unsubstituted C₁-C₆₀ heteroarylthio group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, —Si(Q₁)(Q₂)(Q₃), —Ge(Q₁)(Q₂)(Q₃), —N(Q₄)(Q₅), —B(Q₆)(Q₇), —P(Q₈)(Q₉), or —P(=O)(Q₈)(Q₉),

two or more of R₁₀(s) may optionally be linked together to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

two or more of R₂₁ to R₂₈ may optionally be linked together to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

two or more of R₃₁ to R₃₇ may optionally be linked together to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

two or more of R₄₁ to R₄₄ may optionally be linked together to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

neighboring two or more of R₁₀, R₂₁ to R₂₈, R₃₁ to R₃₇, and R₄₁ to R₄₄ may optionally be linked to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

b10 may be 1, 2, 3, 4, 5, 6, 7, or 8,

* and *' each indicate a binding site M₁,

at least one substituent of the substituted C₁-C₆₀ alkyl group, the substituted C₂-C₆₀ alkenyl group, the substituted C₂-C₆₀ alkynyl group, the substituted C₁-C₆₀ alkoxy group, the substituted C₁-C₆₀ alkylthio group, the substituted C₃-C₁₀ cycloalkyl group, the substituted C₁-C₁₀ heterocycloalkyl group, the substituted C₃-C₁₀ cycloalkenyl group, the substituted C₁-C₁₀ heterocycloalkenyl group, the substituted C₆-C₆₀ aryl group, the substituted C₇-C₆₀ alkyl aryl group, the substituted C₇-C₆₀ aryl alkyl group, the substituted C₆-C₆₀ aryloxy group, the substituted C₆-C₆₀ arylthio group, the substituted C₁-C₆₀ heteroaryl group, the substituted C₂-C₆₀ alkyl heteroaryl group, the substituted C₂-C₆₀ heteroaryl alkyl group, the substituted C₁-C₆₀ heteroaryloxy group, the substituted C₁-C₆₀ heteroarylthio group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group is: deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, or a C₁-C₆₀ alkylthio group;

4

group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, or a C₁-C₆₀ alkylthio group;

a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, or a C₁-C₆₀ alkylthio group, each substituted with deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₇-C₆₀ alkyl aryl group, a C₇-C₆₀ aryl alkyl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ alkyl heteroaryl group, a C₂-C₆₀ heteroaryl alkyl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —Si(Q₁₁)(Q₁₂)(Q₁₃), —Ge(Q₁₁)(Q₁₂)(Q₁₃), —N(Q₁₄)(Q₁₅), —B(Q₁₆)(Q₁₇), —P(Q₁₈)(Q₁₉), —P(=O)(Q₁₈)(Q₁₉), or a combination thereof;

a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₇-C₆₀ alkyl aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ alkyl heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group;

a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₇-C₆₀ alkyl aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ alkyl heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one of deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₁-C₆₀ alkylthio group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₇-C₆₀ alkyl aryl group, a C₇-C₆₀ aryl alkyl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ alkyl heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —Si(Q₂₁)(Q₂₂)(Q₂₃), —Ge(Q₂₁)(Q₂₂)(Q₂₃), —N(Q₂₄)(Q₂₅), —B(Q₂₆)(Q₂₇), —P(Q₂₈)(Q₂₉), —P(=O)(Q₂₈)(Q₂₉), or a combination thereof; or

5

—Si(Q₃₁)(Q₃₂)(Q₃₃), —Ge(Q₃₁)(Q₃₂)(Q₃₃), —N(Q₃₄)(Q₃₅), —B(Q₃₆)(Q₃₇), —P(Q₃₈)(Q₃₉), or —P(=O)(Q₃₈)(Q₃₉), or

Q₁ to Q₉, Q₁₁ to Q₁₉, Q₂₁ to Q₂₉, and Q₃₁ to Q₃₉ are each independently hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C₁-C₆₀ alkyl group, a substituted or unsubstituted C₂-C₆₀ alkenyl group, a substituted or unsubstituted C₂-C₆₀ alkynyl group, a substituted or unsubstituted C₁-C₆₀ alkoxy group, a substituted or unsubstituted C₁-C₆₀ alkylthio group, a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₇-C₆₀ alkyl aryl group, a substituted or unsubstituted C₇-C₆₀ aryl alkyl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted C₂-C₆₀ alkyl heteroaryl group, a substituted or unsubstituted C₂-C₆₀ heteroaryl alkyl group, a substituted or unsubstituted C₁-C₆₀ heteroaryloxy group, a substituted or unsubstituted C₁-C₆₀ heteroarylthio group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, or a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group.

According to another aspect, provided is an organic light-emitting device including: a first electrode; a second electrode; and an organic layer that is arranged between the first electrode and the second electrode, wherein the organic layer includes an emission layer, and wherein the organic layer further includes at least one organometallic compound.

The at least one organometallic compound may be included in the emission layer of the organic layer, and in this regard, may act as a dopant.

According to still another aspect, provided is an electronic apparatus including the organic light-emitting device.

BRIEF DESCRIPTION OF THE DRAWING

The above and other aspects, features, and advantages of certain exemplary embodiments will be more apparent from the following detailed description taken in conjunction with FIGURE, which shows a schematic cross-sectional view of an organic light-emitting device according to one or more embodiments.

DETAILED DESCRIPTION

Reference will now be made in detail to embodiments, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to like elements throughout the specification. In this regard, the present embodiments may have different forms and should not be construed as being limited to the descriptions set forth herein. Accordingly, the embodiments are merely described below, by referring to the figures, to explain aspects. As used herein, the term “and/or” includes any and all combinations of one or more of the associated listed items. Expressions such as “at least one of,” when preceding a list of elements,

6

modify the entire list of elements and do not modify the individual elements of the list.

The terminology used herein is for the purpose of describing one or more exemplary embodiments only and is not intended to be limiting. As used herein, the singular forms “a,” “an,” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise. The term “or” means “and/or.” It will be further understood that the terms “comprises” and/or “comprising,” or “includes” and/or “including” when used in this specification, specify the presence of stated features, regions, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, regions, integers, steps, operations, elements, components, and/or groups thereof.

It will be understood that, although the terms first, second, third etc. may be used herein to describe various elements, components, regions, layers, and/or sections, these elements, components, regions, layers, and/or sections should not be limited by these terms. These terms are only used to distinguish one element, component, region, layer, or section from another element, component, region, layer, or section. Thus, a first element, component, region, layer, or section discussed below could be termed a second element, component, region, layer, or section without departing from the teachings of the present embodiments.

Exemplary embodiments are described herein with reference to cross section illustrations that are schematic illustrations of idealized embodiments. As such, variations from the shapes of the illustrations as a result, for example, of manufacturing techniques and/or tolerances, are to be expected. Thus, embodiments described herein should not be construed as limited to the particular shapes of regions as illustrated herein but are to include deviations in shapes that result, for example, from manufacturing. For example, a region illustrated or described as flat may, typically, have rough and/or nonlinear features. Moreover, sharp angles that are illustrated may be rounded. Thus, the regions illustrated in the figures are schematic in nature and their shapes are not intended to illustrate the precise shape of a region and are not intended to limit the scope of the present claims.


It will be understood that when an element is referred to as being “on” another element, it can be directly in contact with the other element or intervening elements may be present therebetween. In contrast, when an element is referred to as being “directly on” another element, there are no intervening elements present.

Unless otherwise defined, all terms (including technical and scientific terms) used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this general inventive concept belongs. It will be further understood that terms, such as those defined in commonly used dictionaries, should be interpreted as having a meaning that is consistent with their meaning in the context of the relevant art and the present disclosure, and will not be interpreted in an idealized or overly formal sense unless expressly so defined herein.

“About” or “approximately” as used herein is inclusive of the stated value and means within an acceptable range of deviation for the particular value as determined by one of ordinary skill in the art, considering the measurement in question and the error associated with measurement of the particular quantity (i.e., the limitations of the measurement system). For example, “about” can mean within one or more standard deviations, or within ±30%, 20%, 10%, 5% of the stated value.

7

An aspect provides an organometallic compound represented by Formula 1:



Formula 1

In Formula 1, M_1 is a transition metal.

In one or more embodiments, M_1 in Formula 1 may be a first-row transition metal of the Periodic Table of Elements, a second-row transition metal of the Periodic Table of Elements, or a third-row transition metal of the Periodic Table of Elements.

In one or more embodiments, M_1 in Formula 1 may be iridium (Ir), platinum (Pt), osmium (Os), titanium (Ti), zirconium (Zr), hafnium (Hf), europium (Eu), terbium (Tb), thulium (Tm), rhodium (Rh), palladium (Pd), or gold (Au). In one or more embodiments, M_1 in Formula 1 may be iridium (Ir), platinum (Pt), osmium (Os), titanium (Ti), zirconium (Zr), hafnium (Hf), europium (Eu), terbium (Tb), thulium (Tm), or rhodium (Rh).

In one or more embodiments, M_1 in Formula 1 may be Ir, Os, Pt, Pd, or Au.


In one or more embodiments, M_1 in Formula 1 may be Ir.

In Formula 1, n_1 is 1 or 2.

In Formula 1, n_2 is 1 or 2.

In one or more embodiments, M_1 in Formula 1 may be Ir, and the sum of n_1 and n_2 may be equal to 3.

In Formula 1, Ln_1 is a ligand represented by Formula 1-1:




Formula 1-1

wherein, each bond between a $*-N$ moiety in Formula 1-1 and M_1 in Formula 1 is a coordinate bond, and each bond between a $*-C$ moiety in Formula 1-1 and M_1 in Formula 1 is a covalent bond.

CY_1 in Formula 1-1 is a quinoline group, an isoquinoline group, a benzoquinoline group, or a benzoisoquinoline group.

In one or more embodiments, CY_1 in Formula 1-1 may be a group represented by one of Formulae 3-1 to 3-12:



3-1


60

65


8

-continued


3-2




3-3




3-4









3-5





3-6





In Formula 1, Ln_2 is a ligand represented by Formula 2-1 or 2-2:



In Formulae 1-1, 2-1, and 2-2, R₁₀, R₂₁ to R₂₈, R₃₁ to R₃₇, and R₄₁ to R₄₄ are each independently hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a

11

nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_1 - C_{60} alkylthio group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_2 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_7 - C_{60} alkyl aryl group, a substituted or unsubstituted C_7 - C_{60} aryl alkyl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_1 - C_{60} heteroaryl group, a substituted or unsubstituted C_2 - C_{60} alkyl heteroaryl group, a substituted or unsubstituted C_2 - C_{60} heteroaryl alkyl group, a substituted or unsubstituted C_1 - C_{60} heteroaryloxy group, a substituted or unsubstituted C_1 - C_{60} heteroarylthio group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, $-\text{Si}(\text{Q}_1)(\text{Q}_2)(\text{Q}_3)$, $-\text{Ge}(\text{Q}_1)(\text{Q}_2)(\text{Q}_3)$, $-\text{N}(\text{Q}_4)(\text{Q}_5)$, $-\text{B}(\text{Q}_6)(\text{Q}_7)$, $-\text{P}(\text{Q}_8)(\text{Q}_9)$, or $-\text{P}(\text{O})(\text{Q}_8)(\text{Q}_9)$.

In one or more embodiments, R_{10} , R_{21} to R_{28} , R_{31} to R_{37} , and R_{41} to R_{44} may each independently be:

hydrogen, deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, $-\text{SF}_5$, a C_1 - C_{20} alkyl group, a C_2 - C_{20} alkenyl group, a C_1 - C_{20} alkoxy group, or a C_1 - C_{20} alkylthio group;

a C_1 - C_{20} alkyl group, a C_2 - C_{20} alkenyl group, a C_1 - C_{20} alkoxy group, or a C_1 - C_{20} alkylthio group, each substituted with at least one of deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, $-\text{CD}_3$, $-\text{CD}_2\text{H}$, $-\text{CDH}_2$, $-\text{CF}_3$, $-\text{CF}_2\text{H}$, $-\text{CFH}_2$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group (bicyclo[2.2.1]heptyl group), a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a bicyclo[1.1.1]pentyl group, a bicyclo[2.1.1]hexyl group, a bicyclo[2.2.2]octyl group, a (C_1 - C_{20} alkyl)cyclopentyl group, a (C_1 - C_{20} alkyl)cyclohexyl group, a (C_1 - C_{20} alkyl)cycloheptyl group, a (C_1 - C_{20} alkyl)cyclooctyl group, a (C_1 - C_{20} alkyl)adamantanyl group, a (C_1 - C_{20} alkyl)norbornanyl group, a (C_1 - C_{20} alkyl)norbornenyl group, a (C_1 - C_{20} alkyl)cyclopentenyl group, a (C_1 - C_{20} alkyl)cyclohexenyl group, a (C_1 - C_{20} alkyl)cycloheptenyl group, a (C_1 - C_{20} alkyl)bicyclo[1.1.1]pentyl group, a (C_1 - C_{20} alkyl)bicyclo[2.1.1]hexyl group, a (C_1 - C_{20} alkyl)bicyclo[2.2.2]octyl group, a phenyl group, a (C_1 - C_{20} alkyl)phenyl group, a biphenyl group, a terphenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, or a combination thereof;














a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a

12

norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a bicyclo[1.1.1]pentyl group, a bicyclo[2.1.1]hexyl group, a bicyclo[2.2.2]octyl group, a phenyl group, a (C_1 - C_{20} alkyl)phenyl group, a biphenyl group, a terphenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuran group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, an azacarbazolyl group, an azadibenzofuran group, or an azadibenzothiophenyl group, each unsubstituted or substituted with at least one of deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, $-\text{CD}_3$, $-\text{CD}_2\text{H}$, $-\text{CDH}_2$, $-\text{CF}_3$, $-\text{CF}_2\text{H}$, $-\text{CFH}_2$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a deuterated C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a C_1 - C_{20} alkylthio group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a bicyclo[1.1.1]pentyl group, a bicyclo[2.1.1]hexyl group, a bicyclo[2.2.2]octyl group, a (C_1 - C_{20} alkyl)cyclopentyl group, a (C_1 - C_{20} alkyl)cyclohexyl group, a (C_1 - C_{20} alkyl)cycloheptyl group, a (C_1 - C_{20} alkyl)cyclooctyl group, a (C_1 - C_{20} alkyl)adamantanyl group, a (C_1 - C_{20} alkyl)norbornanyl group, a (C_1 - C_{20} alkyl)norbornenyl group, a (C_1 - C_{20} alkyl)cyclopentenyl group, a (C_1 - C_{20} alkyl)cyclohexenyl group, a (C_1 - C_{20} alkyl)cycloheptenyl group, a (C_1 - C_{20} alkyl)bicyclo[1.1.1]pentyl group, a (C_1 - C_{20} alkyl)bicyclo[2.1.1]hexyl group, a (C_1 - C_{20} alkyl)bicyclo[2.2.2]octyl group, a phenyl group, a (C_1 - C_{20} alkyl)phenyl group, a biphenyl group, a terphenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group,

15

-continued


**16**

-continued


9-25

5

9-26



9-27 10



9-28

15




9-29

20




9-30

25



9-31

30



9-32 35



9-33 40




9-34 45




9-35 50




9-36 55



60



9-37 65



9-38

9-39

9-40

9-41

9-42

9-43

9-44

9-45




9-46

9-47

9-48











9-49

9-50



19


-continued

**20**

-continued

9-209


5



9-219

9-210


10



9-220

9-211


15



9-221

9-212


20



9-222

9-213


25



9-223

9-214


35



9-224

9-215


40



9-225

9-216


45



9-226

9-217


55



9-227

9-218

60















9-228

65

21


-continued

**22**

-continued

9-229


5



9-241

9-230


10



9-242

9-231


15



9-243

9-232


20



9-244

9-233


25



10-1

9-234


30



10-2

9-235


35



10-3

9-236

40



10-4

9-237

45



10-5

9-238


50



10-6

9-239

55














10-7

9-240

65


23

-continued

**24**

-continued


10-8



10-20

5


10-9



10-21

10


10-10



10-22

15


10-11



10-23


20

10-12



25


10-13



10-24

30


10-14



10-25

35


10-15



10-26

40


10-16



10-27

45


10-17



10-28

50


10-18



10-29

55

10-19














10-30

65


25

-continued

**26**

-continued


10-31



10-42

5

10-32




10-43

10

10-33

15




10-44

10-34

20

10-35


25



10-45

10-36

30




10-46

35

10-37

40




10-47

45

10-38


50



10-48

10-39


55



10-49

10-40

60











10-50

65

27


-continued

**28**

-continued


10-51

5




10-52

10




10-53

15




10-54

20




10-55

25




10-56

30




10-57

35




10-58

40




10-59

45




10-60

50




10-61

55



10-62

60



10-63

65



10-59

10-60

10-61

10-62

10-63

10-64

10-65

10-66









10-67

10-68

10-69

29


-continued

**30**

-continued


10-70

5




10-71

10




10-72

20




10-73

25




10-74

30




10-75

35




10-76

40



10-77

45



50

10-78

10-79

10-80

10-81









10-82

10-83

10-84

31


-continued

**32**

-continued

10-85

5




10-93

10

10-86

15




10-94

20

10-87


25



10-95


10-88

30




10-96

35



10-89


40



10-97

10-90

45




10-98

50

10-91


55



10-99

10-92

60












10-100

65

33


-continued

**34**

-continued


10-101

5




10-102

10




10-103

20




10-104

25




10-105

30




10-106

35




10-107

45



10-108


50



55

10-109

60



65

10-110

10-111

10-112

10-113








10-114

10-115

10-116

35


-continued

**36**

-continued

10-117


5



10

10-118

15




20

10-119

25

10-120


30



35


10-121

40



10-122


45




50

10-123

55



60



65

10-124

10-125

10-126

10-127












10-128

10-129

10-130

37

-continued




38

-continued


10-131

5




10-132

10




10-133

15




10-134

20




10-135

25




10-136

30




10-137

35




10-138

40




10-139

45




10-140

50



10-141

55








60

65

39


-continued

**40**

-continued


10-153

5



10-154


10



15


10-204

20




10-201

25




30

10-205



35


10-206



10-202

40

10-207




45

10-208

50


10-209



10-203

55


10-210



60













10-211

65



41


-continued

**42**

-continued


10-212

5




10-213

10




10-214

15




10-215

20




10-216

25




10-217

30




10-218

35




10-219

40




10-220

45




10-221

50




10-222

55



10-223

60



65

10-224

10-225

10-226

10-227

10-228

10-229

10-230








10-231

10-232

10-233

43


-continued

**44**

-continued

10-234


5



10

10-235


15



20

10-236


25



30

10-237


35



40


10-238

45



10-239


50



55

10-240

60



65

10-241

10-242

10-243

10-244








10-245

10-246

10-247

45

-continued




46

-continued

10-248

5


10



10-249

15


20



10-250

25

30



10-251

35

10-252

40

45

10-253





50

55

10-254

60

65



10-255

10-256

10-257

10-258








10-259

10-260

10-261

47

-continued




48

-continued

10-262


5



10

10-263


15



20

10-264


25



30

10-265


35



40


10-266

45



10-267


50



55

10-268

60



65

10-269

10-270

10-271

10-272

10-273












10-274

10-275

10-276

49

-continued




50

-continued


10-277

5




10-278

10




10-279

15




10-280

20




10-281

30




10-282

35




10-283

45




10-284

50




10-285

55




10-286

60



10-287

65



10-288

10-289

10-290

10-291

10-292

10-293

10-294

10-295

10-296

10-297










10-298

10-299

10-300

51


-continued

**52**

-continued

10-301

5




10-310

10-302

10

10-303


15



10-311

10-304


20



10-312

10-305


25



10-313

10-306


35



10-314

10-307


45



10-315

10-308

50



10-316









10-309

60








65

53

-continued









**54**

-continued



55


-continued

**56**

-continued

10-332


5



10-340


10-333

10



10-341


15



10-342

10-334


20



10-343

10-335

30




10-344

35

10-336


40



10-345

10-337


45



10-346

50

10-338




10-347

55


10-339

60



10-348


65



10-349

57

-continued



10-350

wherein, in Formulae 9-1 to 9-67, 9-201 to 9-244, 10-1 to 10-154, and 10-201 to 10-350, * indicates a binding site to a neighboring atom, Ph is a phenyl group, TMS is a trimethylsilyl group, and TMG is a trimethylgermyl group.

In one or more embodiments, R_{10} , R_{21} to R_{28} , R_{31} to R_{37} , and R_{41} to R_{44} may each independently be hydrogen, deuterium, a methyl group, an ethyl group, a propyl group, a 1-methylethyl group, a butyl group, a 2-methylpropyl group, a 1-methylpropyl group, a 1,1-dimethylethyl group, a pentyl group, a 3-methylbutyl group, a 2-methylbutyl group, a 1-methylbutyl group, a 1,1-dimethylpropyl group, a 2,2-dimethylpropyl group, a 1-ethylpropyl group, a 3-methyl-2-butyl group, a phenyl group, a biphenyl group, a C_1 - C_{20} alkylphenyl group, or a naphthyl group.

In one or more embodiments, R_{10} and R_{21} to R_{28} may each independently be hydrogen, a C_1 - C_{60} alkyl group, a C_1 - C_{60} aryl group, $-\text{Si}(\text{Q}_1)(\text{Q}_2)(\text{Q}_3)$, or $-\text{Ge}(\text{Q}_1)(\text{Q}_2)(\text{Q}_3)$.

In one or more embodiments, R_{31} to R_{37} may each independently be hydrogen, deuterium, a methyl group, an ethyl group, a propyl group, a 1-methylethyl group, a butyl group, a 2-methylpropyl group, a 1-methylpropyl group, a 1,1-dimethylethyl group, a pentyl group, a 3-methylbutyl group, a 2-methylbutyl group, a 1-methylbutyl group, a 1,1-dimethylpropyl group, a 2,2-dimethylpropyl group, a 1-ethylpropyl group, or a 3-methyl-2-butyl group.

In one or more embodiments, R_{41} to R_{44} may each independently be hydrogen, deuterium, a methyl group, an ethyl group, a propyl group, a 1-methylethyl group, a butyl group, a 2-methylpropyl group, a 1-methylpropyl group, a 1,1-dimethylethyl group, a pentyl group, a 3-methylbutyl group, a 2-methylbutyl group, a 1-methylbutyl group, a 1,1-dimethylpropyl group, a 2,2-dimethylpropyl group, a 1-ethylpropyl group, a 3-methyl-2-butyl group, a phenyl group, a biphenyl group, a C_1 - C_{20} alkylphenyl group, or a naphthyl group.

When b10 is 2, two R_{10} (s) are identical to or different from each other.


In Formula 1-1, two or more of a plurality of R_{10} (s) are optionally linked together to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group; two or more of R_{21} to R_{28} are optionally linked together to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group; two or more of R_{31} to R_{37} are optionally linked together to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group; two or more of R_{41} to R_{44} are optionally linked together to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group; neighboring two or more of R_{10} , R_{21} to R_{28} , R_{31} to R_{37} , and R_{41} to R_{44} are optionally linked together to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group, and/or neighboring two or more of R_{10} , R_{21} to R_{28} , R_{31} to R_{37} , and R_{41} to R_{44} are optionally linked together to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group.

58


In one or more embodiments, in Formula 1-1, two or more of a plurality of R_{10} (s); or neighboring two or more of R_{10} , R_{21} to R_{28} , R_{31} to R_{37} , and R_{41} to R_{44} may optionally be linked together via a single bond, a double bond, or a first linking group to form a C_5 - C_{30} carbocyclic group that is unsubstituted or substituted with at least one R_{10a} or a C_1 - C_{30} heterocyclic group that is unsubstituted or substituted with at least one R_{10a} (for example, a fluorene group, a xanthene group, an acridine group, or the like, each unsubstituted or substituted with at least one R_{10a}). R_{10a} may be as described in connection with R_{10} .

The first linking group may be $^*\text{N}(\text{R}_8)\text{---}^*$, $^*\text{B}(\text{R}_8)\text{---}^*$, $^*\text{P}(\text{R}_8)\text{---}^*$, $^*\text{C}(\text{R}_8)(\text{R}_9)\text{---}^*$, $^*\text{Si}(\text{R}_8)(\text{R}_9)\text{---}^*$, $^*\text{Ge}(\text{R}_8)(\text{R}_9)\text{---}^*$, $^*\text{S}\text{---}^*$, $^*\text{Se}\text{---}^*$, $^*\text{O}\text{---}^*$, $^*\text{C}(=\text{O})\text{---}^*$, $^*\text{S}(=\text{O})\text{---}^*$, $^*\text{S}(=\text{O})_2\text{---}^*$, $^*\text{C}(\text{R}_8)=^*$, $^*\text{C}(\text{R}_8)=^*\text{C}(\text{R}_9)\text{---}^*$, $^*\text{C}(=\text{S})\text{---}^*$, or $^*\text{C}\equiv\text{C}\text{---}^*$, R_8 and R_9 may respectively be as described in connection with R_{10} and * and *' each indicate a binding site to a neighboring atom.

In one or more embodiments, each Ln_1 may be represented by one of Formulae 11-1 to 11-12:






11-1



11-2

59

-continued

**60**

-continued


11-3

5

10

15

20



11-6

11-4


25

30

35

40

45



11-7


11-5

50

55

60




65



11-8


61

-continued

**62**

-continued

11-9



11-10

25 wherein, in Formulae 11-1 to 11-12,

M_1 , n_1 , n_2 , and X_{21} to X_{28} may respectively be as described herein,


R_{11} to R_{18} may respectively be as described in connection with R_{10} and

* and *' each indicate a binding site to M_1 .

In one or more embodiments, each Ln_2 may be represented by one of Formulae 21-1 to 21-4:


35

21-1




11-11

21-2



60


21-3



65

63

-continued









wherein, in Formulae 21-1 to 21-4,

R₃₁ to R₃₇ may respectively be as described herein, and

* and *' each indicate a binding site to M₁.

In one or more embodiments, each Ln₂ may be represented by one of Formulae 22-1 to 22-16:



21-4

5

10

15

20

22-1

25

22-2

30

22-3

40

22-4

45

50

22-5

55








22-6

60

65

64

-continued



22-7

22-8

22-9

22-10



22-11

22-12

22-13

65

-continued

**66**

-continued

22-14

5

22-15

10

22-16


wherein, in Formulae 22-1 to 22-16,

15 R_{41} to R_{44} may respectively be as described herein, and may not each independently be hydrogen, and


* and *' each indicate a binding site to M_1 .

In one or more embodiments, the organometallic compound may be a compound represented by one or more of Formulae 31-1 to 31-24:

31-1




31-2




67
-continued

68


31-3




31-4



31-5



31-6




69


-continued

70


31-7



31-8




31-9




71
-continued

72


31-10



31-11



31-12




73


-continued

74


31-13




31-14




31-15




31-16




31-17




31-18



31-19




31-20




77
-continued

78


31-21



31-22




31-23



79

-continued

31-24




wherein, in Formulae 31-1 to 31-24,

M_1 , n_1 , n_2 , X_{21} to X_{28} , R_{31} to R_{37} , and R_{41} to R_{44} may respectively be as described herein, and

R_{11} to R_{18} may respectively be as described in connection with R_{10} .

In one or more embodiments, the organometallic compound may be electrically neutral.


In one or more embodiments, the organometallic compound may be one or more of Compounds 1 to 17:



80


-continued

3



81

-continued



5

5


10

15

20


82

-continued



8

6 25




30

35

40

45

9



7



50

55

60


65

10



83

-continued



11

5


10

15

20


84

-continued



14

15



25



12

30

35

40

45




50

55

60


65



16

85

-continued



17

86

TABLE 1-continued

Compound	HOMO (eV)	LUMO (eV)	T ₁ (eV)	S ₁ (eV)
5				
10				
15				
20				
1				


25

The organometallic compound represented by Formula 1 may satisfy the structure of Formula 1 described above. In detail, and without withing to be bound to theory, the ligand represented by Formula 1-1 may have a lowest unoccupied molecular orbital (LUMO) ring with a bicyclic to tricyclic structure of quinoline, isoquinoline, benzoquinoline, or benzoisoquinoline and a highest occupied molecular orbital (HOMO) ring with an N-containing tricyclic structure, and in this regard, the organometallic compound may have a long-conjugated structure, thereby improving molecular stability and photoalignment. In addition, the organometallic compound may include the ligand represented by Formula 2-1 or 2-2. Due to this structure, an electronic device, for example, an organic light-emitting device, including the organometallic compound represented by Formula 1 may exhibit low driving voltage, high efficiency, and long lifespan, and may have a reduced full-width at half maximum (FWHM).


The HOMO energy level (electron volts, eV), LUMO energy level (eV), lowest excited triplet (T₁) energy level (eV), and lowest excited singlet (S₁) energy level (eV) of exemplary organometallic compounds represented by Formula 1 were calculated using a density functional theory (DFT) method of the Gaussian 09 program with the molecular structure optimized at the B3LYP level, and results thereof are shown in Table 1.

TABLE 1

Compound	HOMO (eV)	LUMO (eV)	T ₁ (eV)	S ₁ (eV)
Compound 1	-4.984	-2.059	2.282	2.115
Compound 4	-4.699	-1.914	2.159	1.989
Compound 16	-5.098	-2.175	2.291	2.147
Compound 17	-4.812	-2.040	2.157	2.000



45




65

16

87

TABLE 1-continued

Compound	HOMO (eV)	LUMO (eV)	T ₁ (eV)	S ₁ (eV)
				
17				

Referring to Table 1, it was confirmed that the organometallic compound represented by Formula 1 has suitable electrical characteristics for use as a dopant in an electric device, for example, an organic light-emitting device.

In one or more embodiments, the FWHM of an emission peak of an emission spectrum or an electroluminescence (EL) spectrum of the organometallic compound may be equal to or less than 75 nanometer (nm). In one or more embodiments, the FWHM of an emission peak of an emission spectrum or an EL spectrum of the organometallic compound may be in a range of about 30 nm to about 75 nm, about 40 nm to about 70 nm, or about 45 nm to about 68 nm.

In one or more embodiments, a maximum emission wavelength (also referred to as an emission peak wavelength, λ_{max}) of an emission peak of an emission spectrum or an EL spectrum of the organometallic compound may be in a range of about 600 nm to about 750 nm.

Synthesis methods of the organometallic compound represented by Formula 1 may be recognizable by one of ordinary skill in the art by referring to Synthesis Examples described below.

Accordingly, the organometallic compound represented by Formula 1 may be suitable for use as a dopant in an organic layer, for example, an emission layer, of an organic light-emitting device. Thus, another aspect provides an organic light-emitting device including: a first electrode; a second electrode; and an organic layer that is arranged between the first electrode and the second electrode, wherein the organic layer includes an emission layer, and wherein the organic layer further includes at least one organometallic compound represented by Formula 1.

Since the organic light-emitting device includes the organic layer including the organometallic compound represented by Formula 1 as described above, excellent characteristics in terms of driving voltage, current efficiency, external quantum efficiency, roll-off ratio, and lifespan, and relatively narrow FWHM of the emission peak of the EL spectrum may be exhibited.

The organometallic compound represented by Formula 1 may be used (i.e., arranged or located) between a pair of electrodes of the organic light-emitting device. For example, the organometallic compound represented by Formula 1 may be included in the emission layer. In this regard, the organometallic compound may act as a dopant, and the

88

emission layer may further include a host (that is, an amount of the organometallic compound represented by Formula 1 in the emission layer may be less than an amount of the host included in the emission layer).

In one or more embodiments, the emission layer may emit red light. For example, the emission layer may emit red light having a maximum emission wavelength in a range of about 600 nm to about 750 nm.

The expression “(an organic layer) includes at least one organometallic compound represented by Formula 1” as used herein may include a case in which “(an organic layer) includes identical organometallic compounds represented by Formula 1” and a case in which “(an organic layer) includes two or more different organometallic compounds represented by Formula 1”.

In one or more embodiments, the organic layer may include, as the organometallic compound, only Compound 1. In this embodiment, Compound 1 may be included in the emission layer of the organic light-emitting device. In one or more embodiments, the organic layer may include, as the organometallic compound, Compound 1 and Compound 2. In this embodiment, Compound 1 and Compound 2 may exist in an identical layer (for example, Compound 1 and Compound 2 may all exist in the emission layer).

The first electrode may be an anode, which is a hole injection electrode, and the second electrode may be a cathode, which is an electron injection electrode; or the first electrode may be a cathode, which is an electron injection electrode, and the second electrode may be an anode, which is a hole injection electrode.

In one or more embodiments, in the organic light-emitting device, the first electrode may be an anode, the second electrode may be a cathode, and the organic layer may further include a hole transport region between the first electrode and the emission layer and an electron transport region between the emission layer and the second electrode, wherein the hole transport region may include a hole injection layer, a hole transport layer, an electron blocking layer, a buffer layer, or a combination thereof, and the electron transport region may include a hole blocking layer, an electron transport layer, an electron injection layer, or a combination thereof.

The term “organic layer” as used herein refers to a single layer and/or a plurality of layers located between the first electrode and the second electrode of the organic light-emitting device. The “organic layer” may include, in addition to an organic compound, an organometallic complex including metal.

FIGURE is a schematic cross-sectional view of an organic light-emitting device 10 according to one or more embodiments. Hereinafter, the structure and manufacturing method of the organic light-emitting device 10 according to one or more embodiments of the present disclosure will be described in connection with the FIGURE. The organic light-emitting device 10 includes a first electrode 11, an organic layer 15, and a second electrode 19, which are sequentially stacked in the stated order.

A substrate may be additionally arranged under the first electrode 11 or above the second electrode 19. For use as the substrate, any substrate that is generally used in organic light-emitting devices, including those available in the art, may be used, and the substrate may be, for example, a glass substrate or a transparent plastic substrate, each having excellent mechanical strength, thermal stability, transparency, surface smoothness, ease of handling, and/or water resistance.

89

The first electrode **11** may be, for example, formed by depositing or sputtering a material for forming the first electrode **11** on the substrate. The first electrode **11** may be an anode. The material for forming the first electrode **11** may be selected from materials with a high work function to facilitate hole injection. The first electrode **11** may be a reflective electrode, a semi-transmissive electrode, or a transmissive electrode. In one or more embodiments, the material for forming the first electrode **11** may be indium tin oxide (ITO), indium zinc oxide (IZO), tin oxide (SnO₂), or zinc oxide (ZnO). In one or more embodiments, the material for forming the first electrode **11** may be a metal, such as magnesium (Mg), aluminum (Al), silver (Ag), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), or magnesium-silver (Mg—Ag).

The first electrode **11** may have a single-layered structure or a multi-layered structure including two or more layers. For example, the first electrode **11** may have a three-layered structure of ITO/Ag/ITO, but the structure of the first electrode **11** is not limited thereto.

The organic layer **15** is arranged on the first electrode **11**.

The organic layer **15** may include: the hole transport region; the emission layer; and the electron transport region.

The hole transport region may be arranged between the first electrode **11** and the emission layer.

The hole transport region may include a hole injection layer, a hole transport layer, an electron blocking layer, a buffer layer, or a combination thereof.

The hole transport region may include only either a hole injection layer or a hole transport layer. The hole transport region may have a hole injection layer/hole transport layer structure, or a hole injection layer/hole transport layer/electron blocking layer structure, wherein constituting layers for each structure are sequentially stacked in this stated order from the first electrode **11**.

When the hole transport region includes a hole injection layer, the hole injection layer may be formed on the first electrode **11** by using one or more suitable methods such as vacuum deposition, spin coating, casting, and/or Langmuir-Blodgett (LB) deposition.

When the hole injection layer is formed by vacuum deposition, the deposition conditions may be adjusted by the person having ordinary skill in the art according to a material that is used to form the hole injection layer, and the structure and thermal characteristics of the hole injection layer. For example, the deposition conditions may include a deposition temperature in a range of about 100° C. to about 500° C., a vacuum pressure in a range of about 10⁻⁸ torr to about 10⁻³ torr, and a deposition rate in a range of about 0.01 angstrom per second, (Å/sec) to about 100 Å/sec. However, the deposition conditions are not limited thereto.


When the hole injection layer is formed by spin coating, the coating conditions may be adjusted by the person having ordinary skill in the art according to a material that is used to form the hole injection layer, and the structure and thermal properties of the hole injection layer. For example, the coating conditions may include a coating speed in a range of about 2,000 revolutions per minute (rpm) to about 5,000 rpm and a heat treatment temperature for removing a solvent after coating in a range of about 80° C. to about 200° C. However, the coating conditions are not limited thereto.

Conditions for forming the hole transport layer and the electron blocking layer may be similar to or the same as the conditions for forming the hole injection layer.


The hole transport region may include at least one of 4,4',4''-tris(3-methylphenylphenylamino)triphenylamine (m-MTDATA), 4,4',4''-tris(N,N-diphenylamino)triphenylamine (TDATA),

90

enylamine (TDATA), 4,4',4''-tris{N-(2-naphthyl)-N-phenylamino}-triphenylamine (2-TNATA), N,N'-di(1-naphthyl)-N,N'-diphenylbenzidine (NPB), p-NPB, N,N'-bis(3-methylphenyl)-N,N'-diphenyl-[1,1'-biphenyl]-4,4'-diamine (TPD), Spiro-TPD, Spiro-NPB, methylated NPB, 4,4'-cyclohexylidene bis[N,N-bis(4-methylphenyl)benzenamine] (TAPC), 4,4'-bis[N,N'-(3-tolyl)amino]-3,3'-dimethylbiphenyl (HMTPD), 4,4',4''-tris(N-carbazolyl)triphenylamine (TCTA), polyaniline/dodecylbenzenesulfonic acid (PANI/DBSA), poly(3,4-ethylenedioxythiophene)/poly(4-styrenesulfonate) (PEDOT/PSS), polyaniline/camphor sulfonic acid (PANI/CSA), polyaniline/poly(4-styrenesulfonate) (PANI/PSS), a compound represented by Formula 201, or a compound represented by Formula 202:




m-MTDATA




TDATA

91



-continued



2-TNATA




NPB

 β -NPB


TPD

92


-continued




Spiro-TPD




Spiro-NPB



methylated NPB



TAPC




HMTPD


93

-continued

Formula 201



Formula 202



wherein, in Formula 201, Ar₁₀₁ and Ar₁₀₂ may each independently be:

a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylenylene group, a heptalenylene group, an acenaphthylenylene group, a fluorenylenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylenylene group, a fluoranthenylenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylenylene group, a naphthacenylenylene group, a picenylene group, a perylenylene group, or a pentacenylene group; or

a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylenylene group, a heptalenylene group, an acenaphthylenylene group, a fluorenylenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylenylene group, a fluoranthenylenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylenylene group, a naphthacenylenylene group, a picenylene group, a perylenylene group, or a pentacenylene group, each substituted with at least one of deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₁-C₆₀ alkylthio group, a C₃-C₁₀ cycloalkyl group, a

94

C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₇-C₆₀ alkyl aryl group, a C₇-C₆₀ aryl alkyl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ alkyl heteroaryl group, a C₂-C₆₀ heteroaryl alkyl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, or a combination thereof.

In Formula 201, xa and xb may each independently be an integer from 0 to 5, or may each independently be 0, 1, or 2. For example, xa may be 1 and xb may be 0, but xa and xb are not limited thereto.

In Formulae 201 and 202, R₁₀₁ to R₁₀₈, R₁₁₁ to R₁₁₉, and R₁₂₁ to R₁₂₄ may each independently be:

hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group (for example, a methyl group, an ethyl group, a propyl group, a butyl group, a pentyl group, a hexyl group, and the like), a C₁-C₁₀ alkoxy group (for example, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, and the like), or a C₁-C₁₀ alkylthio group;

a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, or a C₁-C₁₀ alkylthio group, each substituted with at least one of deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, or a combination thereof;

a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, or a pyrenyl group; and

a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, or a pyrenyl group, each substituted with at least one of deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a C₁-C₆₀ alkylthio group, or a combination thereof,

but embodiments are not limited thereto.


In Formula 201, R₁₀₉ may be:

a phenyl group, a naphthyl group, an anthracenyl group, or a pyridinyl group; or

a phenyl group, a naphthyl group, an anthracenyl group, or a pyridinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a C₁-C₂₀ alkylthio group, a phenyl group, a naphthyl group, an anthracenyl group, a pyridinyl group, or a combination thereof.


95

In one or more embodiments, the compound represented by Formula 201 may be represented by Formula 201A, but embodiments are not limited thereto:

**96**


-continued

HT2




wherein, in Formula 201A, R_{101} , R_{111} , R_{112} , and R_{109} may respectively be as described herein.

For example, the compound represented by Formula 201 and the compound represented by Formula 202 may include one of Compounds HT1 to HT20, but embodiments are not limited thereto:




HT3



97

-continued

HT4

**98**

-continued

HT6

5

10

15

20

25

30

35

40

HT5

45



50

55

60

65


HT7



99

-continued

HT8



5


10

15

20

HT9

25



30


35

40

HT10

45

50



55


60

65


100

-continued


HT11



HT12




HT13




101

-continued

**102**

-continued




A thickness of the hole transport region may be in a range of about 100 Å to about 10,000 Å, for example, about 100 Å to about 1,000 Å. When the hole transport region includes at least one of a hole injection layer and a hole transport layer, a thickness of the hole injection layer may be in a range of about 100 Å to about 10,000 Å, for example, about 100 Å to about 1,000 Å, and a thickness of the hole transport layer may be in a range of about 50 Å to about 2,000 Å, for example, about 100 Å to about 1,500 Å. When the thicknesses of the hole transport region, the hole injection layer, and the hole transport layer are within these ranges, satisfactory hole transporting characteristics may be obtained without a substantial increase in driving voltage.

The hole transport region may further include, in addition to these materials, a charge-generation material for the improvement of conductive properties. The charge-generation material may be homogeneously or non-homogeneously dispersed in the hole transport region.

The charge-generation material may be, for example, a p-dopant. The p-dopant may be one of a quinone derivative, a metal oxide, and a cyano group-containing compound, but

103

embodiments of the present disclosure are not limited thereto. For example, non-limiting examples of the p-dopant are: a quinone derivative, such as tetracyanoquinodimethane (TCNQ), 2,3,5,6-tetrafluoro-tetracyano-1,4-benzoquinodimethane (F4-TCNQ), and F6-TCNQ; a metal oxide, such as a tungsten oxide, or a molybdenum oxide; or a cyano group-containing compound, such as one or more Compounds HT-D1 and F12, but embodiments are not limited thereto:



The hole transport region may include a buffer layer. Also, the buffer layer may compensate for an optical resonance distance according to a wavelength of light emitted from the emission layer, and thus, efficiency of a formed organic light-emitting device may be improved. Then, the emission layer may be formed on the hole transport region by using one or more suitable methods such as vacuum deposition, spin coating, casting, and/or L-B


104

deposition. When the emission layer is formed by vacuum deposition or spin coating, the deposition or coating conditions may be similar to those applied in forming the hole injection layer although the deposition, or the coating conditions may be varied according to a material that is used to form the hole transport layer.

Meanwhile, when the hole transport region includes an electron blocking layer, a material for forming the electron blocking layer may be chosen from materials for the hole transport region described above and host materials to be explained later. However, the material for forming the electron blocking layer is not limited thereto. For example, when the hole transport region includes an electron blocking layer, the material for forming the electron blocking layer may be mCP, which will be described below.


The emission layer may include a host and a dopant, and the dopant may include the organometallic compound represented by Formula 1.

In one or more embodiments, the host may include at least one of 1,3,5-tri(1-phenyl-1H-benzo[d]imidazol-2-yl)phenyl (TPBi), 3-tert-butyl-9,10-di(naphth-2-yl)anthracene (TBADN), 9,10-di(naphthalene-2-yl)anthracene (ADN) (also referred to as "DNA"), 4,4'-bis(N-carbazolyl)-1,1'-biphenyl (CBP), 4,4'-bis(9-carbazolyl)-2,2'-dimethylbiphenyl (CDBP), TCP, mCP, Compound H50, or Compound H51:




105


-continued




CBP




CDBP




TCP



mCP



H50




H51

106

In one or more embodiments, the host may include a compound represented by Formula 301:

Formula 301



wherein, in Formula 301, Ar₁₁₁ and Ar₁₁₂ may each independently be:

- a phenylene group, a naphthylene group, a phenanthrenylene group, or a pyrenylene group; or
- a phenylene group, a naphthylene group, a phenanthrenylene group, or a pyrenylene group, each substituted with at least one of a phenyl group, a naphthyl group, an anthracenyl group, or a combination thereof.


In Formula 301, Ar₁₁₃ to Ar₁₁₆ may each independently be:

- a C₁-C₁₀ alkyl group, a phenyl group, a naphthyl group, a phenanthrenyl group, or a pyrenyl group; or
- a phenyl group, a naphthyl group, a phenanthrenyl group, or a pyrenyl group, each substituted with at least one of a phenyl group, a naphthyl group, or an anthracenyl group.

In Formula 301, g, h, i, and j may each independently be an integer from 0 to 4, and for example, may each independently be 0, 1, or 2.

In Formula 301, Ar₁₁₃ to Ar₁₁₆ may each independently be:


- a C₁-C₁₀ alkyl group substituted with at least one of a phenyl group, a naphthyl group, or an anthracenyl group;
- a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl, a phenanthrenyl group, or a fluorenyl group;
- a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, or a fluorenyl group, each substituted with at least one of deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₁-C₆₀ alkylthio group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, or a combination thereof; or



but embodiments are not limited thereto.

107

In one or more embodiments, the host may include a compound represented by Formula 302:



Formula 302 5

wherein, in Formula 302, Ar₁₂₂ to Ar₁₂₅ may respectively be as described in connection with Ar₁₁₃ in Formula 301.

In Formula 302, Ar₁₂₆ and Ar₁₂₇ may each independently be a C₁-C₁₀ alkyl group (for example, a methyl group, an ethyl group, or a propyl group).

In Formula 302, k and l may each independently be an integer from 0 to 4. For example, k and l may each independently be 0, 1, or 2.

When the organic light-emitting device **10** is a full-color organic light-emitting device **10**, the emission layer may be patterned into a red emission layer, a green emission layer, and a blue emission layer. In one or more embodiments, based on a stacked structure including a red emission layer, a green emission layer, and/or a blue emission layer, the emission layer may emit white light, and various modifications are possible.

When the emission layer includes a host and a dopant, an amount of the dopant may be in a range of about 0.01 parts by weight to about 15 parts by weight based on 100 parts by weight of the host, but embodiments are not limited thereto.

A thickness of the emission layer may be in a range of about 100 Å to about 1,000 Å, for example, about 200 Å to about 600 Å. When the thickness of the emission layer is within these ranges, excellent luminescence characteristics may be obtained without a substantial increase in driving voltage.

Next, the electron transport region is arranged on the emission layer.


The electron transport region may include a hole blocking layer, an electron transport layer, an electron injection layer, or a combination thereof.

For example, the electron transport region may have a hole blocking layer/electron transport layer/electron injection layer structure, or an electron transport layer/electron injection layer structure, but the structure of the electron transport region is not limited thereto. The electron transport layer may have a single-layered structure, or a multi-layered structure including two or more different materials.


Conditions for forming the hole blocking layer, the electron transport layer, and the electron injection layer which constitute the electron transport region may be similar to or the same as the conditions for forming the hole injection layer.

When the electron transport region includes a hole blocking layer, the hole blocking layer may include, for example, at least one of 2,9-dimethyl-4,7-diphenyl-1,10-phenanthroline (BCP), 4,7-diphenyl-1,10-phenanthroline (Bphen), or bis(2-methyl-8-quinolinolato-N1,O8)-(1,1'-biphenyl-4-olato)aluminum (BALq), but embodiments are not limited thereto:

108





BCP



Bphen

A thickness of the hole blocking layer may be in a range of about 20 Å to about 1,000 Å, for example, about 30 Å to about 300 Å. When the thickness of the hole blocking layer is within these ranges, excellent hole blocking characteristics may be obtained without a substantial increase in driving voltage.


The electron transport layer may further include at least one of BCP, Bphen, tris(8-hydroxyquinolato)aluminum (Alq₃), BALq, 3-(4-biphenyl)-4-phenyl-5-tert-butylphenyl-1,2,4-triazole (TAZ), or 4-(naphthalen-1-yl)-3,5-diphenyl-4H-1,2,4-triazole (NTAZ):

Alq₃


BALq

109

-continued




TAZ



NTAZ

110


-continued





ET3

In one or more embodiments, the electron transport layer may include at least one of Compounds ET1 to ET25, but embodiments are not limited thereto:


ET1



ET2




ET4









ET5

111

-continued

**112**


-continued



113


-continued

ET13


**114**

-continued


ET16




ET14




ET17



ET15






ET18



115

-continued

**116**

-continued

ET19

5

10

15

20

25

ET20

30

35

40

45




ET21

50

55

60

65




ET22

ET23

ET24

117

-continued




ET25


A thickness of the electron transport layer may be in a range of about 100 Å to about 1,000 Å, for example, about 150 Å to about 500 Å. When the thickness of the electron transport layer is within these ranges, satisfactory electron transporting characteristics may be obtained without a substantial increase in driving voltage.

The electron transport layer may include a metal-containing material in addition to the material as described above.

The metal-containing material may include a Li complex. The Li complex may include, for example, Compound ET-D1 (lithium quinolate (LiQ)) or ET-D2:



ET-D1



ET-D2

The electron transport region may include an electron injection layer that promotes the flow of electrons from the second electrode **19** therinto.

The electron injection layer may include at least one of LiF, NaCl, CsF, Li₂O, BaO, or a combination thereof.

A thickness of the electron injection layer may be in a range of about 1 Å to about 100 Å, and, for example, about 3 Å to about 90 Å. When the thickness of the electron injection layer is within these ranges, satisfactory electron injection characteristics may be obtained without a substantial increase in driving voltage.

The second electrode **19** is arranged on the organic layer **15**. The second electrode **19** may be a cathode. A material for forming the second electrode **19** may be metal, an alloy, an electrically conductive compound, or a combination thereof,

118

which has a relatively low work function. For example, the material for forming the second electrode **19** may be lithium (Li), magnesium (Mg), aluminum (Al), silver (Ag), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), or magnesium-silver (Mg—Ag). In one or more embodiments, to manufacture a top-emission type light-emitting device, a transmissive electrode formed using ITO or IZO may be used as the second electrode **19**.

Hereinbefore, the organic light-emitting device has been described with reference to the FIGURE, but embodiments are not limited thereto.

Another aspect of the present disclosure provides a diagnostic composition including at least one organometallic compound represented by Formula 1.

The organometallic compound represented by Formula 1 provides high luminescence efficiency, and accordingly, the diagnostic composition including the at least one organometallic compound may have high diagnostic efficiency.

The diagnostic composition may be used in various applications including a diagnosis kit, a diagnosis reagent, a biosensor, and a biomarker.

The term “C₁-C₆₀ alkyl group” as used herein refers to a linear or branched saturated aliphatic hydrocarbon monovalent group having 1 to 60 carbon atoms, and examples thereof are a methyl group, an ethyl group, a propyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a pentyl group, an isoamyl group, a hexyl group, and the like. The term “C₁-C₆₀ alkylene group” as used herein refers to a divalent group having the same structure as the C₁-C₆₀ alkyl group.

The term “C₁-C₆₀ alkoxy group” as used herein refers to a monovalent group represented by —OA₁₀₁ (wherein A₁₀₁ is the C₁-C₆₀ alkyl group), and examples thereof are a methoxy group, an ethoxy group, an isopropoxy group, and the like. The term “C₁-C₆₀ alkylthio group” as used herein refers to a monovalent group represented by —SA₁₀₂ (wherein A₁₀₂ is the C₁-C₆₀ alkyl group).

The term “C₂-C₆₀ alkenyl group” as used herein refers to a hydrocarbon group formed by substituting at least one carbon-carbon double bond in the middle or at the terminus of the C₂-C₆₀ alkyl group, and examples thereof are an ethenyl group, a propenyl group, a butenyl group, and the like. The term “C₂-C₆₀ alkenylene group” as used herein refers to a divalent group having the same structure as the C₂-C₆₀ alkenyl group.

The term “C₂-C₆₀ alkynyl group” as used herein refers to a hydrocarbon group formed by substituting at least one carbon-carbon triple bond in the middle or at the terminus of the C₂-C₆₀ alkyl group, and examples thereof are an ethynyl group, a propynyl group, and the like. The term “C₂-C₆₀ alkynylene group” as used herein refers to a divalent group having the same structure as the C₂-C₆₀ alkynyl group.

The term “C₃-C₁₀ cycloalkyl group” as used herein refers to a monovalent saturated hydrocarbon monocyclic group having 3 to 10 carbon atoms, and examples thereof are a cyclopropyl group, a cyclobutyl group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, and the like. The term “C₃-C₁₀ cycloalkylene group” as used herein refers to a divalent group having the same structure as the C₃-C₁₀ cycloalkyl group.

The term “C₁-C₁₀ heterocycloalkyl group” as used herein refers to a monovalent saturated monocyclic group having at least one heteroatom selected from N, O, P, Si, S, Se, Ge, or B as a ring-forming atom and 1 to 10 carbon atoms, and examples thereof are a tetrahydrofuranyl group, a tetrahydrothiophenyl group, and the like. The term “C₁-C₁₀ het-

erocycloalkylene group” as used herein refers to a divalent group having the same structure as the C_1 - C_{10} heterocycloalkyl group.

The term “ C_3 - C_{10} cycloalkenyl group” as used herein refers to a monovalent monocyclic group that has 3 to 10 carbon atoms and at least one carbon-carbon double bond in the ring thereof and no aromaticity, and examples thereof are a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, and the like. The term “ C_3 - C_{10} cycloalkenylene group” as used herein refers to a divalent group having the same structure as the C_3 - C_{10} cycloalkenyl group.

The term “ C_1 - C_{10} heterocycloalkenyl group” as used herein refers to a monovalent monocyclic group that has at least one heteroatom selected from N, O, P, Si, S, Se, Ge, or B as a ring-forming atom, 1 to 10 carbon atoms, and at least one carbon-carbon double bond in its ring. Examples of the C_1 - C_{10} heterocycloalkenyl group are a 2,3-dihydrofuranyl group, a 2,3-dihydrothiophenyl group, and the like. The term “ C_1 - C_{10} heterocycloalkenylene group” as used herein refers to a divalent group having the same structure as the C_1 - C_{10} heterocycloalkenyl group.

The term “ C_6 - C_{60} aryl group” as used herein refers to a monovalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms, and the term “ C_6 - C_{60} arylene group” as used herein refers to a divalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms. Examples of the C_6 - C_{60} aryl group are a phenyl group, a naphthyl group, an anthracenyl group, a phenanthrenyl group, a pyrenyl group, a chrysenyl group, and the like. When the C_6 - C_{60} aryl group and the C_6 - C_{60} arylene group each include two or more rings, the two or more rings may be fused to each other.

The term “ C_7 - C_{60} alkyl aryl group” as used herein refers to a C_6 - C_{60} aryl group substituted with at least one C_1 - C_{60} alkyl group. The term “ C_7 - C_{60} aryl alkyl group” as used herein refers to a C_1 - C_{60} alkyl group substituted with at least one C_6 - C_{60} aryl group.

The term “ C_1 - C_{60} heteroaryl group” as used herein refers to a monovalent group having a carbocyclic aromatic system that has at least one heteroatom selected from N, O, P, Si, S, Se, Ge, or B as a ring-forming atom, and 1 to 60 carbon atoms. The term “ C_1 - C_{60} heteroarylene group” as used herein refers to a divalent group having a carbocyclic aromatic system that has at least one heteroatom selected from N, O, P, Si, S, Se, Ge, or B as a ring-forming atom, and 1 to 60 carbon atoms. Examples of the C_1 - C_{60} heteroaryl group include a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, and the like. When the C_6 - C_{60} heteroaryl group and the C_6 - C_{60} heteroarylene group each include two or more rings, the two or more rings may be fused to each other.

The term “ C_2 - C_{60} alkyl heteroaryl group” as used herein refers to a C_1 - C_{60} heteroaryl group substituted with at least one C_1 - C_{60} alkyl group. The term “ C_2 - C_{60} heteroaryl group alkyl” as used herein refers to a C_1 - C_{60} alkyl group substituted with at least one C_1 - C_{60} heteroaryl group.

The term “ C_6 - C_{60} aryloxy group” as used herein indicates — OA_{102} (wherein A_{102} is a C_6 - C_{60} aryl group). The term “ C_6 - C_{60} arylthio group” as used herein indicates — SA_{103} (wherein A_{103} is a C_6 - C_{60} aryl group).

The term “ C_1 - C_{60} heteroaryloxy group” as used herein indicates — OA_{106} (wherein A_{106} is a C_1 - C_{60} heteroaryl group). The term “ C_1 - C_{60} heteroarylthio group” as used herein indicates — SA_{107} (wherein A_{107} is a C_1 - C_6 heteroaryl group).

The term “monovalent non-aromatic condensed polycyclic group” as used herein refers to a monovalent group (for example, having 8 to 60 carbon atoms) having two or more rings condensed to each other, only carbon atoms as ring-forming atoms, and no aromaticity in its entire molecular structure. Examples of the monovalent non-aromatic condensed polycyclic group are a fluorenyl group and the like. The term “divalent non-aromatic condensed polycyclic group” as used herein refers to a divalent group having the same structure as the monovalent non-aromatic condensed polycyclic group described above.

The term “monovalent non-aromatic condensed heteropolycyclic group” as used herein refers to a monovalent group (for example, having 2 to 60 carbon atoms) having two or more rings condensed with each other, a heteroatom selected from N, O, P, Si, S, Se, Ge, or B, other than carbon atoms, as a ring-forming atom, and no aromaticity in its entire molecular structure. Examples of the monovalent non-aromatic condensed heteropolycyclic group are a carbazolyl group and the like. The term “divalent non-aromatic condensed heteropolycyclic group” as used herein refers to a divalent group having the same structure as the monovalent non-aromatic condensed heteropolycyclic group described above.

The term “ C_5 - C_{30} carbocyclic group” as used herein refers to a saturated or unsaturated cyclic group having, as a ring-forming atom, 5 to 30 carbon atoms only. The C_5 - C_{30} carbocyclic group may be a monocyclic group or a polycyclic group.

The term “ C_1 - C_{30} heterocyclic group” as used herein refers to a saturated or unsaturated cyclic group having, as a ring-forming atom, at least one heteroatom selected from N, O, Si, P, S, Se, Ge, or B, other than 1 to 30 carbon atoms. The C_1 - C_{30} heterocyclic group may be a monocyclic group or a polycyclic group.

At least one substituent of the substituted C_5 - C_{30} carbocyclic group, the substituted C_1 - C_{30} heterocyclic group, the substituted C_1 - C_{60} alkyl group, the substituted C_2 - C_{60} alkenyl group, the substituted C_2 - C_{60} alkynyl group, the substituted C_1 - C_{60} alkoxy group, the substituted C_1 - C_{60} alkylthio group, the substituted C_3 - C_{10} cycloalkyl group, the substituted C_1 - C_{10} heterocycloalkyl group, the substituted C_3 - C_{10} cycloalkenyl group, the substituted C_1 - C_{10} heterocycloalkenyl group, the substituted C_6 - C_{60} aryl group, the substituted C_7 - C_{60} alkyl aryl group, the substituted C_7 - C_{60} aryl alkyl group, the substituted C_6 - C_{60} aryloxy group, the substituted C_6 - C_{60} arylthio group, the substituted C_1 - C_{60} heteroaryl group, the substituted C_2 - C_{60} alkyl heteroaryl group, the substituted C_2 - C_{60} heteroaryl alkyl group, the substituted C_1 - C_{60} heteroaryloxy group, the substituted C_1 - C_{60} heteroarylthio group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group is selected from:

deuterium, —F, —Cl, —Br, —I, — CD_3 , — CD_2H , — CDH_2 , — CF_3 , — CF_2H , — CFH_2 , a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, or a C_1 - C_{60} alkylthio group;

a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, or a C_1 - C_{60} alkylthio group, each substituted with at least one of deuterium, —F, —Cl, —Br, —I, — CD_3 , — CD_2H ,

121

—CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₇-C₆₀ alkyl aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ alkyl heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁₁)(Q₁₂), —Si(Q₁₃)(Q₁₄)(Q₁₅), —B(Q₁₆)(Q₁₇), —P(Q₁₈)(Q₁₉), —P(=O)(Q₁₈)(Q₁₉), or a combination thereof;

a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₇-C₆₀ alkyl aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ alkyl heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group;

a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₇-C₆₀ alkyl aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ alkyl heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one of deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₁-C₆ alkylthio group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₇-C₆₀ alkyl aryl group,


122

a C₇-C₆₀ aryl alkyl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ alkyl heteroaryl group, a C₂-C₆₀ heteroaryl alkyl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₂₁)(Q₂₂), —Si(Q₂₃)(Q₂₄)(Q₂₅), —B(Q₂₆)(Q₂₇), —P(Q₂₈)(Q₂₉), —P(=O)(Q₂₈)(Q₂₉), or a combination thereof; or —N(Q₃₁)(Q₃₂), —Si(Q₃₃)(Q₃₄)(Q₃₅), —B(Q₃₆)(Q₃₇), —P(Q₃₈)(Q₃₉), or —P(=O)(Q₃₈)(Q₃₉), and Q₁ to Q₉, Q₁₁ to Q₁₉, Q₂₁ to Q₂₉, and Q₃₁ to Q₃₉ may each independently be hydrogen; deuterium; —F; —Cl; —Br; —I; a hydroxyl group; a cyano group; a nitro group; an amidino group; a hydrazine group; a hydrazone group; a carboxylic acid group or a salt thereof; a sulfonic acid group or a salt thereof; a phosphoric acid group or a salt thereof; a C₁-C₆₀ alkyl group; a C₁-C₆₀ alkyl group substituted with at least one of deuterium, a C₁-C₆₀ alkyl group, or a C₆-C₆₀ aryl group; a C₂-C₆₀ alkenyl group; a C₂-C₆₀ alkynyl group; a C₁-C₆₀ alkoxy group; a C₁-C₆₀ alkylthio group; a C₃-C₁₀ cycloalkyl group; a C₁-C₁₀ heterocycloalkyl group; a C₃-C₁₀ cycloalkenyl group; a C₁-C₁₀ heterocycloalkenyl group; a C₆-C₆₀ aryl group; a C₆-C₆₀ aryl group substituted with at least one of deuterium, a C₁-C₆₀ alkyl group, or a C₆-C₆₀ aryl group; a C₆-C₆₀ aryloxy group; a C₆-C₆₀ arylthio group; a C₁-C₆₀ heteroaryl group; a C₂-C₆₀ alkyl heteroaryl group; a C₁-C₆₀ heteroaryloxy group; a C₁-C₆₀ heteroarylthio group; a monovalent non-aromatic condensed polycyclic group; or a monovalent non-aromatic condensed heteropolycyclic group.

Hereinafter, a compound and an organic light-emitting device according to one or more exemplary embodiments are described with reference to Synthesis Examples and Examples. However, the compound and the organic light-emitting device are not limited thereto. The wording “‘B’ was used instead of ‘A’” used in describing Synthesis Examples means that an amount of ‘A’ used was identical to an amount of ‘B’ used, in terms of a molar equivalent.

EXAMPLES


Synthesis Example 1: Synthesis of Compound 1





123

124


-continued




1A



1B




1B



125

126



(1) Synthesis of Compound 1A

Under nitrogen environment, 1-bromo-6-isopropylisoquinoline (1.1 gram (g), 4.4 millimoles (mmol)) and 6-isopropyl-8-(4,4,5,5-tetramethyl-1,3,2-dioxaborolane-2-yl)phenanthridine (1.7 g, 4.8 mmol) were dissolved in 90 milliliters (mL) of 1,4-dioxane to prepare a reaction mixture. Then, potassium carbonate (K_2CO_3) (1.4 g, 13.2 mmol) was dissolved in 35 mL of deionize (DI) water, and this salt solution was added to the reaction mixture. Next, a palladium catalyst ($Pd(PPh_3)_4$) (0.25 g, 0.22 mmol) was added thereto. Afterwards, the resultant reaction mixture was stirred under reflux at a temperature of 100° C. After an extraction process was performed thereon, the solid thus obtained was subjected to column chromatography (eluent: methylene chloride (MC) and hexanes), so as to obtain 1.4 g (yield of 80%) of Compound 1A (6-isopropyl-8-(6-isopropylisoquinolin-1-yl)phenanthridine). The obtained compound was identified by higher resolution mass spectrometry (HRMS) using matrix assisted laser desorption ionization (MALDI) and high-performance liquid chromatography (HPLC) analysis.

HRMS (MALDI) calcd for $C_{28}H_{26}N_2$: m/z: 390.53
Found: 391.32.

(2) Synthesis of Compound 1B

Compound 1A (1.4 g, 3.56 mmol) and iridium chloride (0.6 g, 1.62 mmol) were mixed with 30 mL of 2-ethoxyethanol and 10 mL of DI water, and the resultant mixed solution was stirred under reflux for 24 hours. Then, the reaction temperature was lowered to room temperature. The solid thus obtained was separated by filtration, washed sufficiently with water, methanol, and hexane, in this stated order, and then, dried in a vacuum oven, so as to obtain 1.6 g (yield of 88%) of Compound 1B. Compound 1B thus obtained was used in the next reaction without performing an additional purification process thereon.

(3) Synthesis of Compound 1

Potassium carbonate (K_2CO_3) (0.33 g, 2.35 mmol) was added to Compound 1B (1.6 g, 0.78 mmol) and 3,7-diethylnonane-4,6-dione (0.5 g, 2.35 mmol), and 20 mL of 2-ethoxyethanol was added thereto. The resultant mixed

solution was then stirred at room temperature for 24 hours. The solid thus obtained was filtered, and the filtrate was subjected to column chromatography (eluent: MC and hexanes), so as to obtain 0.5 g (yield of 37%) of Compound 1. The obtained compound was identified by HRMS and HPLC analysis.

HRMS (MALDI) calcd for $C_{69}H_{73}IrN_4O_2$: m/z: 1182.59
Found: 1183.61.

Example 1


As an anode, an ITO-patterned glass substrate was cut to a size of 50 millimeter (mm)×50 mm×0.5 mm, sonicated with isopropyl alcohol and DI water, each for 5 minutes, and then cleaned by exposure to ultraviolet rays and ozone for 30 minutes. The resultant ITO-patterned glass substrate was loaded onto a vacuum deposition apparatus.

Compounds HT3 and F12 (p-dopant) were vacuum-co-deposited on the anode at a weight ratio of 98:2 to form a hole injection layer having a thickness of 100 Å, and then, Compound HT3 was vacuum-deposited on the hole injection layer to form a hole transport layer having a thickness of 1,600 Å.

Next, Compounds RH3 (host) and 1 (dopant) were co-deposited at a weight ratio of 97:3 on the hole transport layer to form an emission layer having a thickness of 400 Å.

Then, Compounds ET3 and LiQ (n-dopant) were co-deposited at a volume ratio of 50:50 on the emission layer to form an electron transport layer having a thickness of 350 Å, LiQ was vacuum-deposited on the electron transport layer to form an electron injection layer having a thickness of 10 Å, and Al was vacuum-deposited on the electron injection layer to form a cathode having a thickness of 1,000 Å, thereby completing the manufacture of an organic light-emitting device.

127



HT3

5


10

15

20

F12

30




35

40

RH3


45



128


-continued

ET3



20

25



LiQ

Example 2 and Comparative Examples 1 to 3

Organic light-emitting devices were manufactured in a similar manner as in Example 1, except that compounds shown in Table 2 were each used instead of Compound 1 as a dopant in forming an emission layer.

For each of the organic light-emitting devices manufactured in Example 1 and 2 and Comparative Examples 1 to 3, the driving voltage (volts, V), roll-off ratio (%), lifespan (relative value, %), and maximum emission wavelength (λ_{max} , nm) of an emission spectrum were evaluated, and the results are shown in Table 2. As evaluation apparatuses, a current-voltage meter (Keithley 2400) and a luminance meter (Minolta Cs-1000A) were used. The roll-off ratio (%) was calculated according to Equation 20:




$$\text{Roll-off ratio} = \{1 - (\text{efficiency} / \text{maximum luminescence efficiency})\} \times 100\% \quad \text{Equation 20}$$

TABLE 2

		Driving voltage (V)	Roll-off ratio (%)	Lifespan (%) (relative value)	λ_{max} (nm)
Example 1	Compound 1	4.6	12	110	618
Example 2	Compound 4	4.6	11	125%	632
Comparative Example 1	Compound A	4.9	13	100%	624
Comparative Example 2	Compound B	5.2	16	60%	590
Comparative Example 3	Compound C	5.0	14	85%	625



129

TABLE 2-continued

Dopant in emission layer	Driving voltage (V)	Roll-off ratio (%)	Lifespan (%) (relative value)	λ_{max} (nm)
 1				5
				10
 4				15
				20
 A				25
				30

130

TABLE 2-continued

Dopant in emission layer	Driving voltage (V)	Roll-off ratio (%)	Lifespan (%) (relative value)	λ_{max} (nm)
 B				5
				10
 C				15
				20
				25
				30
				35
				40

Referring to Table 2, it was confirmed that the organic light-emitting devices of Examples 1 and 2 had low driving voltage and roll-off ratio, and excellent lifespan characteristics. In addition, it was confirmed that the organic light-emitting devices of Examples 1 and 2 had lower driving voltage and roll-off ratio, and longer lifespan than the organic light-emitting devices of Comparative Examples 1 to 3.

According to the one or more embodiments, an organometallic compound may have excellent electrical characteristics and stability. Thus, an electronic device, for example, an organic light-emitting device, including the organometallic compound may have low driving voltage, high efficiency, long lifespan, a reduced roll-off ratio, and a relatively narrow FWHM of an emission peak of an EL spectrum. Thus, due to the use of the organometallic compound, a high-quality organic light-emitting device may be embodied.

It should be understood that the one or more embodiments described herein should be considered in a descriptive sense and not for purposes of limitation. Descriptions of features or aspects within each exemplary embodiment should typically be considered as available for other similar features or aspects in other exemplary embodiments. While one or more embodiments have been described with reference to the FIGURE, it will be understood by those of ordinary skill in the art that various changes in form and details may be made

131

therein without departing from the spirit and scope as defined by the following claims.

What is claimed is:

1. An organometallic compound, represented by Formula 1:



wherein, in Formula 1,


M_1 is a transition metal,

Ln_1 is a ligand represented by Formula 1-1,


Ln_2 is a ligand represented by Formula 2-1 or 2-2,

$n1$ is 1 or 2,


$n2$ is 1 or 2,



Formula 1-1



Formula 2-1



Formula 2-2

wherein, in Formulae 1-1, 2-1, and 2-2,

each bond between a $*-N$ moiety in Formula 1-1 and M_1 is a coordinate bond, and each bond between a $*-C$ moiety and M_1 is a covalent bond,

each bond between a $*-X_{31}$ moiety in Formula 2-1 and M_1 in Formula 1 is a coordinate bond, each bond between a $*'-X_{32}$ moiety in Formula 2-1 and M_1 in Formula 1 is a covalent bond, each bond between a $*-O$ moiety in Formula 2-2 and M_1 in Formula 1 is a covalent bond, and each bond between a $*'-N$ moiety in Formula 2-2 and M_1 in Formula 1 is a coordinate bond,

CY_1 is a quinoline group, an isoquinoline group, a benzoquinoline group, or a benzoisoquinoline group,

X_{21} is N or C(R_{21}), X_{22} is N or C(R_{22}), X_{23} is N or C(R_{23}), X_{24} is N or C(R_{24}), X_{25} is N or C(R_{25}), X_{26} is N or C(R_{26}), X_{27} is N or C(R_{27}), and X_{28} is N or C(R_{28}),

132

at least one of X_{21} to X_{28} is N,

X_{31} and X_{32} are each independently O or S,

R_{10} , R_{21} to R_{28} , R_{31} to R_{37} , and R_{41} to R_{44} are each independently hydrogen, deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_1 - C_{60} alkylthio group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_2 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_7 - C_{60} alkyl aryl group, a substituted or unsubstituted C_7 - C_{60} aryl alkyl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_1 - C_{60} heteroaryl group, a substituted or unsubstituted C_2 - C_{60} alkyl heteroaryl group, a substituted or unsubstituted C_2 - C_{60} heteroaryl alkyl group, a substituted or unsubstituted C_1 - C_{60} heteroaryloxy group, a substituted or unsubstituted C_1 - C_{60} heteroarylthio group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, $-N(Q_4)(Q_5)$, $-B(Q_6)(Q_7)$, $-P(Q_8)(Q_9)$, or $-P(=O)(Q_8)(Q_9)$,

two or more of $R_{10}(s)$ are optionally linked together to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

two or more of R_{21} to R_{28} are optionally linked together to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

two or more of R_{31} to R_{37} are optionally linked together to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

two or more of R_{41} to R_{44} are optionally linked together to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

neighboring two or more of R_{10} , R_{21} to R_{28} , R_{31} to R_{37} , and R_{41} to R_{44} are optionally linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, $b10$ is 1, 2, 3, 4, 5, 6, 7, or 8,

$*$ and $*'$ each indicate a binding site to M_1 ,

at least one substituent of the substituted C_1 - C_{60} alkyl group, the substituted C_2 - C_{60} alkenyl group, the substituted C_2 - C_{60} alkynyl group, the substituted C_1 - C_{60} alkoxy group, the substituted C_1 - C_{60} alkylthio group, the substituted C_3 - C_{10} cycloalkyl group, the substituted C_1 - C_{10} heterocycloalkyl group, the substituted C_3 - C_{10} cycloalkenyl group, the substituted C_1 - C_{10} heterocycloalkenyl group, the substituted C_6 - C_{60} aryl group, the substituted C_7 - C_{60} alkyl aryl group, the substituted C_7 - C_{60} aryl alkyl group, the substituted C_6 - C_{60} aryloxy group, the substituted C_6 - C_{60} arylthio group, the substituted C_1 - C_{60} heteroaryl group, the substituted C_1 - C_{60}

133

heteroaryloxy group, the substituted C_1 - C_{60} heteroarylthio group, the substituted C_2 - C_{60} alkyl heteroaryl group, the substituted C_2 - C_{60} heteroaryl alkyl group, the substituted C_1 - C_{60} heteroaryloxy group, the substituted C_1 - C_{60} heteroarylthio group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group is:

deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, or a C_1 - C_{60} alkylthio group;

a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, or a C_1 - C_{60} alkylthio group, each substituted with at least one of deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_7 - C_{60} alkyl aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a C_2 - C_{60} alkyl heteroaryl group, a C_1 - C_{60} heteroaryloxy group, a C_1 - C_{60} heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —Si(Q₁₁)(Q₁₂)(Q₁₃), —Ge(Q₁₁)(Q₁₂)(Q₁₃), —N(Q₁₄)(Q₁₅), —B(Q₁₆)(Q₁₇), —P(Q₁₈)(Q₁₉), —P(=O)(Q₁₈)(Q₁₉), or a combination thereof;

a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_7 - C_{60} alkyl aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a C_2 - C_{60} alkyl heteroaryl group, a C_1 - C_{60} heteroaryloxy group, a C_1 - C_{60} heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group;

a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_7 - C_{60} alkyl aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a C_2 - C_{60} alkyl heteroaryl group, a C_1 - C_{60} heteroaryloxy group, a C_1 - C_{60} heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one of deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_1 - C_{60} alkylthio group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} hetero-

134

cycloalkenyl group, a C_6 - C_{60} aryl group, a C_7 - C_{60} alkyl aryl group, a C_7 - C_{60} aryl alkyl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a C_2 - C_{60} alkyl heteroaryl group, a C_2 - C_{60} heteroaryl alkyl group, a C_1 - C_{60} heteroaryloxy group, a C_1 - C_{60} heteroarylthio group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —Si(Q₂₁)(Q₂₂)(Q₂₃), —Ge(Q₂₁)(Q₂₂)(Q₂₃), —N(Q₂₄)(Q₂₅), —B(Q₂₆)(Q₂₇), —P(Q₂₈)(Q₂₉), —P(=O)(Q₂₈)(Q₂₉), or a combination thereof; or

—Si(Q₃₁)(Q₃₂)(Q₃₃), —Ge(Q₃₁)(Q₃₂)(Q₃₃), —N(Q₃₄)(Q₃₅), —B(Q₃₆)(Q₃₇), —P(Q₃₈)(Q₃₉), or —P(=O)(Q₃₈)(Q₃₉), and

Q₁ to Q₉, Q₁₁ to Q₁₉, Q₂₁ to Q₂₉, and Q₃₁ to Q₃₉ are each independently hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_1 - C_{60} alkylthio group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_7 - C_{60} alkyl aryl group, a substituted or unsubstituted C_7 - C_{60} aryl alkyl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_1 - C_{60} heteroaryl group, a substituted or unsubstituted C_2 - C_{60} alkyl heteroaryl group, a substituted or unsubstituted C_2 - C_{60} heteroaryl alkyl group, a substituted or unsubstituted C_1 - C_{60} heteroaryloxy group, a substituted or unsubstituted C_1 - C_{60} heteroarylthio group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, or a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group.


2. The organometallic compound of claim 1, wherein M₁ is iridium (Ir), platinum (Pt), osmium (Os), titanium (Ti), zirconium (Zr), hafnium (Hf), europium (Eu), terbium (Tb), thulium (Tm), rhodium (Rh), palladium (Pd), or gold (Au).

3. The organometallic compound of claim 1, wherein M₁ is Ir, and

the sum of n1 and n2 is 3.






4. The organometallic compound of claim 1, wherein CY₁ is a group represented by one of Formulae 3-1 to 3-12:

3-1








135

-continued


**136**

-continued



137

-continued



wherein, in Formulae 3-1 to 3-12,


R₁₁ to R₁₈ are respectively the same as described in connection with R₁₀ in claim 1, and

* indicates a binding site to M₁, and *' indicates a binding site to a neighboring atom.

5. The organometallic compound of claim 1, wherein one of X₂₁ to X₂₈ is N, or two of X₂₁ to X₂₈ are N.

6. The organometallic compound of claim 1, wherein R₁₀, R₂₁ to R₂₈, R₃₁ to R₃₇, and R₄₁ to R₄₄ are each independently: hydrogen, deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₁-C₆₀ alkylthio group, —Si(Q₁)(Q₂)(Q₃), or —Ge(Q₁)(Q₂)(Q₃), or

a group represented by one of Formulae 9-1 to 9-67, 9-201 to 9-244, 10-1 to 10-154, or 10-201 to 10-350:

**138**

-continued

3-12

5

10

15

25

30

35

9-2

40

9-4

9-5

50
















9-6

9-7

9-8

9-9

65



9-10

9-11

9-12

9-13

9-14

9-15

9-16

9-17

9-18

9-19

9-20

9-21














9-22

9-23

9-24

139


-continued

**140**


-continued

9-25

9-26 5




9-27 10



9-28 15




9-29 20




9-30 25




9-31 30




9-32 35




9-33 40




9-34 45




9-35 50



9-36 55



9-37 60



9-38 65

9-39

9-40

9-41

9-42

9-43

9-44

9-45

9-46

9-47












9-48

9-49

9-50

141


-continued

**142**

-continued

9-50

5



9-51

10




9-52

15




9-53

20




9-54

25




9-55

30




35




9-56

40




9-57

45




9-58

50




9-59

55




60

9-60



65



9-61

9-62

9-63

9-64

9-65

9-66

9-67

9-201

9-202

9-203









9-204

9-205

9-206

143


-continued

**144**

-continued

9-207


5



9-217

9-208


10



9-218

9-209


15



9-219

9-210


20



9-220

9-211


25



9-221

9-212


30



9-222

9-213

35




9-223

40

9-214

45



9-224

9-215


50



9-225

9-216

60














9-226

65

145


-continued

**146**

-continued


9-227

5




9-228

10




9-229

15




9-230

20




9-231

25




9-232

30



9-233

35




9-234

40


9-235

45



9-236

50




9-237

55



9-238

60



9-239

65

9-238

9-239

9-240

9-241

9-242

9-243

9-244

10-1










10-2

10-3

10-4


147

-continued

**148**


-continued

10-5




5

10-6




10

10-7




15

10-8




20

10-9




25

10-10




30

10-11




35

10-12




40

10-13



45


10-14



50


55

10-15



60

10-16



65

TMG

10-17

10-18

10-19

10-20

10-21

10-22

10-23

10-24












10-25

10-26

10-27

149

-continued

**150**

-continued

10-28

5

10-29

10

10-30

15

10-31

20

10-32

25

10-33

30

10-34

35

40

10-35

45

10-36











50

10-37

55

10-38

65



10-39

10-40

10-41

10-42

10-43

10-44

10-45









10-46

10-47

10-48

151

-continued

**152**

-continued

10-49

5

10
10-50

15

20
10-51

25

30
10-52

35

10-53

40










10-54 45

50
10-55

55

60
10-56

65



10-57

10-58

10-59

10-60

10-61

10-62










10-63

10-64

10-65

153


-continued

**154**

-continued


10-66

5




10-67

10




10-68

15




10-69

20




10-70

25




10-71

30




10-72

35




10-73

40



10-74

45



50

55

60

65

10-75

10-76

10-77

10-78

10-79









10-80

10-81

10-82

155


-continued

**156**

-continued


10-83

5




10-84 10

15




10-85 20

25




10-86 30

35




10-87 40

45





10-88 50

55



10-89 60

65



10-91

10-92

10-93

10-94

10-95









10-96

10-97

10-98

157


-continued

**158**

-continued

10-99


5



10

10-100


15



20

10-101


25



30

10-102


35



40

10-103


45



50

10-104

55




10-105

60

10-106

65



10-107

10-108

10-109

10-110








10-111

10-112

10-113

159


-continued

**160**

-continued

10-114

5



10-115

15

10-116 20

25

10-117

30

10-118 35

40

10-201

45

50

10-202 55

60

65

10-203

10-204







10-205

10-206

10-207














10-208

10-209



161


-continued

**162**

-continued


10-210

5




10-211

10




10-212

15




10-213

20




10-214

25




10-215

30




10-216

35




10-217

40




10-218

45




10-219

50




10-220

55




10-221

60



10-222

65



10-223

10-224

10-225

10-225

10-226

10-227

10-228

10-229

10-230









10-231

10-232

10-233

163


-continued

**164**

-continued

10-234

5



10-235

10

10-236

15

20

10-237

25

30

10-119

35

10-120

40

10-121

45

10-121

50






10-122

55

10-122

60

65



10-123

10-124

10-125












10-126

10-127

10-128

165


-continued

**166**

-continued

10-129


5



10-140


10-130

10



10-141


15



10-142

10-131


20



10-143

10-132


25



10-144

10-133


30



10-145

10-134


35



10-146

10-135


40



10-147

10-136


45



10-148

10-137


50



10-149

10-138

55











10-150

10-139

65

167


-continued

**168**

-continued

10-151


5



10-242

10-152


10



10-243

10-153


15



10-244

10-154


20



10-245

10-238


25



10-246

10-239


30



10-247

10-240


35



10-248

10-241

40



10-249

45

50









55

60

65

169


-continued

**170**

-continued

10-250

5




10-251 10

15

10-252


20



25


10-253

30




10-254 35

40



10-255


45



50


10-256

55



10-257

60



65

10-258

10-259

10-260

10-261








10-262

10-263

10-264

171


-continued

**172**

-continued

10-265


5




10

10-266

15




20




10-267

25




30




10-268

35




10-269

45




10-270

50




10-271

60



65



10-272

10-273

10-274

10-275

10-276

10-277

10-278














10-279

10-280

10-281

173


-continued

**174**

-continued


10-282

5



10-295


10



10-296

10-283


15



10-297

10-284


20



10-298

10-285


25



10-299

10-286


30



10-300

10-287


35



10-301

10-288


40



10-302

10-289


45



10-303

10-290

50



10-304

10-291


55



10-305

10-292


60



10-306









10-293

65



175


-continued

**176**

-continued

10-307


5



10-315

10-308

10




10-316

15

10-309


20



10-317

10-310

25




10-318

30

10-311


35



10-319

10-312

40




10-320

45

10-313

50




10-321

55

10-314

60










10-322

65

177


-continued

**178**

-continued

10-323


5



10

10-324


15



20

10-325


25



30

10-326


35



40

10-327


45



50


10-328

55




10-329

60



65



10-330

10-331

10-332

10-333

10-334











10-335

10-336

10-337

179

-continued




180

-continued

10-338

5




10-339

10

10-340

15




20

10-341

25

10-342

30



10-343

35 wherein, in Formulae 9-1 to 9-67, 9-201 to 9-244, 10-1 to 10-154, and 10-201 to 10-350, * indicates a binding site to a neighboring atom, Ph is a phenyl group, TMS is a trimethylsilyl group, and TMG is a trimethylgermyl group.

40 7. The organometallic compound of claim 1, wherein R_{10} and R_{21} to R_{28} are each independently hydrogen, a C_1 - C_{60} alkyl group, a C_1 - C_{60} aryl group, a C_2 - C_{60} alkyl aryl group, a C_2 - C_{60} aryl alkyl group, $-\text{Si}(\text{Q}_1)(\text{Q}_2)(\text{Q}_3)$, or $-\text{Ge}(\text{Q}_1)(\text{Q}_2)(\text{Q}_3)$.

10-344

45 8. The organometallic compound of claim 1, wherein R_{31} to R_{37} are each independently hydrogen, deuterium, a methyl group, an ethyl group, a propyl group, a 1-methylethyl group, a butyl group, a 2-methylpropyl group, a 1-methylpropyl group, a 1,1-dimethylethyl group, a pentyl group, a 3-methylbutyl group, a 2-methylbutyl group, a 1-methylbutyl group, a 1,1-dimethylpropyl group, a 2,2-dimethylpropyl group, a 1-ethylpropyl group, or a 3-methyl-2-butyl group.

10-345

50

10-346

55

10-347

60

65 9. The organometallic compound of claim 1, wherein R_{41} to R_{44} are each independently hydrogen, deuterium, a methyl group, an ethyl group, a propyl group, a 1-methylethyl group, a butyl group, a 2-methylpropyl group, a 1-methylpropyl group, a 1,1-dimethylethyl group, a pentyl group, a 3-methylbutyl group, a 2-methylbutyl group, a 1-methylbutyl group, a 1,1-dimethylpropyl group, a 2,2-dimethylpropyl group, a 1-ethylpropyl group, a 3-methyl-2-butyl group, a phenyl group, a biphenyl group, a C_1 - C_{20} alkylphenyl group, or a naphthyl group.




10-348

10-349




10-350

181




10. The organometallic compound of claim 1, wherein each Ln_1 is represented by one of Formulae 11-1 to 11-12:

**182**

-continued



-continued




-continued

11-10

11-7

5



10

15

20

11-11


11-8

25

30

35

40



110

45


50

55

60

65

11-12



185





wherein, in Formulae 11-1 to 11-12,

X_{21} to X_{28} are respectively as described in claim 1,

R_{11} to R_{18} are respectively as described in connection with R_{10} in claim 1, and

* and *' each indicate a binding site to M_1 .

11. The organometallic compound of claim 1, wherein each Ln_2 is represented by one of Formulae 21-1 to 21-4:




wherein, in Formulae 21-1 to 21-4,

R_{31} to R_{37} are respectively as described in claim 1, and










* and *' each indicate a binding site to M_1 .

12. The organometallic compound of claim 1, wherein each Ln_2 is represented by one of Formulae 22-1 to 22-16:










186

-continued



187

-continued






wherein, in Formulae 22-1 to 22-16,

R₄₁ to R₄₄ are respectively as described in claim 1, and are each not hydrogen, and

* and *' each indicate a binding site to M₁.

188


13. The organometallic compound of claim 1, wherein the organometallic compound is a group represented by one or more of Formulae 31-1 to 31-24:



189


-continued

31-4

**190**


-continued

31-7




25

31-8



45

31-9



31-6

50

55


60

65


191

-continued


31-10



31-11




31-12


**192**

-continued


31-13



31-14




31-15



193


-continued

31-16

**194**


-continued

31-19




25

31-20




31-17




45

31-21






31-18



65

195

-continued



wherein, in Formulae 31-1 to 31-24,




M_1 , n_1 , n_2 , X_{21} to X_{28} , R_{31} to R_{37} , and R_{41} to R_{44} are respectively as described in claim 1, and

R_{11} to R_{18} are respectively as described in connection with R_{10} in claim 1.

14. The organometallic compound of claim 1, wherein the organometallic compound is electrically neutral.


196

15. The organometallic compound of claim 1, wherein the organometallic compound is one or more of Compounds 1 to 17:








197

-continued


**198**

-continued








199

-continued



**200**

-continued



201

-continued

**202****16.** An organic light-emitting device, comprising:

a first electrode;

a second electrode; and

an organic layer arranged between the first electrode and the second electrode,

wherein the organic layer comprises an emission layer, and

wherein the organic layer further comprises at least one organometallic compound of claim 1.

17. The organic light-emitting device of claim 16, wherein the emission layer comprises the at least one organometallic compound.**18.** The organic light-emitting device of claim 17, wherein the emission layer further comprises a host, and an amount of the host in the emission layer is greater than an amount of the at least one organometallic compound in the emission layer.**19.** The organic light-emitting device of claim 16, wherein the first electrode is an anode,

the second electrode is a cathode,

the organic layer further comprises a hole transport region arranged between the first electrode and the emission layer, and an electron transport region arranged between the emission layer and the second electrode,

the hole transport region comprises a hole injection layer, a hole transport layer, an electron blocking layer, a buffer layer, or a combination thereof, and

the electron transport region comprises a hole blocking layer, an electron transport layer, an electron injection layer, or a combination thereof.

20. An electronic apparatus, comprising the organic light-emitting device of claim 16.

* * * * *