

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent	12383792
Kind Code	B2
Date of Patent	August 12, 2025
Inventor(s)	Wachirajindakul; Non et al.

Rank listing of competitive performances of exercise on a machine

Abstract

Among other things, a processor executes instructions to: update, in real time during a current instance of an exercise activity by a subject competitor, a graphical user interface displayed on a display device, the display device being included in a first exercise machine operated by the subject competitor or included in a mobile electronic device. The graphical user interface includes: a ranking of the subject competitor and a second competitor based on (i) a projected performance metric of the subject competitor over a predefined scope of the exercise activity compared to (ii) a historical performance metric of the second competitor over the predefined scope of the exercise activity in a previous instance of the exercise activity, an illustration of a margin between the historical performance metric of the second competitor and the projected performance metric for the subject competitor, and an illustration of the projected performance metric.

Inventors: Wachirajindakul; Non (Cambridge, MA), Paul; Christopher Francois (Lincoln, MA)

Applicant: Hydrow, Inc. (Cambridge, MA)

Family ID: 79689832

Assignee: Hydrow, Inc. (Boston, MA)

Appl. No.: 17/582951

Filed: January 24, 2022

Prior Publication Data

Document Identifier	Publication Date
US 20220143465 A1	May. 12, 2022

Related U.S. Application Data

continuation parent-doc US 17001285 20200824 US 11229825 child-doc US 17582951

Publication Classification

Int. Cl.: A63B24/00 (20060101); A63B71/06 (20060101)

U.S. Cl.:

CPC A63B24/0062 (20130101); A63B24/0003 (20130101); A63B24/0006 (20130101); A63B24/0075 (20130101); A63B71/06 (20130101); A63B71/0616 (20130101); A63B2024/0015 (20130101); A63B2024/0065 (20130101); A63B2024/0068 (20130101); A63B2024/0081 (20130101)

Field of Classification Search

USPC: None

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
2002	12/1840	Rider	N/A	N/A
3912264	12/1974	Busse et al.	N/A	N/A
4735410	12/1987	Nobuta	N/A	N/A
4798378	12/1988	Jones	N/A	N/A
4984986	12/1990	Vohnout	N/A	N/A
5076573	12/1990	Lo	N/A	N/A
5409435	12/1994	Daniels	N/A	N/A
5466200	12/1994	Ulrich et al.	N/A	N/A
5656001	12/1996	Baatz	N/A	N/A
5772560	12/1997	Watterson et al.	N/A	N/A
6447424	12/2001	Ashby et al.	N/A	N/A
6601016	12/2002	Brown et al.	N/A	N/A
6626799	12/2002	Watterson et al.	N/A	N/A
6701271	12/2003	Willner et al.	N/A	N/A
6749537	12/2003	Hickman	N/A	N/A
6808472	12/2003	Hickman	N/A	N/A
6902513	12/2004	McClure	N/A	N/A
6921351	12/2004	Hickman et al.	N/A	N/A
6945917	12/2004	Baatz	N/A	N/A
7166064	12/2006	Watterson et al.	N/A	N/A
7311640	12/2006	Baatz	N/A	N/A
7556590	12/2008	Watterson et al.	N/A	N/A
7628730	12/2008	Watterson et al.	N/A	N/A
7769794	12/2009	Moore et al.	N/A	N/A
7874957	12/2010	Hurwitz et al.	N/A	N/A
7946961	12/2010	Blum et al.	N/A	N/A
8103517	12/2011	Hinnebusch	N/A	N/A
8152696	12/2011	Blum et al.	N/A	N/A
8409057	12/2012	Martens	N/A	N/A
8622876	12/2013	Kelliher	N/A	N/A

8684888	12/2013	Blum et al.	N/A	N/A
9174085	12/2014	Foley et al.	N/A	N/A
9233276	12/2015	Foley et al.	N/A	N/A
9302152	12/2015	Blum et al.	N/A	N/A
9861855	12/2017	Foley et al.	N/A	N/A
9974995	12/2017	Hall	N/A	N/A
10322315	12/2018	Foley et al.	N/A	N/A
10471297	12/2018	Smith et al.	N/A	N/A
10486026	12/2018	Foley et al.	N/A	N/A
10610725	12/2019	Schaefer et al.	N/A	N/A
10639521	12/2019	Foley et al.	N/A	N/A
10828531	12/2019	Smith et al.	N/A	N/A
10946263	12/2020	Felker	N/A	N/A
10956630	12/2020	Le Chevalier et al.	N/A	N/A
11130017	12/2020	Smith et al.	N/A	N/A
11229825	12/2021	Wachirajindakul et al.	N/A	N/A
11766588	12/2022	Smith et al.	N/A	N/A
11904200	12/2023	Smith et al.	N/A	N/A
2005/0085348	12/2004	Kiefer et al.	N/A	N/A
2005/0164833	12/2004	Florio	N/A	N/A
2007/0219059	12/2006	Schwartz et al.	N/A	N/A
2008/0005276	12/2007	Frederick	N/A	N/A
2008/0052756	12/2007	Morishige et al.	N/A	N/A
2008/0109158	12/2007	Huhtala et al.	N/A	N/A
2008/0280736	12/2007	D'Eredita	N/A	N/A
2009/0075782	12/2008	Joubert et al.	N/A	N/A
2009/0164448	12/2008	Curtis	N/A	N/A
2009/0233769	12/2008	Pryor	N/A	N/A
2009/0291726	12/2008	Svensson	N/A	N/A
2009/0291805	12/2008	Blum et al.	N/A	N/A
2010/0144497	12/2009	Clark	N/A	N/A
2010/0173749	12/2009	Lannon et al.	N/A	N/A
2011/0082009	12/2010	Ranky et al.	N/A	N/A
2011/0105281	12/2010	Jerichow	N/A	N/A
2011/0201477	12/2010	Blum et al.	N/A	N/A
2011/0245044	12/2010	Kelliher	N/A	N/A
2012/0120771	12/2011	Lapides	N/A	N/A
2012/0237910	12/2011	Blum et al.	N/A	N/A
2013/0130206	12/2012	Smith et al.	N/A	N/A
2013/0171594	12/2012	Gorman	434/219	G09B 5/00
2013/0274635	12/2012	Coza	N/A	N/A
2014/0172135	12/2013	Eisner	700/91	G06F 17/40
2014/0244010	12/2013	Harvey	N/A	N/A
2014/0337450	12/2013	Choudhary	N/A	N/A
2015/0057130	12/2014	Lin et al.	N/A	N/A
2015/0170530	12/2014	Damman et al.	N/A	N/A
2015/0360083	12/2014	Lagree et al.	N/A	N/A
2016/0107023	12/2015	Campanaro et al.	N/A	N/A
2016/0158603	12/2015	Darwood et al.	N/A	N/A

2016/0271441	12/2015	Hoover	N/A	N/A
2016/0287939	12/2015	Deochand et al.	N/A	N/A
2017/0319889	12/2016	Cei et al.	N/A	N/A
2017/0319904	12/2016	Deochand et al.	N/A	N/A
2017/0319906	12/2016	Chang et al.	N/A	N/A
2018/0056132	12/2017	Foley et al.	N/A	N/A
2018/0099178	12/2017	Schaefer	N/A	N/A
2018/0126249	12/2017	Consiglio	N/A	N/A
2018/0140903	12/2017	Poure et al.	N/A	N/A
2018/0161658	12/2017	Felker	N/A	N/A
2018/0214729	12/2017	Rubin et al.	N/A	N/A
2018/0264366	12/2017	Kawahara	N/A	N/A
2018/0285496	12/2017	Le Chevalier et al.	N/A	N/A
2018/0339195	12/2017	Bernotas	N/A	N/A
2019/0070448	12/2018	Jeremic et al.	N/A	N/A
2019/0126099	12/2018	Hoang	N/A	N/A
2019/0184234	12/2018	Packles et al.	N/A	N/A
2019/0255386	12/2018	Trotter	N/A	N/A
2019/0290964	12/2018	Oren	N/A	N/A
2019/0336827	12/2018	Intonato	N/A	A63B 71/0622
2019/0351283	12/2018	Smith et al.	N/A	N/A
2020/0078635	12/2019	Smith et al.	N/A	N/A
2020/0376328	12/2019	Smith et al.	N/A	N/A
2021/0060378	12/2020	Smith et al.	N/A	N/A
2021/0402250	12/2020	Smith et al.	N/A	N/A
2024/0082629	12/2023	Smith et al.	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
1484538	12/2003	CN	N/A
101234224	12/2007	CN	N/A
202179824	12/2011	CN	N/A
204219688	12/2014	CN	N/A
205699387	12/2015	CN	N/A
107970562	12/2017	CN	N/A
108096807	12/2017	CN	N/A
110327587	12/2018	CN	N/A
0919259	12/1998	EP	N/A
M554814	12/2017	TW	N/A
M580447	12/2018	TW	N/A
WO9606664	12/1995	WO	N/A
WO2005087323	12/2004	WO	N/A
WO2017008775	12/2016	WO	N/A
WO2017009775	12/2016	WO	N/A
WO2019023473	12/2018	WO	N/A

OTHER PUBLICATIONS

How the Leaderboard Works, Jul. 30, 2019, Hydrow, 1-4 <https://support.hydrow.com/hc/en-us/articles/360031429651-How-the-Leaderboard-Works> (Year: 2019). cited by examiner

Chinese Office Action in CN Appln. No. 202080053324.5, dated Nov. 17, 2022, 10 pages (with English translation). cited by applicant

PCT International Preliminary Report on Patentability in International Appln. No. PCT/US2021/047249, mailed on Mar. 9, 2023, 9 pages. cited by applicant

'www.commonwealthmagazine.org' [online]. "Bruce Smith wants to take rowing to a new level," Apr. 2015 [retrieved May 9, 2018]. Retrieved from the Internet: URL <<https://commonwealthmagazine.org/environment/bruce-smith-wants-to-take-rowing-to-a-new-level/>>. 25 pages. cited by applicant

'www.concept2.com' [online]. "Concept 2—The world's leading rowing machine," Dec. 25, 1996 [retrieved on May 9, 2018]. Retrieved from the Internet: URL <http://www.concept2.com/>. 2 pages. cited by applicant

'www.liverowing.com' [online]. "Liverowing," Feb. 2, 2011 [retrieved on May 9, 2018]. Retrieved from URL <<https://liverowing.com/>>. 5 pages. cited by applicant

'www.onepeloton.com' [online]. "The Peloton Bike: Live studio cycling, ready when you are," Sep. 22, 2017 [retrieved on May 9, 2018]. Retrieved from the Internet: URL <<https://www.onepeloton.com/>>. 9 pages. cited by applicant

'www.rowlab.com' [online]. "Stream Live and On-Demand Rowing Classes," 2017 [Retrieved on May 9, 2018]. Retrieved from the Internet: URL <<https://rowlab.co/>>. 4 pages. cited by applicant

'www.truerowing.com' [online]. "CREW by True Rowing: Redefining indoor workouts," [retrieved on May 9, 2018]. Retrieved from the Internet: URL <<http://www.truerowing.com/>>. 5 pages. cited by applicant

Chinese Office Action in CN Appln. No. 201980047722.3, dated Oct. 20, 2021, 18 pages with English Translation. cited by applicant

Flywheelsports.com [online], "Take the class of your life, your first fly is free", Published on or before May 30, 2019, retrieved on Mar. 18, 2020, retrieved from URL<<https://www.flywheelsports.com/>> 5 pages. cited by applicant

Mogan et al., "To be in synchrony or not? A meta-analysis of synchrony's effects on behavior, perception, cognition and affect," Journal of Experimental Social Psychology, 2017, 72: 13-20. cited by applicant

Office Action in U.S. Appl. No. 16/426,347, dated Aug. 5, 2019, 12 pages. cited by applicant

PCT International Preliminary Report on Patentability in International Appln. No. PCT/US2019/030646, dated Nov. 17, 2020, 10 pages. cited by applicant

PCT International Search Report and Written Opinion in International Application No. PCT/US2019/30646, dated Aug. 29, 2019, 18 pages. cited by applicant

PCT International Search Report and Written Opinion in International Appln. No. PCT/US2020/032132, dated Aug. 18, 2020, 15 pages. cited by applicant

PCT International Search Report and Written Opinion in International Appln. No. PCT/US2021/047249, dated Sep. 20, 2021, 10 pages. cited by applicant

ProForm.com [online], "Rowers", published on or before May 30, 2019, retrieved from URL<<https://www.proform.com/rowing-machines/750r-rower>> 15 pages. cited by applicant

Support.hydrow.com [online], "How the Leaderboard Works", published on Jul. 30, 2019, retrieved on Sep. 13, 2021, retrieved from URL<<https://support.hydrow.com/hc/en-us/articles/360031429651-How-the-Leaderboard-Works>>. cited by applicant

Taiwanese Office Action in TW Appln. No. 109117615, dated Dec. 29, 2020, 19 pages with English Translation. cited by applicant

'www.concept2.com' [online]. "How to Use Your PM4," Aug. 28, 2012 [retrieved on Jun. 3, 2019]. Retrieved from the Internet: URL <<https://www.concept2.com/service/monitors/pm4/how-to->

use/viewing-drag-factor>. 2 pages. cited by applicant
'www.thestrokemaster.com' [online]. "The Stroke Master Elite Rowing Trainer," 2019 [retrieved on Jun. 10, 2019]. Retrieved from the Internet: <https://thestrokemaster.com/products/>. 6 pages. cited by applicant
Yogatoday.com [online], "Your Yogatoday Studio", published on or before May 30, 2019, retrieved on Mar. 18, 2020, retrieved from URL <<https://www.yogatoday.com/>>, 5 pages. cited by applicant
Japanese Office Action in JP Appln. No. 2020-564448, dated May 9, 2023, 10 pages (with English Translation). cited by applicant
support.hydrow.com [online], "How the Leaderboard Works," available on or before Aug. 14, 2020, via Internet Archive: Wayback Machine URL
<<http://web.archive.org/web/20200814060451/https://support.hydrow.com/hc/en-us/articles/360031429651-How-the-Leaderboard-Works>>, retrieved on Nov. 15, 2023, retrieved from URL <<https://support.hydrow.com/hc/en-us/articles/360031429651-How-the-Leaderboard-Works>>, 1 page. cited by applicant
support.hydrow.com [online], "How the Leaderboard Works," available on or before May 18, 2021, via Internet Archive: Wayback Machine URL
<<http://web.archive.org/web/20210518014852/https://support.hydrow.com/hc/en-us/articles/360031429651-How-the-Leaderboard-Works>>, retrieved on Nov. 17, 2023, retrieved from URL <<https://support.hydrow.com/hc/en-us/articles/360031429651-How-the-Leaderboard-Works>>, 1 page. cited by applicant
Notice of Acceptance in Australian Application No. 2021277676, dated Nov. 23, 2023, 3 pages. cited by applicant
Notice of Allowance in Japanese Application No. 2020-564448, dated Feb. 27, 2024, 5 pages (with English Translation). cited by applicant
Office Action in Japanese Application No. 2020-564448, dated Nov. 27, 2023, 5 pages (with English Translation). cited by applicant
Office Action in Korean Application No. 10-2020-7035693, dated Mar. 11, 2024, 6 pages (with English Translation). cited by applicant
Communication Pursuant to Article 94(3) EPC in European Application No. 19803716.0, dated Jul. 22, 2024, 8 pages. cited by applicant
European Search Report in European Application No. 21862523, dated Jul. 19, 2024, 8 pages. cited by applicant
Office Action in Taiwanese Application No. 110131160, dated Jan. 22, 2025, 70 pages (with English Translation). cited by applicant

Primary Examiner: Abyaneh; Shila Jalalzadeh

Attorney, Agent or Firm: Fish & Richardson P.C.

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS (1) This application is a continuation application and claims priority under 35 U.S.C. § 120 to U.S. patent application Ser. No. 17/001,285, filed Aug. 24, 2020 (issued as U.S. Pat. No. 11,229,825 on Jan. 25, 2022), which is incorporated here by reference in its entirety.

BACKGROUND

(1) This description relates to rank listing of competitive performances of exercise on a machine.
(2) Leaderboards are a form of rank listing often used to present to competitors and observers the

relative progress of leaders during and up to an endtime or other end point of a competition, such as golf or track or rowing. In some kinds of competition, such as those in which the competitors use instrumented exercise machines (for example, cycling or rowing machines), progress of the competitors can be measured continuously and the results compared frequently (such as every few seconds) to show current leaderboard information. Relative performance of competitors can be reported in terms of variables such as distance covered since the start of the competition.

(3) Exercise machines can be used in a “live” mode for live real-time competitive exercise activities, in an “on-demand” mode for virtual competitive exercise activities, or in a combination of the two.

(4) In some uses of exercise machines in a live mode, live competitors located remotely from one another compete in real time. Live real-time video and performance data for a live competitor can be presented to the other live competitors through displays at their exercise machines to enhance their competitive experience.

(5) In some typical uses of exercise machines in an on-demand mode, a live subject competitor engages in a virtual competition with other competitors whose prior performances for the exercise activity have been previously stored as historical performance data. The other competitors can be considered virtual competitors in that they are not competing live and in real-time but rather their historical performance data is used to create the impression of virtual competition of the virtual competitors versus the subject competitor. When such stored historical performance data is available, the subject competitor can engage in the virtual competitive exercise activity by choosing that exercise activity through a user interface of the exercise machine at a time and in a context convenient to the subject competitor. In some cases, one of the virtual competitors can be the subject competitor herself in an instance when she previously engaged in exercise activity. In other words she can be competing against her prior performance (a prior instance) of the same exercise activity.

(6) Historical performance data for a competitor engaging in an exercise activity can include speed, distance traveled, heart rate, stroke rate, watts, and calories burned, at closely spaced exercise moments during the exercise activity.

(7) In either an on-demand mode or a live mode of competition, an electronically determined leaderboard can be presented to the subject competitor.

SUMMARY

(8) In general, in an aspect, a processor executes instructions to (a) during a current instance of an exercise activity having a predefined scope and being performed by a subject competitor on a machine, compute a first performance metric for the subject competitor using performance data from the subject competitor's performance of a lesser scope than the predefined scope of the current instance of the exercise activity, the first performance metric being normalized to reflect a hypothetical performance over the predefined scope, (b) receive performance data representing an historical performance during a previous instance of the exercise activity by at least one other competitor on a machine, and (c) present to the subject competitor comparative data based on the first performance metric and on a second performance metric for the historical performance by at least one other competitor that is based on the received performance data and that reflects performance of the at least one other competitor of a scope of the previous instance that is substantially the same as the predefined scope.

(9) Implementations can include one or a combination of two or more of the following features. The exercise activity includes rowing. The predefined scope includes a time duration. The predefined scope includes a distance. The machine includes a rowing machine. The performance metric includes a distance predicted to be covered during the predefined scope of the exercise activity. The performance data includes distance data. The performance metric includes a time predicted to have elapsed for the predefined scope of the exercise activity. The performance metric includes an average speed as of a current exercise moment. The subject competitor's performance

of less than the predefined scope includes the subject competitor's performance for a time duration shorter than a time duration of the predefined scope. The comparative data includes a predicted value of the first performance metric for the subject competitor. The predicted value of the first performance metric includes a predicted distance. The predicted value of the first performance metric for the subject competitor is based on an actual value of the first performance metric for the subject competitor's performance of the lesser scope. The predicted value of the first performance metric for the subject competitor is based on an actual value of the second performance metric for the historical performance by at least one other competitor's performance of the lesser scope. The predicted value of the first performance metric for the subject competitor is based on the proportion of the predefined scope represented by the lesser scope. The predicted value of the first performance metric is based on a rank of the subject competitor based on the subject competitor's performance of the lesser scope. Presenting the comparative data includes displaying the comparative data in an interactive user interface accessible to the subject competitor. Presenting the comparative data includes presenting data representing a performance of the subject competitor and data representing a relative performance of at least one other competitor compared to the subject competitor. The at least one other competitor is a live competitor in the current instance of the exercise activity and the received performance data is of the historical performance of the live competitor during a previous instance of the exercise activity.

(10) In general, in an aspect, a processor executes instructions to (a) receive from an exercise machine current performance data indicative of a performance metric for a subject competitor performing a current instance of an exercise activity having a predefined scope, the current performance data being indicative of a performance metric for a lesser scope than the predefined scope, (b) receive historical performance data representing an historical performance during a previous instance of the exercise activity by at least one other competitor on a machine, and (c) use the current performance data and the historical performance data to compute the performance metric including normalizing the performance metric to represent a hypothetical performance of the subject competitor over the predefined scope.

(11) Implementations can include one or a combination of two or more of the following features. The exercise activity includes rowing. The predefined scope includes a time duration. The machine includes a rowing machine. The performance metric includes a distance predicted to be covered during the predefined scope of the exercise activity. The current performance data and the historical performance data include distance data. The current performance data is indicative of a performance metric for the subject competitor's performance of less than the predefined scope. The performance metric includes a predicted performance metric for the predefined scope. The predicted performance metric for the subject competitor is based on an actual value of the performance metric for the subject competitor's performance of the lesser scope. The predicted performance metric for the subject competitor is based on an actual value of the historical performance of the lesser scope by at least one other competitor. The predicted performance metric for the subject competitor is based on the proportion of the predefined scope represented by the lesser scope. The performance metric of the subject competitor is presented. The historical performance by at least one other competitor on a machine is presented.

(12) In general, in an aspect, a processor executes instructions to (a) during a current instance of an exercise activity having a predefined scope and being performed by a subject competitor on a machine, compute a performance metric for the subject competitor using performance data from the subject competitor's performance of a lesser scope than the predefined scope of the current instance of the exercise activity, and (b) apply a straight-line projection to the performance metric for the lesser scope projection to predict the performance metric for the predefined scope of the exercise activity.

(13) Implementations may include one or a combination of two or more of the following features. The exercise activity comprises rowing. The predefined scope comprises a time duration. The

machine comprises a rowing machine. The performance metric comprises a distance predicted to be covered during the predefined scope of the exercise activity. The performance data comprises distance data. The subject competitor's performance of less than the predefined scope comprises the subject competitor's performance for a time duration shorter than a time duration of the predefined scope. The predicted performance metric comprises a predicted distance. The predicted performance data is displayed in an interactive user interface accessible to the subject competitor. (14) These and other aspects, features, implementations, and advantages (a) can be expressed as methods, apparatus, systems, components, program products, business methods, means or steps for performing functions, and in other ways, and (b) will become apparent from the following description and from the claims.

Description

DESCRIPTION

- (1) FIG. 1 is a block diagram.
- (2) FIG. 2 is a table including a rank listing.
- (3) FIG. 3 is a user interface.
- (4) As shown in FIG. 1, here we describe a rank listing technology **10** that can be used to generate (and present) rank listings **12** of competitors engaged in an exercise activity. The competitors can include a current subject competitor **14** engaged in, for example, an on-demand mode exercise activity on an exercise machine **16**, one or more virtual competitors **18**, and, in some cases, one or more other current competitors **20**, concurrently or previously engaged in the same exercise activity on exercise machines **22, 24**. (Note that in some implementations, the performances of other current competitors will not be included in the presented rank listing unless and until they reach the end of the exercise activity.) Each of the exercise machines can be equipped with electronic instruments **26** to measure and generate performance data for each of the competitors with respect to one or more performance metrics **28** for the exercise activity. We sometimes refer to an occasion on which a subject competitor or a virtual competitor engages in an exercise activity as an “instance”.
- (5) In some cases, when the exercise machine is a rowing machine, the linear motion of the handle is converted to rotary motion through a drivetrain. Drivetrain components are coupled to rotary encoders to produce electronic signals proportional to changes in angle of a rotating shaft. The signals are monitored at regular time intervals by a microcontroller, which is therefore able to compute position, velocity, and acceleration of the rotating components. Measured angular motion is then used to generate exercise performance metrics according to a physical model of the functioning of the exercise machine. Distance, one specific performance metric that can be computed for a rowing machine, is a function of the amount of rotation measured from the machine's flywheel and the amount of braking torque imposed by the rowing machine to decelerate the flywheel. A rower is determined to have covered more distance if she is producing more watts while rowing.
- (6) The measured performance data can be used immediately as an indicator of the subject competitor's performance, or can be stored as historical performance data for later use in representing a virtual competitor during a competition.
- (7) The rank listings can be generated by a processor **29** executing instructions **31** stored on a tangible storage **33** using real-time performance data **30** for the subject competitor and any of the other current competitors and using stored historical performance data **32** for any of the virtual competitors. (Note that in some implementations, the performances of other current competitors will not be included in the presented rank listing unless and until they reach the end of the exercise activity.) The processor and tangible storage can be located at a server **35** which communicates

through the Internet or other communication network **37** with the electronic instruments at the exercise machines. In some cases, the electronic instruments can include or be controlled by a computational device **39** such as a dedicated computer or a portable smart phone or tablet. A display **41** on the computational device can be used to present the rank listing to the subject competitor or another live competitor. The server can send the rank listing or information to generate the rank listing through the network to the computational device for presentation through a user interface shown on the display.

(8) The rank listing can include a list of two or more entries **34**, each for a corresponding competitor. Each entry on the rank listing can include an identifier **42** of the competitor and indicators **43, 45** of the competitors' relative performances at one or more times **53** ("exercise moments") during the exercise period **51** of the exercise activity (that is, the period beginning with the start **47** and ending with the finish **49** of the exercise activity). For this purpose, the indicators of relative performances can be of predicted performance metrics for the subject competitor and of historical final metrics for the virtual competitors. We sometimes refer to the exercise period as a "predefined scope" of the exercise activity. When an exercise moment occurs before the end of the exercise period (that is, before the end of the "predefined scope"), we sometimes refer to the period from the start of the exercise activity to the current exercise moment as a "lesser scope". In some examples, the exercise activity may be considered to have been completed when a final distance (say 5000 meters) or a final time period (say 5 minutes) has been reached. Yet the predefined scope could be shorter in distance (say 4000 meters) or in time (say 4 minutes) and the lesser scope would be shorter in distance or time than the predefined scope.

(9) A variety of performance metrics can be used for measuring the relative performances of two or more competitors for a given type of exercise activity and for reporting their relative performance in a rank listing at each of a succession of performance moments. One such performance metric is a distance covered on a real or hypothetical exercise course associated with the exercise activity (for example, a running, cycling, or rowing course) for a given period of time (the "predefined scope"). Various distance metrics could be used, such as an interim distance covered by a competitor from the start of the exercise period and up to a particular exercise moment (for example, a "lesser scope"), a final distance covered by the competitor for the entire exercise period (the "predefined scope"), a predicted distance anticipated to be covered by a competitor as of a particular future exercise moment, or a predicted final distance anticipated to be covered by a competitor for an entire exercise period. In some cases, the performance metric could be the amount of time that elapses for the competitor to cover a predefined distance. Other parameters for the performance metric and predefined scope could also be used such as the average speed as of a current exercise moment. In the latter case, the subject competitor's average speed as of the current exercise moment can be presented on the rank listing with the final average speeds of the virtual competitors.

(10) In an on-demand mode, the rank listing can report the performances of a subject competitor and of one or more virtual competitors even though the subject competitor is not then one of the top performers. In other words, the rank listing need not be a literal leaderboard in the sense that the rank listing may not report the performances of the top-performing competitors. In some examples, however, the virtual competitors identified on the rank listing may include the virtual competitors who had the best performances or the virtual competitors whose performances are next above or next below the subject competitor in rank. In some cases, the choice of which virtual competitors to present can be selected in other ways. In some instances, the subject competitor can specify through a user interface the competitors whose performances should be shown on the rank listing with the subject competitor.

Computation and Reporting of Performances and Ranks in an On-Demand Mode

(11) As shown by example in FIG. 2 for an exercise activity that is a 10-minute rowing exercise, the rank listing is shown as of the 5-minute exercise moment, halfway through the exercise activity. The rank listing could be updated at regular frequent intervals, for example, every second, two

seconds, ten seconds, or minute. Using two seconds renders the rank listing current enough for a typical competitor but not so frequent as to be jarring.

(12) The rank listing **60** shows the projected rank **66** of the subject competitor (called “you”). In this case, the predicted rank is 144^{sup.th} as of this exercise moment. The rank listing also includes entries **68** for five other competitors, in this case virtual competitors. Each of the virtual competitors is identified by a letter **70**. For each of the virtual competitors, the rank listing shows the differential distance **81** (in this case in meters) by which the virtual competitor is anticipated to be ahead of or behind the subject competitor as of the end of the exercise period. Column **72** also shows the anticipated distance that the subject competitor will have rowed at the end of the exercise period (e.g., the end of the “predefined scope”), in this case 2030 meters.

(13) As a result the subject competitor in an on-demand exercise activity will see, and easily and quickly be able to evaluate, her predicted rank as of the end of the exercise period (predefined scope), how far she can expect to have rowed at the end of the exercise period, and how far (in distance) she will then be ahead or behind or even with a selected number of identified virtual competitors who have previously completed the same exercise activity. Column **74**, which may or may not be reported on the rank listing, shows the actual distance rowed by each of the virtual competitors for the full exercise period, according to the historical performance data.

(14) Table **76** of FIG. **2** shows historical performance data for the five virtual competitors covered by the rank listing, namely the five virtual competitors whose actual historical performance data for distance rowed as of the end of the exercise activity is closest to (above or below) the anticipated distance rowed by the subject competitor. The part of the rank listing **60** that shows distance differences for the virtual competitors compared to the subject competitor can be created from the data in table **76**.

(15) Table **78** of FIG. **2** shows the steps in calculating the value **80** of the rank listing **72**, that is, for generating a predicted final distance of the subject competitor. In this example, the current elapsed time is 300 minutes (line **82**). The exercise period is 600 minutes (line **84**). The part of the workout that is done is 50% (line **86**). Other approaches can also be used for generating predicted final distances.

(16) The number of meters that the subject competitor is currently behind the next best performing virtual competitor is –10 meters (line **88**). Line **88** is determined by subtracting, from the distance covered by the subject competitor determined at 5:00 (in this case 1000 meters, line **112**), the known distance covered by the virtual competitor as of 5:00 into the exercise period (in this case 1100 meters, line **110** of table **108**).

(17) Line **90** is the anticipated difference as of the end of the exercise period, calculated as the number of meters that the subject competitor is behind the next best performing virtual competitor divided by the percentage of the exercise period completed (in this example, 50%).

(18) Line **90** is the number of meters that the virtual competitor who is next ahead of the subject competitor covered by the end of the exercise period based on historical performance data (in this case, 2050). Line **92** is the subject competitor's number of meters at the end of the exercise period net of the difference shown in line **90** (that is, $2030=2050-20$).

(19) In this example, the subject competitor is in 143rd place at 5:00 and is projected to have fallen in rank by one position to 144th as of the end of the exercise activity.

Historical Performance Data

(20) In some cases, the technology maintains historical performance data for every competitor who has participated in an instance of the particular exercise activity for use (among other things) in reporting information on the rank listing in future competitions. The number of such competitors for whom historical performance data is stored could be any number from **0** to a very large number (hundreds or even thousands or millions).

(21) If no one has previously participated in the particular exercise activity and the subject competitor is the first to do so, the predicted final distance of the subject competitor's performance

can be calculated as shown in table **96** for an example in which the calculation is being made as of 25% (line **102**, that is, 150 seconds, line **98**) into the 600-seconds exercise period (line **100**). The measured distance covered as of that moment is 1000 meters (line **104**) and the predicted final distance is the current distance divided by the percentage of completion (line **106**, $4000=1000/25\%$). In effect the server uses a straight-line projection. Other mathematical operations could be used to generate a prediction based on, for example, workout intensity, stroke rate, historical data, or other information. The subject competitor will be the only competitor shown on the rank listing.

User Interface Presentation

(22) As shown in FIG. **3**, in some implementations, the presentation of the rank listing **300** on a user interface **302** includes an entry **304** for the subject competitor and entries **306** for each of five virtual competitors two of whom are ranked immediately lower and three of whom are ranked immediately higher than the subject competitor. The entry for each virtual competitor presents a badge **308** including the first two characters of the pseudonym, and a set of information about the virtual competitor including a pseudonym **310**, gender **312**, age bracket **314**, and address indicator **316**. At the right end of the entry is a differential distance number **318** representing a difference between the actual historical final distance of the virtual competitor and the predicted final distance of the subject competitor. In the example shown, three virtual competitors each had an actual historical final distance 1 meter ahead of the predicted final distance of the subject competitor and two virtual competitors each had an actual historical final distance the same as the predicted final distance of the subject competitor.

(23) In some cases, the badge can contain an avatar with a photograph of the competitor (or any other image) and/or an oar blade representing that competitor's affiliation.

(24) The entry **304** for the subject competitor shows his current rank **320**, a badge **322** showing an image **324**, and a predicted final distance **325**. The total number of virtual competitors **326** is shown at the top of the user interface presentation.

(25) In addition to presenting to the subject competitor her predicted final distance in conjunction with differential distances for the virtual competitors, the user interface can provide an option for showing the subject competitor's actual distance covered as of the exercise moment being presented. Note that, in FIG. **3**, the actual distance option is presented using the number 19 m.

(26) The user interface includes a filter button **327** that enables the user to filter the entries on the rank listing according to gender or decade of age (e.g., 50s, 30s). Filtering could be done on any other arbitrary attributes such as rower affiliation, geographic location, or interests, among other things. Then the subject competitor's rank according to her predicted final distance can be determined based on all competitors, but the rank listing can present only the filtered members.

(27) This should provide bigger samples for better estimates of rank for new exercise activities having few virtual competitors, and for less common filters; e.g., non-binary 70+. A straight-line prediction of the subject competitor's final distance might be used instead.

Effects of the Technology

(28) The rank listing described above reflects the subject competitor's current rank in the exercise activity at each successive exercise moment, and gives the subject competitor the advantage of knowing the final distance she will need to achieve to beat the virtual competitors who have nearby ranks. The presented ranks of the virtual competitors are static and do not change throughout the exercise activity because they reflect fixed historical performance data. Only the rank of the subject competitor relative to the virtual competitors can change as a result of, for example, greater or lesser effort exerted by the subject competitor.

(29) Using the subject competitor's current rank as the basis of prediction of the subject competitors final distance should be more stable than using a straight line projection technique, for exercise activities that have varying intensities during the exercise period (e.g., HIIT: High-Intensity Interval Training, warm ups, or cool downs). One explanation for determining the predicted final

distance using a current rank of a subject competitor is that it takes into consideration that competitors are applying the same exercise structure and will tend to vary their speeds similarly. By contrast, a straight line projection could be misleading and unstable because the subject competitor will tend to drop in rank during “off intervals” and gain in rank during “on intervals.” Also, during a warm up period of an exercise activity, the subject competitor's average speed will be slower than the average speed for the full exercise activity. If a straight line projection technique were used in those circumstances, the projection could be misleadingly poor during a warm up period.

Alternatives

(30) Other implementations are within the scope of the following claims.

(31) For example, although the earlier description has used rowing examples, the technology is also applicable to other kinds of exercise equipment and exercise activities, such as cycling, walking, and running, or other activities in which distance is a performance metric.

(32) In some implementations, the technology could be used for any sport or activity involving “historical competitors” who are “in the clubhouse” competing with active competitors. The technology could be used for televised or broadcast activities as well as activities presented on the internet (such as ESPN.net). The technology could also be used for online gaming, such as racing games.

(33) Communication architectures other than client-server could be applied in some implementations, including peer-to-peer architectures, for example.

(34) The predefined scope could be a distance rather than a time, or could be one or more other parameters. The performance metric includes a time predicted to have elapsed for the predefined scope of the exercise activity. The performance metric could be one or more other parameters.

(35) In some cases, the rank listing can present a ranked list of performances according to the performance metrics without presenting any identifying information about the one or more of the virtual competitors for whom the ranked performance metrics are presented.

(36) In some examples, the rank listing technology can be applied to competitions in which the subject competitor is competing against one or more other live competitors who are performing the exercise activity in real time with the subject competitor. In some instances, one or more virtual competitors also can be included. We sometimes refer to such competitions as occurring in “live mode.” In live mode, although the technology cannot predict the performance of another live competitor based on her final data on the current exercise activity, the technology can predict that performance based on her past performance of the exercise activity.

Claims

1. An exercise machine comprising: a movable mechanical element; a sensor configured to measure motion of the movable mechanical element, wherein the measured motion is indicative of performance data for a current instance of an exercise activity by a subject competitor using the exercise machine; a display device; and a computing device, operably connected to the sensor and the display device, configured to transmit and receive performance data with at least one other exercise machine over a network, the computing device further configured to: update, in real time during the current instance of the exercise activity by the subject competitor, a graphical user interface displayed on the display device, wherein the updated graphical user interface comprises: a ranking of the subject competitor and a second competitor based on (i) a projected performance metric of the subject competitor over a predefined scope of the exercise activity, the projected performance metric based on the performance data, in comparison to (ii) a historical performance metric of the second competitor over the predefined scope of the exercise activity in a previous instance of the exercise activity, wherein the graphical user interface is updated at a time when the subject competitor has completed a lesser scope than the predefined scope of the exercise activity, an illustration of a margin between the historical performance metric of the second competitor and

the projected performance metric for the subject competitor, and an illustration of the projected performance metric, and wherein the update of the graphical user interface comprises: receiving, by the computing device, from a remote server through the network, information relating to an update to at least one of the ranking, the margin, or the projected performance metric, and updating, by the computing device, the at least one of the ranking, the margin, or the projected performance metric based on the received information.

2. The exercise machine of claim 1, wherein the sensor comprises a rotary encoder configured to measure a rotation of the movable mechanical element.

3. The exercise machine of claim 2, wherein the movable mechanical element comprises a shaft, and wherein the rotary encoder is configured to produce a signal proportional to a change in an angle of the shaft.

4. The exercise machine of claim 3, further comprising a microcontroller configured to use the produced signal to determine at least one of a position, velocity, or acceleration of the movable mechanical element.

5. The exercise machine of claim 1, wherein the updated graphical user interface comprises a grid-formatted display along a first dimension and a second dimension, wherein an order in which the subject competitor and the second competitor are presented along the second dimension is based on the ranking, and wherein a linear display along the second dimension includes: in a first line along the first dimension corresponding to the second competitor, the margin between the historical performance metric of the second competitor and the projected performance metric for the subject competitor, and in a second line along the first dimension corresponding to the subject competitor, the projected performance metric.

6. The exercise machine of claim 1, wherein the projected performance metric comprises a time or a distance.

7. The exercise machine of claim 1, wherein the updated graphical user interface further comprises a user interface element selectable to filter competitors from the ranking.

8. The exercise machine of claim 1, wherein the updated graphical user interface further comprises an option to display a current performance metric of the subject competitor.

9. The exercise machine of claim 1, wherein the movable mechanical element comprises a drivetrain component.

10. The exercise machine of claim 1, wherein the performance data is a function of the measured motion and an amount of torque imposed by the exercise machine.

11. A system comprising: the exercise machine of claim 1, and the remote server, wherein the remote server is configured to calculate the projected performance metric, and wherein calculating the projected performance metric comprises: identifying the second competitor as a competitor whose historical performance data over the lesser scope is next-best, among historical performance data of a plurality of virtual competitors, compared to current performance data of the subject competitor over the lesser scope; and based on identifying the second competitor as the competitor whose historical performance data over the lesser scope is next-best compared to the current performance data of the subject competitor, calculating the projected performance metric based on the historical performance data of the second competitor over the lesser scope, the current performance data of the subject competitor over the lesser scope, and a proportion of the predefined scope represented by the lesser scope.

12. A system comprising: the exercise machine of claim 1, and the remote server, wherein the remote server is configured to determine the ranking and the information relating to the update to the at least one of the ranking, the margin, or the projected performance metric.
