

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

### SECTION 1. IDENTIFICATION

Product name : Triethylene Glycol  
Product code : U1256

#### Manufacturer or supplier's details

Manufacturer/Supplier : **Shell Chemical LP**  
PO Box 576  
HOUSTON TX 77001  
USA

Telephone : 1-800-240-6737 1-855-697-4355  
Telefax :

#### Recommended use of the chemical and restrictions on use

Recommended use : Chemical intermediate.  
Restrictions on use : This product must not be used in applications other than the above without first seeking the advice of the supplier., Do not use in the manufacture or preparation of foods or pharmaceuticals., Do not use in theatrical fogs or other artificial smoke generator applications., Keep out of reach of children and pets., Do not use in aircraft deicing applications.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data this substance / mixture does not meet the classification criteria.

#### GHS label elements

Hazard pictograms : No Hazard Symbol required

Signal word : No signal word

Hazard statements : PHYSICAL HAZARDS:  
Not classified as a physical hazard under GHS criteria.  
HEALTH HAZARDS:  
Not classified as a health hazard under GHS criteria.  
ENVIRONMENTAL HAZARDS:  
Not classified as an environmental hazard under GHS criteria.

Precautionary statements : **Prevention:**  
**No precautionary phrases.Response:**  
**No precautionary phrases.Storage:**

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

No precautionary phrases.

### Disposal:

No precautionary phrases.

### Other hazards which do not result in classification

Not classified as flammable but will burn.

The classification of this material is based on OSHA HCS 2024 criteria.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

|                     |   |               |
|---------------------|---|---------------|
| Substance / Mixture | : | Substance     |
| Substance name      | : | TEG, 112-27-6 |
| CAS-No.             | : | 112-27-6      |

### Components

| Chemical name      | Synonym                        | CAS-No.  | Concentration (% w/w) |
|--------------------|--------------------------------|----------|-----------------------|
| Triethylene glycol | 2,2'-(ethylenedi-oxy)diethanol | 112-27-6 | > 99                  |
| Diethylene glycol  | 2,2'-oxydiethanol              | 111-46-6 | < 1                   |

## SECTION 4. FIRST-AID MEASURES

|                                                             |   |                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : | Not expected to be a health hazard when used under normal conditions.                                                                                                                                                                                                                        |
| If inhaled                                                  | : | No treatment necessary under normal conditions of use.<br>If symptoms persist, obtain medical advice.                                                                                                                                                                                        |
| In case of skin contact                                     | : | Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.<br>If persistent irritation occurs, obtain medical attention.                                                                                                                      |
| In case of eye contact                                      | : | Flush eye with copious quantities of water.<br>Remove contact lenses, if present and easy to do. Continue rinsing.<br>If persistent irritation occurs, obtain medical attention.                                                                                                             |
| If swallowed                                                | : | In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.                                                                                                                                                                                     |
| Most important symptoms and effects, both acute and delayed | : | Not considered to be an inhalation hazard under normal conditions of use.<br>Possible respiratory irritation signs and symptoms may include a temporary burning sensation of the nose and throat, coughing, and/or difficulty breathing.<br>No specific hazards under normal use conditions. |

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

|                            |   |                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protection of first-aiders | : | Eye irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blurred vision.<br>Skin irritation signs and symptoms may include a burning sensation, redness, or swelling.<br>Ingestion may result in nausea, vomiting and/or diarrhea.<br>When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings. |
| Notes to physician         | : | Call a doctor or poison control center for guidance.<br>Treat symptomatically.<br>May cause significant renal, respiratory, and CNS toxicity.<br>May cause significant acidosis.                                                                                                                                                                                                                                                      |

### SECTION 5. FIRE-FIGHTING MEASURES

|                                               |   |                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : | Alcohol-resistant foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.                                                                                                                                                                                                                         |
| Unsuitable extinguishing media                | : | Do not use water in a jet.                                                                                                                                                                                                                                                                                                                               |
| Specific hazards during fire-fighting         | : | Material will not burn unless preheated.<br>Carbon monoxide may be evolved if incomplete combustion occurs.<br>Containers exposed to intense heat from fires should be cooled with large quantities of water.                                                                                                                                            |
| Specific extinguishing methods                | : | Standard procedure for chemical fires.                                                                                                                                                                                                                                                                                                                   |
| Special protective equipment for firefighters | : | Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469). |
| Further information                           | : | Evacuate the area of all non-essential personnel.<br>Keep adjacent containers cool by spraying with water.                                                                                                                                                                                                                                               |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |   |                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : | Observe all relevant local and international regulations.<br>Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.<br>Local authorities should be advised if significant spillages cannot be contained.<br>Avoid contact with skin, eyes and clothing. |
| Environmental precautions                                           | : | Prevent from spreading or entering into drains, ditches or rivers by using sand, earth, or other appropriate barriers.<br>Use appropriate containment to avoid environmental contami-                                                                                                                      |

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

nation.

Ventilate contaminated area thoroughly.

Methods and materials for containment and cleaning up : Contain run-off from residue flush and dispose of properly. Soak up residue with an absorbent such as clay, sand or other suitable material.

For small liquid spills (< 1 drum), transfer by mechanical means to a labeled, sealable container for product recovery or safe disposal. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely.

For large liquid spills (> 1 drum), transfer by mechanical means such as vacuum truck to a salvage tank for recovery or safe disposal. Do not flush away residues with water. Retain as contaminated waste. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely.

Additional advice : For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet.  
For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

---

## SECTION 7. HANDLING AND STORAGE

Technical measures : Avoid breathing of or direct contact with material. Only use in well ventilated areas. Wash thoroughly after handling. For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet.

Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.

Ensure that all local regulations regarding handling and storage facilities are followed.

Advice on safe handling : Use local exhaust extraction over processing area. Handle and open container with care in a well-ventilated area. Do not empty into drains.  
When handling product in drums, safety footwear should be worn and proper handling equipment should be used.

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

|                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Avoidance of contact                     | : Handling Temperature:<br>Ambient.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Product Transfer                         | : Strong oxidising agents.<br>Strong acids.<br>Strong bases.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Conditions for safe storage              | : Keep containers closed when not in use. Do not pressurize drum containers to empty.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Further information on storage stability | : Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.<br>Tanks must be clean, dry and rust-free.<br>Keep container tightly closed.<br>Must be stored in a diked (bunded) well-ventilated area, away from sunlight, ignition sources and other sources of heat.<br>Cleaning, inspection and maintenance of storage tanks is a specialist operation, which requires the implementation of strict procedures and precautions.<br>Drums should be stacked to a maximum of 3 high.<br>Storage Temperature:<br>Ambient. |
| Packaging material                       | : Suitable material: Stainless steel., Mild steel., Carbon steel<br>Unsuitable material: Data not available                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Specific end use(s)</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Specific use(s)                          | : Not applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

Ensure that all local regulations regarding handling and storage facilities are followed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components         | CAS-No.  | Value type<br>(Form of exposure)   | Control parameters / Permissible concentration | Basis |
|--------------------|----------|------------------------------------|------------------------------------------------|-------|
| Triethylene glycol | 112-27-6 | TWA (Inhalable fraction and vapor) | 10 mg/m3                                       | ACGIH |

### Biological occupational exposure limits

No biological limit allocated.

### Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate. Validated exposure measurement methods should be applied by a competent person and sam-

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

ples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods <http://www.cdc.gov/niosh/>

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods <http://www.osha.gov/>

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances <http://www.hse.gov.uk/>

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany <http://www.dguv.de/inhalt/index.jsp>

L'Institut National de Recherche et de Sécurité, (INRS), France <http://www.inrs.fr/accueil>

**Engineering measures** : The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:  
Adequate ventilation to control airborne concentrations.  
Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.  
Eye washes and showers for emergency use.

### General Information

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.

Practice good housekeeping.

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

### Personal protective equipment

**Respiratory protection** : If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are unsuitable (e.g. airborne concentrations are high, risk of oxygen deficiency, confined space) use appropriate positive pressure breathing appa-

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

ratus.

Where air-filtering respirators are suitable, select an appropriate combination of mask and filter.

If air-filtering respirators are suitable for conditions of use: Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point >65°C (149°F)].

Respirator selection, use and maintenance should be in accordance with the requirements of the OSHA Respiratory Protection Standard, 29 CFR 1910.134.

### Hand protection

#### Remarks

: Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. Longer term protection: Nitrile rubber gloves. Incidental contact/Splash protection: PVC or neoprene rubber gloves. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

### Eye protection

: If material is handled such that it could be splashed into eyes, protective eyewear is recommended.

### Skin and body protection

: Skin protection is not ordinarily required beyond standard work clothes.

### Protective measures

It is good practice to wear chemical resistant gloves.

: Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

### Hygiene measures

: Wash hands before eating, drinking, smoking and using the toilet.

### Thermal hazards

Laundry contaminated clothing before re-use.

: Not applicable

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

### Environmental exposure controls

General advice : Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.  
Minimise release to the environment. An environmental assessment must be made to ensure compliance with local environmental legislation.  
Information on accidental release measures are to be found in section 6.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|                                                  |                                               |
|--------------------------------------------------|-----------------------------------------------|
| Physical state                                   | : Slightly viscous liquid.                    |
| Colour                                           | : colourless                                  |
| Odour                                            | : mild                                        |
| Odour Threshold                                  | : Data not available                          |
| Melting point/freezing point                     | : -7 °C                                       |
| Boiling point/boiling range                      | : 280 - 295 °C                                |
| Flammability (solid, gas)                        | : Not applicable                              |
| Upper explosion limit / Upper flammability limit | : 9.2 %(V)                                    |
| Lower explosion limit / Lower flammability limit | : 0.9 %(V)                                    |
| Flash point                                      | : 166 °C<br>Method: Pensky-Martens closed cup |
| Auto-ignition temperature                        | : 323 °C                                      |
| Decomposition temperature                        | : Data not available                          |
| pH                                               | : Not applicable                              |
| Viscosity                                        |                                               |
| Viscosity, dynamic                               | : 47.8 mPa.s (20 °C)                          |



# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

|                                           |                                                         |
|-------------------------------------------|---------------------------------------------------------|
|                                           | Method: ASTM D445                                       |
| Viscosity, kinematic                      | : 42.8 mm <sup>2</sup> /s (20 °C)<br>Method: ASTM D445  |
| Solubility(ies)<br>Water solubility       | : completely miscible                                   |
| Partition coefficient: n-octanol/water    | : log Pow: -1.24                                        |
| Vapour pressure                           | : 1.33 Pa (20 °C)                                       |
| Relative density                          | : 1.13<br>Method: ASTM D4052                            |
| Density                                   | : 1,130 kg/m <sup>3</sup> (15 °C)<br>Method: ASTM D4052 |
| Relative vapour density                   | : Data not available                                    |
| Particle characteristics<br>Particle size | : Data not available                                    |

### 9.2 Other information

|                      |                                          |
|----------------------|------------------------------------------|
| Explosives           | : Not applicable                         |
| Oxidizing properties | : Data not available                     |
| Evaporation rate     | : Data not available                     |
| Conductivity         | : Electrical conductivity: > 10,000 pS/m |

A number of factors, for example liquid temperature, presence of contaminants, and anti-static additives can greatly influence the conductivity of a liquid, This material is not expected to be a static accumulator.

|                  |                      |
|------------------|----------------------|
| Surface tension  | : Data not available |
| Molecular weight | : 150.17 g/mol       |

---

## SECTION 10. STABILITY AND REACTIVITY

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

|                                    |   |                                                                                                                                                                                                                                                                                                            |
|------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : | The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.                                                                                                                                                                                       |
| Chemical stability                 | : | No hazardous reaction is expected when handled and stored according to provisions<br>Oxidises on contact with air.                                                                                                                                                                                         |
| Possibility of hazardous reactions | : | None known.                                                                                                                                                                                                                                                                                                |
| Conditions to avoid                | : | Extremes of temperature and direct sunlight.<br>Product cannot ignite due to static electricity.                                                                                                                                                                                                           |
| Incompatible materials             | : | Strong oxidising agents.<br>Strong acids.<br>Strong bases.                                                                                                                                                                                                                                                 |
| Hazardous decomposition products   | : | Thermal decomposition is highly dependent on conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide, sulphur oxides and unidentified organic compounds will be evolved when this material undergoes combustion or thermal or oxidative degradation. |

### SECTION 11. TOXICOLOGICAL INFORMATION

|                      |   |                                                                                                                                                                                                                                    |
|----------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Basis for assessment | : | Information given is based on product testing, and/or similar products, and/or components.<br>Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s). |
|----------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### Information on likely routes of exposure

Exposure may occur via inhalation, ingestion, skin absorption, skin or eye contact, and accidental ingestion.

#### Acute toxicity

##### Product:

|                           |   |                                                                                                                                                                                                                   |
|---------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : | LD 50 (Rat, male and female): > 2,000 mg/kg<br>Method: Literature data<br>Remarks: Based on available data, the classification criteria are not met.                                                              |
| Acute inhalation toxicity | : | LC 50 (Rat, male and female): > 5 mg/l<br>Exposure time: 4 h<br>Test atmosphere: Aerosol<br>Method: Acceptable non-standard method.<br>Remarks: Based on available data, the classification criteria are not met. |
| Acute dermal toxicity     | : | LD 50 (Rabbit, male and female): 16 ml/kg bw<br>Method: Acceptable non-standard method.                                                                                                                           |

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

Remarks: Based on available data, the classification criteria are not met.

### Components:

#### **Triethylene glycol:**

|                           |   |                                                                                                                                                                                                                   |
|---------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : | LD 50 (Rat, male and female): > 2,000 mg/kg<br>Method: Literature data<br>Remarks: Based on available data, the classification criteria are not met.                                                              |
| Acute inhalation toxicity | : | LC 50 (Rat, male and female): > 5 mg/l<br>Exposure time: 4 h<br>Test atmosphere: Aerosol<br>Method: Acceptable non-standard method.<br>Remarks: Based on available data, the classification criteria are not met. |
| Acute dermal toxicity     | : | LD 50 (Rabbit, male and female): 16 ml/kg bw<br>Method: Acceptable non-standard method.<br>Remarks: Based on available data, the classification criteria are not met.                                             |

#### **Diethylene glycol:**

|                           |   |                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : | LD 50 (Rat, male and female): > 5,000 mg/kg<br>Method: Literature data<br>Remarks: Harmful if swallowed.<br>There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 milliliters (1/2 cup). This material has also been shown to be toxic and potentially lethal by ingestion to cats and dogs. |
| Acute inhalation toxicity | : | LC 50 (Rat): Exposure time: 4 h<br>Test atmosphere: Aerosol<br>Method: Literature data<br>Remarks: LC50 greater than near-saturated vapour concentration.<br>Based on available data, the classification criteria are not met.                                                                                                                                                                       |
| Acute dermal toxicity     | : | LD 50 (Rabbit): > 5,000 mg/kg<br>Method: Literature data<br>Remarks: Based on available data, the classification criteria are not met.                                                                                                                                                                                                                                                               |

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

Version  
3.0

Revision Date.:  
02/24/2026

SDS Number:  
800001014447

Print Date.: 03/03/2026  
Date of last issue: 11/17/2025  
Date of first issue: 11/13/2012

---

### Skin corrosion/irritation

#### **Product:**

Species : Rabbit  
Method : Literature data  
Remarks : Slightly irritating.  
Insufficient to classify.

#### **Components:**

##### **Triethylene glycol:**

Species : Rabbit  
Method : Literature data  
Remarks : Slightly irritating.  
Insufficient to classify.

##### **Diethylene glycol:**

Species : Rabbit  
Method : Literature data  
Remarks : Based on available data, the classification criteria are not met.

### Serious eye damage/eye irritation

#### **Product:**

Species : Rabbit  
Method : Literature data  
Remarks : Slightly irritating.  
Insufficient to classify.

#### **Components:**

##### **Triethylene glycol:**

Species : Rabbit  
Method : Literature data  
Remarks : Slightly irritating.  
Insufficient to classify.

##### **Diethylene glycol:**

Species : Rabbit  
Method : Literature data  
Remarks : Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation

#### **Product:**

Species : Guinea pig

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

Method : Test(s) equivalent or similar to OECD Test Guideline 406  
Remarks : Based on available data, the classification criteria are not met.

### Components:

#### Triethylene glycol:

Species : Guinea pig  
Method : Test(s) equivalent or similar to OECD Test Guideline 406  
Remarks : Based on available data, the classification criteria are not met.

#### Diethylene glycol:

Species : Guinea pig  
Method : Regulation (EC) No. 440/2008, Annex, B.6  
Remarks : Based on available data, the classification criteria are not met.

Method : Tested according to Annex V of Directive 67/548/EEC.

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Remarks: Based on available data, the classification criteria are not met.

Method: Test(s) equivalent or similar to OECD Test Guideline 473  
Remarks: Based on available data, the classification criteria are not met.

Method: Test(s) equivalent or similar to OECD Test Guideline 479  
Remarks: Based on available data, the classification criteria are not met.

Germ cell mutagenicity - Assessment : This product does not meet the criteria for classification in categories 1A/1B.

### Components:

#### Triethylene glycol:

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Remarks: Based on available data, the classification criteria are not met.

Method: Test(s) equivalent or similar to OECD Test Guideline 473  
Remarks: Based on available data, the classification criteria

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

are not met.

Method: Test(s) equivalent or similar to OECD Test Guideline 479

Remarks: Based on available data, the classification criteria are not met.

Germ cell mutagenicity - Assessment : This product does not meet the criteria for classification in categories 1A/1B.

### Diethylene glycol:

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Remarks: Based on available data, the classification criteria are not met.

Method: OECD Test Guideline 473

Remarks: Based on available data, the classification criteria are not met.

Method: OECD Test Guideline 476

Remarks: Based on available data, the classification criteria are not met.

Method: OECD Test Guideline 479

Remarks: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Species: Mouse  
Method: OECD Test Guideline 474  
Remarks: Based on available data, the classification criteria are not met.

Germ cell mutagenicity - Assessment : This product does not meet the criteria for classification in categories 1A/1B.

### Carcinogenicity

#### Product:

Species : Rat, male and female  
Application Route : Oral  
Method : Literature data  
Test substance : Diethylene glycol  
Remarks : Based on available data, the classification criteria are not met.

Carcinogenicity - Assessment : This product does not meet the criteria for classification in categories 1A/1B.

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

### Components:

#### **Triethylene glycol:**

|                   |   |                                                                   |
|-------------------|---|-------------------------------------------------------------------|
| Species           | : | Rat, male and female                                              |
| Application Route | : | Oral                                                              |
| Method            | : | Literature data                                                   |
| Test substance    | : | Diethylene glycol                                                 |
| Remarks           | : | Based on available data, the classification criteria are not met. |

|                              |   |                                                                                 |
|------------------------------|---|---------------------------------------------------------------------------------|
| Carcinogenicity - Assessment | : | This product does not meet the criteria for classification in categories 1A/1B. |
|------------------------------|---|---------------------------------------------------------------------------------|

#### **Diethylene glycol:**

|                   |   |                                                                                                                                         |
|-------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------|
| Species           | : | Rat, male and female                                                                                                                    |
| Application Route | : | Oral                                                                                                                                    |
| Method            | : | Literature data                                                                                                                         |
| Remarks           | : | Based on available data, the classification criteria are not met.<br>Tumours produced in animals are not considered relevant to humans. |

|                              |   |                                                                                 |
|------------------------------|---|---------------------------------------------------------------------------------|
| Carcinogenicity - Assessment | : | This product does not meet the criteria for classification in categories 1A/1B. |
|------------------------------|---|---------------------------------------------------------------------------------|

|             |                                                                                                                                                         |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>IARC</b> | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|

|             |                                                                                                                          |
|-------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>OSHA</b> | No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. |
|-------------|--------------------------------------------------------------------------------------------------------------------------|

|            |                                                                                                                                         |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>NTP</b> | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------|

### **Reproductive toxicity**

#### Product:

|                                    |   |                                                                                 |
|------------------------------------|---|---------------------------------------------------------------------------------|
| Reproductive toxicity - Assessment | : | This product does not meet the criteria for classification in categories 1A/1B. |
|------------------------------------|---|---------------------------------------------------------------------------------|

### Components:

#### **Triethylene glycol:**

|                                    |   |                                                                                 |
|------------------------------------|---|---------------------------------------------------------------------------------|
| Reproductive toxicity - Assessment | : | This product does not meet the criteria for classification in categories 1A/1B. |
|------------------------------------|---|---------------------------------------------------------------------------------|

#### **Diethylene glycol:**

|                                    |   |                                                                                 |
|------------------------------------|---|---------------------------------------------------------------------------------|
| Reproductive toxicity - Assessment | : | This product does not meet the criteria for classification in categories 1A/1B. |
|------------------------------------|---|---------------------------------------------------------------------------------|

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

Version  
3.0

Revision Date.:  
02/24/2026

SDS Number:  
800001014447

Print Date.: 03/03/2026  
Date of last issue: 11/17/2025  
Date of first issue: 11/13/2012

### Reproductive toxicity

Remarks : Based on available data, the classification criteria are not met.

### STOT - single exposure

#### Product:

Remarks : Based on available data, the classification criteria are not met.  
Inhalation of vapours or mists may cause irritation to the respiratory system.

#### Components:

##### Triethylene glycol:

Remarks : Based on available data, the classification criteria are not met.  
Inhalation of vapours or mists may cause irritation to the respiratory system.

##### Diethylene glycol:

Remarks : Based on available data, the classification criteria are not met.  
Inhalation of vapours or mists may cause irritation to the respiratory system.  
Ingestion may cause drowsiness and dizziness.

### STOT - repeated exposure

#### Product:

Remarks : Based on available data, the classification criteria are not met.

#### Components:

##### Triethylene glycol:

Remarks : Based on available data, the classification criteria are not met.

##### Diethylene glycol:

Remarks : Based on available data, the classification criteria are not met.

### Repeated dose toxicity

#### Product:

Species : Rat, male and female  
Application Route : Oral  
Method : Test(s) equivalent or similar to OECD Test Guideline 408  
Target Organs : No specific target organs noted



# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

|                   |                                   |
|-------------------|-----------------------------------|
| Species           | : Rat, male and female            |
| Application Route | : Inhalation                      |
| Test atmosphere   | : Aerosol                         |
| Method            | : Acceptable non-standard method. |
| Test substance    | : PEG 200                         |
| Target Organs     | : No specific target organs noted |

### Components:

#### **Triethylene glycol:**

|                   |                                                            |
|-------------------|------------------------------------------------------------|
| Species           | : Rat, male and female                                     |
| Application Route | : Oral                                                     |
| Method            | : Test(s) equivalent or similar to OECD Test Guideline 408 |
| Target Organs     | : No specific target organs noted                          |

|                   |                                   |
|-------------------|-----------------------------------|
| Species           | : Rat, male and female            |
| Application Route | : Inhalation                      |
| Test atmosphere   | : Aerosol                         |
| Method            | : Acceptable non-standard method. |
| Test substance    | : PEG 200                         |
| Target Organs     | : No specific target organs noted |

#### **Diethylene glycol:**

|                   |                                   |
|-------------------|-----------------------------------|
| Species           | : Rat, male and female            |
| Application Route | : Oral                            |
| Method            | : Acceptable non-standard method. |
| Target Organs     | : No specific target organs noted |

|               |             |
|---------------|-------------|
| NOAEL         | : 300 mg/kg |
| Exposure time | : 98 Days   |

|               |              |
|---------------|--------------|
| LOAEL         | : 1500 mg/kg |
| Exposure time | : 98 Days    |

|                   |                                   |
|-------------------|-----------------------------------|
| Species           | : Dog, male                       |
| Application Route | : Dermal                          |
| Method            | : OECD Test Guideline 410         |
| Target Organs     | : No specific target organs noted |

|       |              |
|-------|--------------|
| NOAEL | : 4440 mg/kg |
|-------|--------------|

|       |              |
|-------|--------------|
| LOAEL | : 8880 mg/kg |
|-------|--------------|

### **Aspiration toxicity**

#### Product:

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

### Components:

#### **Triethylene glycol:**

Based on available data, the classification criteria are not met.

#### **Diethylene glycol:**

Based on available data, the classification criteria are not met.

### **Further information**

#### Product:

Remarks : Classifications by other authorities under varying regulatory frameworks may exist.

### Components:

#### **Triethylene glycol:**

Remarks : Classifications by other authorities under varying regulatory frameworks may exist.

#### **Diethylene glycol:**

Remarks : Classifications by other authorities under varying regulatory frameworks may exist.

---

## SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment : Incomplete ecotoxicological data are available for this product. The information given below is based partly on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

### **Ecotoxicity**

#### Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10,000 mg/l  
Exposure time: 96 h  
Method: Test(s) equivalent or similar to OECD Guideline 203  
Remarks: Practically non toxic:  
LL/EL/IL50 > 100 mg/l

Toxicity to daphnia and other : (Daphnia magna (Water flea)): > 10,000 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Method: Other guideline method.

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

Remarks: Practically non toxic:  
LL/EL/IL50 > 100 mg/l

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 6,500 - 13,000 mg/l  
Exposure time: 96 h  
Method: Other guideline method.  
Remarks: Practically non toxic:  
LL/EL/IL50 > 100 mg/l

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 15,380 mg/l  
Exposure time: 7 d  
Method: Other guideline method.  
Remarks: NOEC/NOEL/EL10 > 100 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 15,000 mg/l  
Exposure time: 21 d  
Method: Other guideline method.  
Remarks: NOEC/NOEL/EL10 > 100 mg/l

Toxicity to microorganisms : EC10 (Activated sludge): > 1,995 mg/l  
Exposure time: 0.5 h  
Method: Other guideline method.  
Remarks: Practically non toxic:  
LL/EL/IL50 > 100 mg/l

### Components:

#### **Triethylene glycol:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10,000 mg/l  
Exposure time: 96 h  
Method: Test(s) equivalent or similar to OECD Guideline 203  
Remarks: Practically non toxic:  
LL/EL/IL50 > 100 mg/l

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 48 h  
Method: Other guideline method.  
Remarks: Practically non toxic:  
LL/EL/IL50 > 100 mg/l

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 6,500 - 13,000 mg/l  
Exposure time: 96 h  
Method: Other guideline method.  
Remarks: Practically non toxic:  
LL/EL/IL50 > 100 mg/l

Toxicity to fish (Chronic tox- : NOEC (Pimephales promelas (fathead minnow)): 15,380 mg/l

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

icity)  
Exposure time: 7 d  
Method: Other guideline method.  
Remarks: NOEC/NOEL/EL10 > 100 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 15,000 mg/l  
Exposure time: 21 d  
Method: Other guideline method.  
Remarks: NOEC/NOEL/EL10 > 100 mg/l

Toxicity to microorganisms : EC10 (Activated sludge): > 1,995 mg/l  
Exposure time: 0.5 h  
Method: Other guideline method.  
Remarks: Practically non toxic:  
LL/EL/IL50 > 100 mg/l

### Diethylene glycol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Method: Literature data.  
Remarks: Practically non toxic:  
  
Method: Other guideline method.  
Remarks: LL/EL/IL50 > 100 mg/l

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: Other guideline method.  
Remarks: Practically non toxic:  
LL/EL/IL50 > 100 mg/l

Toxicity to algae/aquatic plants : EC50 (Scenedesmus quadricauda (Green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: Information given is based on data obtained from similar substances.  
Remarks: Practically non toxic:  
LL/EL/IL50 > 100 mg/l

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 40 mg/l  
Exposure time: 28 d  
Method: Information given is based on data obtained from similar substances.  
Remarks: NOEC/NOEL/EL10 > 100 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): > 100 mg/l  
Method: Information given is based on data obtained from similar substances.  
Remarks: NOEC/NOEL/EL10 > 100 mg/l

Toxicity to microorganisms : EC20 (Activated sludge, domestic waste): > 1,000 mg/l

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

Exposure time: 3 h  
Method: Test(s) equivalent or similar to OECD Guideline 209  
Remarks: Practically non toxic:  
LL/EL/IL50 > 100 mg/l

### Persistence and degradability

#### Product:

Biodegradability : Biodegradation: 90 - 100 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301A  
Remarks: Readily biodegradable.  
Oxidises rapidly by photo-chemical reactions in air.

#### Components:

##### Triethylene glycol:

Biodegradability : Biodegradation: 90 - 100 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301A  
Remarks: Readily biodegradable.  
Oxidises rapidly by photo-chemical reactions in air.

##### Diethylene glycol:

Biodegradability : Biodegradation: 70 - 80 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: Inherently biodegradable.

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Does not have the potential to bioaccumulate significantly.

#### Components:

##### Triethylene glycol:

Bioaccumulation : Remarks: Does not have the potential to bioaccumulate significantly.

##### Diethylene glycol:

Bioaccumulation : Remarks: Does not bioaccumulate significantly.

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

Version  
3.0

Revision Date.:  
02/24/2026

SDS Number:  
800001014447

Print Date.: 03/03/2026  
Date of last issue: 11/17/2025  
Date of first issue: 11/13/2012

### Mobility in soil

#### Product:

Mobility : Remarks: If product enters soil, it will be highly mobile and may contaminate groundwater.  
Sinks in water.

#### Components:

##### Triethylene glycol:

Mobility : Remarks: If product enters soil, it will be highly mobile and may contaminate groundwater.  
Sinks in water.

##### Diethylene glycol:

Mobility : Remarks: If the product enters soil, one or more constituents will or may be mobile and may contaminate groundwater.  
Dissolves in water.

### Other adverse effects

#### Components:

##### Diethylene glycol:

Results of PBT and vPvB assessment : The substance does not fulfill all screening criteria for persistence, bioaccumulation and toxicity and hence is not considered to be PBT or vPvB.

Additional ecological information : Data not available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Recover or recycle if possible.  
It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.  
Remove all packaging for recovery or waste disposal.  
Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment.  
Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination.  
Do not dispose into the environment, in drains or in water courses.

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with. MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.

Contaminated packaging : Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand.

## SECTION 14. TRANSPORT INFORMATION

### National Regulations

#### 49 CFR

Not regulated as a dangerous good

### International Regulations

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Maritime transport in bulk according to IMO instruments

|                    |                      |
|--------------------|----------------------|
| Pollution category | : Z                  |
| Product name       | : Triethylene Glycol |

### Special precautions for user

Remarks : Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

**Additional Information** : This product may be transported under nitrogen blanketing. Nitrogen is an odourless and invisible gas. Exposure to nitrogen enriched atmospheres displaces available oxygen which may cause asphyxiation or death. Personnel must observe strict safety precautions when involved with a confined space entry.

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.:                    |
| 3.0     | 02/24/2026      | 800001014447 | 03/03/2026                      |
|         |                 |              | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Water Act

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

#### US State Regulations

##### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

##### Pennsylvania Right To Know

Triethylene glycol 112-27-6

#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

|          |          |
|----------|----------|
| AU AIIC  | : Listed |
| CA. DSL  | : Listed |
| CN IECSC | : Listed |
| JP ENCS  | : Listed |



# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.: 03/03/2026         |
| 3.0     | 02/24/2026      | 800001014447 | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

|          |          |
|----------|----------|
| KR KECI  | : Listed |
| NZ NZIoC | : Listed |
| PH PICCS | : Listed |
| US TSCA  | : Listed |
| TW TCSI  | : Listed |

### SECTION 16. OTHER INFORMATION

#### Further information

NFPA Rating (Health, Fire, Reactivity) 1, 1, 0

#### Full text of other abbreviations

|             |                                           |
|-------------|-------------------------------------------|
| ACGIH       | : USA. ACGIH Threshold Limit Values (TLV) |
| ACGIH / TWA | : 8-hour, time-weighted average           |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

# SAFETY DATA SHEET.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Triethylene Glycol

|         |                 |              |                                 |
|---------|-----------------|--------------|---------------------------------|
| Version | Revision Date.: | SDS Number:  | Print Date.: 03/03/2026         |
| 3.0     | 02/24/2026      | 800001014447 | Date of last issue: 11/17/2025  |
|         |                 |              | Date of first issue: 11/13/2012 |

---

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

A vertical bar (|) in the left margin indicates an amendment from the previous version.

Sources of key data used to compile the Safety Data Sheet : The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

Revision Date. : 02/24/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN