## ZEP REACH HAND CLNR-TR\_4CS

Version 5.0 Revision Date 07/18/2025 Print Date 09/03/2025

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : ZEP REACH HAND CLNR-TR\_4CS

Material number : 92524R

Manufacturer or supplier's details

Company : Zep Inc.

Address : 350 Joe Frank Harris Parkway, SE

Emerson, GA 30137

Telephone : Compliance Services - 877-428-9937

#### **Emergency telephone numbers**

For SDS Information : Compliance Services - 877-428-9937

For a Medical Emergency : 877-541-2016 Toll Free - All Calls Recorded

For a Transportation : CHEMTREC: 800-424-9300 - All Calls Recorded.

In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

| Appearance | gel            |
|------------|----------------|
| Colour     | green          |
| Odour      | characteristic |

#### **GHS Classification**

Eye irritation : Category 2A

**GHS** label elements

Signal word

Hazard pictograms :

Exclamation

mark : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:** 

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

## ZEP REACH HAND CLNR-TR 4CS

Version 5.0 Revision Date 07/18/2025 Print Date 09/03/2025

#### Disposal:

P501 Dispose of contents/container in accordance with local

regulation.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

#### **Hazardous components**

| Chemical name                               | CAS-No.    | Concentration [%] |
|---|------------|-------------------|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | >= 30 - < 50      |
| Alcohols, C12-16, ethoxylated               | 68551-12-2 | >= 5 - < 10       |
| quartz (SiO2)                               | 14808-60-7 | >= 0.1 - < 1      |

The exact percentages of disclosed substances are withheld as trade secrets.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

If symptoms persist, call a physician.

In case of skin contact : This product is formulated for use on skin but should always

> be immediately washed off with plenty of water. Discontinue use if irritation and redness develop. If conditions persist for

more than 72 hours, consult a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eve.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist. If in eyes, rinse with water for 15 minutes.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center. Take victim immediately to hospital.

Most important symptoms

: Effects are immediate and delayed.

and effects, both acute and

Symptoms may include irritation, redness, pain, and rash.

delayed

Causes serious eye irritation.

Review section 2 of SDS to see all potential hazards.

: Treat symptomatically. Symptoms may be delayed. Notes to physician

## **ZEP REACH HAND CLNR-TR 4CS**

Version 5.0 Revision Date 07/18/2025 Print Date 09/03/2025

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Hazardous combustion

products

: Carbon dioxide (CO2)

Carbon monoxide

Smoke

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Material can create slippery conditions.

Refer to protective measures listed in sections 7 and 8. Use non-slip safety shoes in areas where spills or leaks can

occur.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains, inform

respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.

Avoid contact with eyes.

Smoking, eating and drinking should be prohibited in the

application area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Electrical installations / working materials must comply with

the technological safety standards.

## ZEP REACH HAND CLNR-TR\_4CS

Version 5.0 Revision Date 07/18/2025 Print Date 09/03/2025

Materials to avoid : Oxidizing agents

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                                  | CAS-No.    | Value type<br>(Form of<br>exposure) | Control parameters / Permissible concentration | Basis     |
|---|------------|-------------------------------------|--|-----------|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | TWA                                 | 500 ppm<br>2,000 mg/m3                         | OSHA Z-1  |
|   |            | TWA                                 | 400 ppm<br>1,600 mg/m3                         | OSHA P0   |
|   |            | TWA (Mist)                          | 5 mg/m3  | OSHA Z-1  |
|   |            | TWA (Mist)                          | 5 mg/m3  | OSHA P0   |
|   |            | TWA (Mist)                          | 5 mg/m3  | NIOSH REL |
|   |            | ST (Mist)                           | 10 mg/m3                                       | NIOSH REL |
|   |            | PEL (particulate)                   | 5 mg/m3  | CAL PEL   |
| quartz (SiO2)                               | 14808-60-7 | TWA (total dust)                    | 30 mg/m3 /<br>%SiO2+2                          | OSHA Z-3  |
|   |            | TWA<br>(Respirable<br>dust)         | 0.05 mg/m3                                     | NIOSH REL |
|   |            | TWA<br>(Respirable<br>dust)         | 0.05 mg/m3                                     | OSHA Z-1  |
|   |            | PEL<br>(Respirable<br>dust)         | 0.05 mg/m3                                     | CAL PEL   |

**Engineering measures** : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Remarks : No special protection is required.

Eye protection : Eye protection is not required while washing with this product.

In the workplace, the use of safety glasses is recommended to

avoid eye exposure during the handling of containers or

during spill clean-up.

Skin and body protection : No special protection is required.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

## ZEP REACH HAND CLNR-TR 4CS

Version 5.0 Revision Date 07/18/2025 Print Date 09/03/2025

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : gel

Colour : green

Odour : characteristic

Odour Threshold : No data available

pH : 7.5 - 8.5

Melting point/freezing point : No data available Boiling point : not determined

Flash point : > 93.4 °C

Evaporation rate : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapour pressure : No data available
Relative vapour density : No data available

Density : 0.95 g/cm3

Solubility(ies)

Water solubility : emulsifiable
Solubility in other solvents : not determined

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : not determined Thermal decomposition : Not applicable

Viscosity

Viscosity, kinematic : > 25 mm2/s (40 °C)

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No decomposition if stored and applied as directed.

## **ZEP REACH HAND CLNR-TR 4CS**

Version 5.0 Revision Date 07/18/2025 Print Date 09/03/2025

Conditions to avoid : No data available

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: Heating can release vapours which can be ignited.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Potential Health Effects**

**Aggravated Medical** 

Condition

: None known.

Symptoms of Overexposure : Effects are immediate and delayed.

Symptoms may include irritation, redness, pain, and rash.

Causes serious eye irritation.

Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.

Carcinogenicity:

IARC Group 1: Carcinogenic to humans

quartz (SiO2) 14808-60-7

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

**Acute toxicity** 

**Product:** 

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

**Components:** 

Distillates (petroleum), hydrotreated light:

Acute oral toxicity : LD50 Rat: > 5,000 mg/kg

Acute inhalation toxicity : LC50 Rat: > 4.6 mg/l

Exposure time: 6 h

Acute dermal toxicity : LD50 Rat: > 2,000 mg/kg

Skin corrosion/irritation

**Product:** 

# **ZEP REACH HAND CLNR-TR 4CS**

Version 5.0 Revision Date 07/18/2025 Print Date 09/03/2025

Result: No skin irritation

#### Serious eye damage/eye irritation

#### **Product:**

Remarks: Severe eye irritation

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

## STOT - repeated exposure

No data available

#### **Aspiration toxicity**

No data available

#### **Further information**

#### Product:

Remarks: No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

No data available

#### Persistence and degradability

No data available

#### **Bioaccumulative potential**

#### Product:

Partition coefficient: n-

octanol/water

#### Mobility in soil

: Remarks: No data available

## **ZEP REACH HAND CLNR-TR 4CS**

Version 5.0 Revision Date 07/18/2025 Print Date 09/03/2025

No data available

Other adverse effects

No data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

: No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

## **ZEP REACH HAND CLNR-TR 4CS**

Version 5.0 Revision Date 07/18/2025 Print Date 09/03/2025

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

#### **SECTION 15. REGULATORY INFORMATION**

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

#### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

| Components     | CAS-No.  | Component RQ (lbs) | Calculated product RQ (lbs) |
|----------------|----------|--------------------|-----------------------------|
| pentyl acetate | 628-63-7 | 5000               | *                           |

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

Carcinogenicity

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65



WARNING: This product can expose you to chemicals including ethylbenzene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### The components of this product are reported in the following inventories:

**DSL** All components of this product are on the Canadian DSL

TSCA On TSCA Inventory

# ZEP REACH HAND CLNR-TR\_4CS

Version 5.0

Revision Date 07/18/2025

Print Date 09/03/2025

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### **Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:

| HEALTH          | 2 |
|-----------------|---|
| FLAMMABILITY    | 1 |
| INSTABILITY     | 0 |
| SPECIAL HAZARD. |   |

<sup>0 =</sup> not significant, 1 =Slight,

#### HMIS III:

| HEALTH          | 2 |
|-----------------|---|
| FLAMMABILITY    | 1 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### **OSHA - GHS Label Information:**

Hazard pictograms



Signal word

Hazard statements Causes serious eye irritation.

<sup>2 =</sup> Moderate, 3 = High

<sup>4 =</sup> Extreme

# SAFETY DATA SHEET ZEP REACH HAND CLNR-TR 4CS

Version 5.0 Revision Date 07/18/2025 Print Date 09/03/2025

Precautionary statements

Prevention: Wear eye protection/ face protection.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/ attention.

**Disposal:** Dispose of contents/container in accordance with local regulation.

| Version:       | 5.0        |
|----------------|------------|
| Revision Date: | 07/18/2025 |
| Print Date:    | 09/03/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.