



AFCO 9306 (AFCO 9306)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 03/23/2023

Version: 1.1

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: AFCO 9306

Product Code: AFCO 9306

Intended Use of the Product

Use of the Substance/Mixture: Biocidal product. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

AFCO

550 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Met. Corr. 1 H290

Skin Corr. 1C H314

Eye Dam. 1 H318

Aquatic Acute 2 H401

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)

:



GHS05

Signal Word (GHS-US)

: Danger.

Hazard Statements (GHS-US)

: H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H401 - Toxic to aquatic life

Precautionary Statements (GHS-US)

: P234 - Keep only in original container.

P261 - Avoid breathing dust, fumes, gas, vapors, mist, spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective glove, protective clothing, eye protection, face protection.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340+P310 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305+P351+P338+P310 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 - Wash contaminated clothing before reuse.

AFCO 9306 (AFCO 9306)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P390 - Absorb spillage to prevent material damage.
P405 - Store locked up.
P406 - Store in corrosive resistant container with a resistant inner liner.
P501 - Dispose of contents/container according to local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Other Hazards: None known.

Unknown Acute Toxicity (GHS-US): Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Mixture

Name	Product identifier	% (w/w)
Water	(CAS No) 7732-18-5	>= 60 - <= 65
Halogenated complex		18
Sodium hydroxide	(CAS No) 1310-73-2	<10

*The exact percentage of composition are withheld as a trade secret.

Full text of H-phrases: see section 16.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: First Aid responders should pay attention to self-protection and use the recommended protective clothing. Ensure that eyewash stations and safety showers are close to the workstation location.

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician or poison control center immediately.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

Burn: See Section 2.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media: No information available.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Hazardous Combustion Products: Bromine. Chlorine.

Advice for Firefighters

Specific Hazards During Firefighting: May release toxic, irritating and/or corrosive gases. In the event of fire and/or explosion do not breathe fumes.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including full protective clothing and self-contained breathing apparatus.

Hazardous Combustion Products: Bromine. Chlorine.

AFCO 9306 (AFCO 9306)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapors, mist, spray). Avoid all contact with skin, eyes, or clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ensure adequate ventilation.

Environmental Precautions

Prevent product from entering drains, sewers and public waters. Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Large spills should be collected mechanically (remove by pumping) for disposal. May require excavation of contaminated soil. Take up small spills by first diluting with water and then using a dehalogenating agent such as sodium thiosulfate solution.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Advice for Safe Handling: Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Wear personal protective equipment. For personal protection see section 8.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Avoid freezing, excessive heat or exposure to light, especially direct sunlight. If heating is necessary to prevent freezing, care must be taken to prevent overheating. Precautions should be taken to ensure that the average product temperature is maintained below 43°C/110°F. Temperature monitoring is recommended. At elevated temperatures, self-heating can lead to vigorous gas generation and over-pressurization of storage containers if appropriate controls are not in place. Avoid exposure of this product to incompatible materials/chemicals (see Stability and Reactivity section). Use of incompatible materials can promote the exothermic decomposition of the product. In extreme cases, this could result in vigorous gas formation and over-pressurization of the storage container.

Storage Container: Vented and opaque containers: As the product ages, activity is gradually lost and pressure can build-up in the headspace (nitrogen); therefore, the product should be stored in vented containers. Product should also be stored in opaque containers to prevent exposure to light. To maximize product shelf life, store the product in an opaque container, in a cool, dry, well-ventilated area.

Special Rules on Packaging: Store locked up. Store in a corrosion resistant container with a resistant inner liner.

Specific End Use(s): Microbiocide. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Sodium hydroxide (1310-73-2)		
Mexico	OEL Ceiling	2 mg/m ³
USA ACGIH	ACGIH Ceiling	2 mg/m ³
USA OSHA	OSHA Z-1 (TWA)	2 mg/m ³
USA OSHA	OSHA PO Ceiling	2 mg/m ³
USA NIOSH	NIOSH REL (Ceiling)	2 mg/m ³
USA IDLH	US IDLH	10 mg/m ³

AFCO 9306 (AFCO 9306)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ontario	OEL Ceiling	2 mg/m ³
Québec	PLAFOND	2 mg/m ³

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas. Provide sufficient air exchange and/or exhaust in work rooms.

Personal Protective Equipment: Protective goggles. Protective clothing. Gloves.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Wear safety glasses with side shields or goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: No personal respiratory protective equipment normally required. In case of inadequate ventilation wear respiratory protection.

Other Information: When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid.
Appearance	: Yellow-orange.
Odor	: Mild.
Odor Threshold	: No data available.
pH	: 12 - 14
Relative Evaporation Rate (butylacetate=1)	: No data available.
Melting Point	: 0°C/32°F
Freezing Point	: 0°C/32°F
Boiling Point	: 106°C (223°F)
Flash Point	: Not applicable.
Auto-ignition Temperature	: No data available.
Decomposition Temperature	: No data available.
Flammability (solid, gas)	: Not applicable.
Flammability (liquid)	: The product is not flammable.
Self-Ignition	: The substance or mixture is not classified as self-heating.
Lower Flammable Limit	: No data available.
Upper Flammable Limit	: No data available.
Vapor Pressure	: 25.33 hPa (77°F/25°C)
Relative Vapor Density at 20°C	: No data available.
Specific Gravity	: 1.29 - 1.37 g/cm ³ (77°F/25°C)
Solubility	: Soluble in water.
Partition coefficient: n-octanol/water	: Not applicable inorganic.
Viscosity, Dynamic	: No data available.
Viscosity, Kinematic	: 2 mm ² /s (77°F/25°C)
Explosive Properties	: No chemical groups associated to explosive properties.
Oxidizing Properties	: The substance or mixture is not classified as oxidizing.
Sublimation Point	: Not applicable.
Metal Corrosion Rate	: Corrosive to metals.

AFCO 9306 (AFCO 9306)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: No dangerous reaction known under conditions of normal use.

Conditions to Avoid: Protect from frost, heat and sunlight.

Incompatible Materials: This product is strongly basic and an oxidizing agent. Avoid contact with alcohols, aldehydes, strong reducing agents, strong oxidizers, acids, ammonia-containing products, and common metals such as steel, aluminum, iron and copper. Use of incompatible materials can promote the exothermic decomposition of the product.

Hazardous Decomposition Products: Bromine. Chlorine.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity

Product:

(AFCO 9306)

Acute oral toxicity	:	LD50 (Rat, male and female): 2,491 mg/kg Method: US EPA Test Guideline OPP 81-1
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 10.64 mg/l Exposure time: 1 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg

Component:

(Sodium hydroxide)

Acute oral toxicity	:	Remarks: study scientifically unjustified Corrosive
Acute inhalation toxicity	:	Remarks: study scientifically unjustified Corrosive
Acute dermal toxicity	:	Remarks: study scientifically unjustified Corrosive

Skin Corrosion/Irritation

Product:

(AFCO 9306)

Species	:	Rabbit
Result	:	Causes burns.

Component:

(Sodium hydroxide)

Result	:	Causes severe burns.
--------	---	----------------------

Serious Eye Damage/Eye Irritation

Product:

(AFCO 9306)

Result	:	Risk of serious damage to eyes.
--------	---	---------------------------------

Component:

(Sodium hydroxide)

Result	:	Risk of serious damage to eyes.
--------	---	---------------------------------

Respiratory or Skin Sensitization

Product:

(AFCO 9306)

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact

AFCO 9306 (AFCO 9306)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

Component:

(Sodium hydroxide)

Method : Patch test on human volunteers did not demonstrate sensitization properties.
Result : Did not cause sensitization on laboratory animals.

Germ Cell Mutagenicity

Components:

(Halogenated complex)

Germ cell mutagenicity -

Assessment Not classified due to lack of data.

(Sodium hydroxide)

Genotoxicity in vitro Remarks: Expert judgment and weight of evidence determination. In vitro tests did not show mutagenic effects.

Genotoxicity in vivo Remarks: Expert judgment and weight of evidence determination. In vivo tests did not show mutagenic effects.

Germ cell mutagenicity Assessment: Not classified due to data which are conclusive although insufficient for classification.

Carcinogenicity - Assessment

Components:

(Halogenated complex) Not classified due to lack of data.

(Sodium hydroxide)

Remarks: Study scientifically unjustified.
Not classified due to data which are conclusive although insufficient for classification.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive Toxicity

Components:

(Halogenated complex)

Reproductive toxicity –

Assessment : Not classified due to lack of data.

(Sodium hydroxide)

Effects on fertility : Remarks: Study scientifically unjustified.

Effects on fetal development : Remarks: Study scientifically unjustified.

Reproductive toxicity – Assessment : Not classified due to data which are conclusive although insufficient for classification.

STOT-Single Exposure

Components:

(Halogenated complex)

Assessment : Not classified due to lack of data.

AFCO 9306 (AFCO 9306)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

(Sodium hydroxide)

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-Repeated Exposure

Components:

(Halogenated complex)

Assessment : Not classified due to lack of data.

(Sodium hydroxide)

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration Toxicity

Product:

(AFCO 9306)

Not classified due to data which are conclusive although insufficient for classification.

Component:

(Sodium hydroxide)

Not classified due to data which are conclusive although insufficient for classification.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

AFCO 9306-Product

Ecotoxicology Assessment

Acute Aquatic Toxicity: Toxic to aquatic life.

Chronic Aquatic Toxicity: Not classified due to lack of data.

AFCO 9306 (AFCO 9306)	
LC50 Fish	3.8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [Bluegill sunfish])
EC50 Daphnia	4.8 mg/l (Exposure time: 48 h - Species: Daphnia magna [Water flea] [static])
EC50 Algae	2.6 mg/l (Exposure time: 72 h - Species: Selenastrum capricornutum (green algae) [static])
EC50 microorganisms	26 mg/l (Exposure time: 3 h - Species: Activated sludge Method OECD Test Guideline 209)

Components

(Halogenated complex)

Ecotoxicology Assessment

Acute Aquatic Toxicity :. Not classified due to lack of data.

Chronic Aquatic Toxicity: Not classified due to lack of data.

Sodium hydroxide (1310-73-2)	
LC50 Fish	Remarks: study scientifically unjustified
EC50 Daphnia	40.4 mg/l (Exposure time: 48 h – Species: Ceriodaphnia [Water flea] [semi-static])
Toxicity to algae	Remarks: study scientifically unjustified
Chronic toxicity to fish	Remarks: study scientifically unjustified
Chronic toxicity to daphnia	Remarks: study scientifically unjustified
Toxicity to microorganisms	Remarks: study scientifically unjustified
Mobility in soil	Will likely be mobile in the environment due to its water solubility
Acute aquatic toxicity	Harmful to aquatic life
Chronic aquatic toxicity	Not classified due to data which are conclusive although insufficient for classification

Persistence and Degradability

AFCO 9306 (AFCO 9306)	
Persistence and Degradability	No data available.

AFCO 9306 (AFCO 9306)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Bioaccumulative Potential

AFCO 9306 (AFCO 9306)	
Bioaccumulative Potential	No data available.

AFCO 9306-Product

Other Adverse Effects

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I. Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpart A, App. A + B).

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Contaminated Packaging: Refer to manufacturer/supplier for information on recovery/recycling.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Halogenated complex, sodium hydroxyde)
Hazard Class : 8
Identification Number : UN3266
Label Codes : 8
Packing Group : III
ERG Number : 154
Marine Pollutant : No



14.2 In Accordance with IMDG

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Halogenated complex, sodium hydroxyde)
Hazard Class : 8
Identification Number : UN3266
Packing Group : III
Label Codes : 8
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Marine Pollutant : No



14.3 In Accordance with IATA

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Halogenated complex, sodium hydroxyde)
Packing Group : III
Identification Number : UN3266
Hazard Class : 8
Label Codes : 8
ERG Code (IATA) : 8L



14.4 In Accordance with TDG

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Halogenated complex, sodium hydroxyde)
Packing Group : III
Hazard Class : 8
Identification Number : UN3266
Label Codes : 8



SECTION 15: REGULATORY INFORMATION

US Federal Regulations

AFCO 9306 (AFCO 9306)			
CERCLA Reportable Quantity			
Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

AFCO 9306 (AFCO 9306)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SARA 304 Extremely Hazardous Substances Reportable Quantity	
This material does not contain any components with a section 304 EHS RQ.	
SARA 302 Extremely Hazardous Substances Threshold Planning Quantity	
This material does not contain any components with a section 302 EHS TPQ.	
SARA Section 311/312 Hazard Classes	Corrosive to Metals. Skin corrosion or irritation. Acute toxicity (any route of exposure). Serious eye damage or eye irritation.
SARA 313 (TRI reporting)	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Clean Air Act (CAA)	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App. A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).
Clean Water Act	The following Hazardous Substances are listed under the U.S. Clean Water Act, Section 311, Table 116.4A: Sodium hydroxide 1310-73-2 >= 5 - < 10 % The following Hazardous Chemicals are listed under the U.S. Clean Water Act, Section 311, Table 117.3: Sodium hydroxide 1310-73-2 >= 5 - < 10 % This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307. This product does not contain any priority pollutants related to the U.S. Clean Water Act.
TSCA list	No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

US State Regulations

Sodium hydroxide (1310-73-2)
US - Massachusetts - RTK (Right to Know) US - California - List of Hazardous Substances US - California - Permissible Exposure Limits for Chemical Contaminants U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Acute U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728) U.S. - Louisiana - Reportable Quantity List for Pollutants U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New Jersey - Special Health Hazards Substances List U.S. - New York - Occupational Exposure Limits - TWA U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List

AFCO 9306 (AFCO 9306)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term

Canadian Regulations

Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Halogenated complex (Not Assigned)

Not listed on the Canadian DSL nor NDSL.

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 03/23/2023

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.


GHS Full Text Phrases:

Metal Corrosion 1	Corrosive to metals Category 1.
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2.
Eye Dam. 1	Serious eye damage/eye irritation Category 1.
Skin Corr. 1C	Skin corrosion/irritation Category 1C.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H401	Toxic to aquatic life.

NFPA Health Hazard : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

NFPA Fire Hazard : 1 - Must be preheated before ignition can occur.

NFPA Reactivity : 0 - Materials that are normally stable, even under fire conditions and are not reactive with water.



HMIS IV Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given.

Flammability : 1 - Slight Hazard.

Physical : 0 - Minimal Hazard.

Party Responsible for the Preparation of This Document

AFCO
550 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)