



Shine Foam CL (AFCO 5376)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision Date: 01/13/2025

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture
Product Name: Shine Foam CL
Product Code: AFCO 5376

Intended Use of the Product

Use of the Substance/Mixture: Food and Beverage Facility cleaner designed for use on food processing equipment. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

AFCO
800 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Met. Corr. 1 H290
Skin Corr. 1A H314
Eye Dam. 1 H318
Aquatic Acute 2 H401
Aquatic Chronic 2 H411

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Danger.

Hazard Statements (GHS-US)

: H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H401 - Toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects.

Precautionary Statements (GHS-US)

: P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor/physician
P363 - Wash contaminated clothing before reuse.
P391 - Collect spillage.
P405 - Store locked up.

Shine Foam CL (AFCO 5376)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container in accordance to local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Other Hazards Not Contributing to the Classification: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes. Corrosive vapors.

Unknown Acute Toxicity (GHS-US): Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Sodium hydroxide	(CAS No) 1310-73-2	5 - 10	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Sodium hypochlorite	(CAS No) 7681-52-9	3 - 5	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium xylene sulfonate	(CAS No) 1300-72-7	1 - 5	Eye Irrit. 2A, H319
Dodecyldimethylamine oxide	(CAS No) 1643-20-5	1 - 3	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400

The exact percentages of disclosed substances are withheld as trade secrets.

Full text of H-phrases: see section 16.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes severe skin burns and serious eye damage.

Inhalation: None under normal and intended conditions of use.

Skin Contact: Causes severe skin burns.

Eye Contact: Causes serious eye damage.

Ingestion: Ingestion is likely to be harmful or have adverse effects. Contact may cause immediate severe irritation progressing quickly to chemical burns.

Chronic Symptoms: Not available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide, foam, dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Shine Foam CL (AFCO 5376)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: Thermal decomposition generates: Corrosive vapors. When heated to decomposition, emits toxic fumes.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Unburned hydrocarbons (smoke). Sulfur oxides (SO_x). Corrosive vapors.

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapors, dust). Avoid all contact with skin, eyes, or clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Remove all sources of ignition. Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Prevent further leakage or spillage if safe to do so.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Contact competent authorities after a spill.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: When heated to decomposition, emits toxic fumes. Corrosive vapors are released.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from incompatible materials.

Incompatible Materials: Acids. Oxidizing agents.

Special Rules on Packaging: Keep only in original container.

Specific End Use(s): Food and Beverage Facility cleaner designed for use on food processing equipment. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Sodium hydroxide (1310-73-2)		
Mexico	OEL Ceiling (mg/m ³)	2 mg/m ³
USA ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	2 mg/m ³
USA NIOSH	NIOSH REL (ceiling) (mg/m ³)	2 mg/m ³
USA IDLH	US IDLH (mg/m ³)	10 mg/m ³
Ontario	OEL Ceiling (mg/m ³)	2 mg/m ³
Québec	PLAFOND (mg/m ³)	2 mg/m ³

Shine Foam CL (AFCO 5376)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment: Protective goggles. Protective clothing. Gloves.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or face shield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: A respirator is not needed under normal and intended conditions of use.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid.
Appearance	: Light green-yellow.
Odor	: Characteristic.
Odor Threshold	: Not available.
pH	: 13 - 14
Relative Evaporation Rate (butylacetate=1)	: Not available.
Melting Point	: Not available.
Freezing Point	: Not available.
Boiling Point	: 100°C (212°F)
Flash Point	: Not available.
Auto-ignition Temperature	: Not determined.
Decomposition Temperature	: Not available.
Flammability (solid, gas)	: Not flammable.
Lower Flammable Limit	: Not available.
Upper Flammable Limit	: Not available.
Vapor Pressure	: Not available.
Relative Vapor Density at 20°C	: Not available.
Specific Gravity	: 1.176
Solubility	: Soluble in water.
Partition coefficient: n-octanol/water	: Not available.
Viscosity, Kinematic	: 10.4 mm ² /s (20°C)
Explosion Data – Sensitivity to Mechanical Impact	: Not available.
Explosion Data – Sensitivity to Static Discharge	: Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Stable.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur when used as directed.

Conditions to Avoid: Incompatible materials.

Incompatible Materials: Acids. Oxidizing agents.

Hazardous Decomposition Products: Carbon oxides (CO, CO₂). Unburned hydrocarbons (smoke). Hydrogen chloride.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: N/A.

LD50 and LC50 Data:

Sodium hydroxide (1310-73-2)	
LD50 Dermal Rabbit	1,350 mg/kg

Shine Foam CL (AFCO 5376)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin Corrosion/Irritation: Causes severe skin burns. (pH: 13 - 14)

Serious Eye Damage/Irritation: Causes serious eye damage. (pH: 13 - 14)

Respiratory or Skin Sensitization: No data available.

Germ Cell Mutagenicity: No data available.

Teratogenicity: Not available.

Carcinogenicity: Not available.

Specific Target Organ Toxicity (Repeated Exposure): No data available.

Reproductive Toxicity: No data available.

Specific Target Organ Toxicity (Single Exposure): No data available.

Aspiration Hazard: No data available.

Symptoms/Injuries After Inhalation: None under normal and intended conditions of use.

Symptoms/Injuries After Skin Contact: Contact may cause immediate severe irritation progressing quickly to chemical burns.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Sodium hypochlorite (7681-52-9)	
LD50 Oral Rat	8,200 mg/kg
LD50 Dermal Rabbit	>10,000 mg/kg
IARC Group	3
Sodium xylene sulfonate (1300-72-7)	
LD50 Oral Rat	1,000 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity No data available.

Sodium hydroxide (1310-73-2)	
LC50 Fish 1	40 mg/l
Sodium hypochlorite (7681-52-9)	
LC50 Fish 1	0.06 (0.06 - 0.11) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	0.033 - 0.044 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 Fish 2	4.5 (4.5 - 7.6) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	0.033 (0.033 - 0.044) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Dodecyltrimethylamine oxide (1643-20-5)	
ErC50 (algae)	0.11 mg/l (72 hour)

Persistence and Degradability: No data available.

Bioaccumulative Potential

Shine Foam CL (AFCO 5376)	
Bioaccumulative Potential	Not established.

Mobility in Soil No data available.

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology - Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT

Proper Shipping Name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, sodium hypochlorite)
Hazard Class	: 8
Identification Number	: UN3266
Label Codes	: 8
Packing Group	: II



Shine Foam CL (AFCO 5376)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ERG Number : 154

14.2 In Accordance with IMDG

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, sodium hypochlorite)
Hazard Class : 8
Identification Number : UN3266
Packing Group : II
Label Codes : 8
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B



14.3 In Accordance with IATA

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, sodium hypochlorite)
Packing Group : II
Identification Number : UN3266
Hazard Class : 8
Label Codes : 8
ERG Code (IATA) : 8L



14.4 In Accordance with TDG

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, sodium hypochlorite)
Packing Group : II
Hazard Class : 8
Identification Number : UN3266
Label Codes : 8



SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Shine Foam CL (AFCO 5376)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard.
Sodium hydroxide (1310-73-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
Sodium hypochlorite (7681-52-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
Sodium xylene sulfonate (1300-72-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
Dodecyltrimethylamine oxide (1643-20-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	

US State Regulations

Sodium hydroxide (1310-73-2)
U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Acute.
U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728).
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances.
U.S. - New Jersey - Right to Know Hazardous Substance List.
U.S. - New Jersey - Special Health Hazards Substances List.
U.S. - New York - Occupational Exposure Limits – TWAs.
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances.
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List.
U.S. - Pennsylvania - RTK (Right to Know) List.
U.S. - Texas - Effects Screening Levels - Long Term.
U.S. - Texas - Effects Screening Levels - Short Term.
Sodium hypochlorite (7681-52-9)
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances.

Shine Foam CL (AFCO 5376)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - New Jersey - Right to Know Hazardous Substance List.
U.S. - New Jersey - Special Health Hazards Substances List.
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances.
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List.
U.S. - Pennsylvania - RTK (Right to Know) List.
U.S. - Texas - Effects Screening Levels - Long Term.
U.S. - Texas - Effects Screening Levels - Short Term.

Sodium xylene sulfonate (1300-72-7)

U.S. - Texas - Effects Screening Levels - Long Term.
U.S. - Texas - Effects Screening Levels - Short Term.

Dodecyldimethylamine oxide (1643-20-5)

U.S. - Texas - Effects Screening Levels - Long Term.
U.S. - Texas - Effects Screening Levels - Short Term.

California Prop. 65

This product does not contain any chemicals known to the state of California to cause cancer, birth defects, or any other reproductive harm.

Canadian Regulations

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Sodium hypochlorite (7681-52-9)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Sodium xylene sulfonate (1300-72-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Dodecyldimethylamine oxide (1643-20-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 01/13/2025

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1.
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2.
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3.
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1.
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2.
Metal Corr. 1	Corrosive to metals Category 1.
Eye Dam. 1	Serious eye damage/eye irritation Category 1.
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A.
Skin Irrit. 2	Skin corrosion/irritation Category 2.
STOT SE 3	Specific target organ toxicity single exposure Category 3.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Shine Foam CL (AFCO 5376)

Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

NFPA Health Hazard : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

NFPA Fire Hazard : 0 - Materials that will not burn.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given.

Flammability : 0 - Minimal Hazard.

Physical : 0 - Minimal Hazard.

Party Responsible for the Preparation of This Document

AFCO
800 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)