



## Random Numbers


















+1







Can't go below step o

0.1 % chance of falling down the stairs

Bet: you'll reach step 60





#### Intermediate Python for Data Science

### How to solve?

- Analytical
- Simulate the process
  - Hacker statistics!





### Random Generators

```
In [1]: import numpy as np
                                   Pseudo-random numbers
In [2]: np.random.rand()
                                   Mathematical formula
Out[2]: 0.9535543896720104
                                   Starting from a seed
In [3]: np.random.seed(123)
In [4]: np.random.rand()
Out[4]: 0.6964691855978616
In [5]: np.random.rand()
                                   Same seed: same random numbers!
Out[5]: 0.28613933495037946
                                   Ensures "reproducibility"
   [6]: np.random.seed(123)
   [7]: np.random.rand()
Out[7]: 0.696469185597861
In [8]: np.random.rand()
Out[8]: 0.28613933495037946
```





## Coin Toss

```
import numpy as np
np.random.seed(123)
coin = np.random.randint(0,2)
print(coin)
Randomly generate 0 or 1
```

```
Output:
```





## Coin Toss

```
import numpy as np
np.random.seed(123)
coin = np.random.randint(0,2)
print(coin)
if coin == 0:
    print("heads")
else:
    print("tails")
```

```
Output:
0
heads
```





# Let's practice!







## Random Walk



# Random Step












### Random Walk








+1







#### Known in Science

- Path of molecules
- Gambler's financial status



### Heads or Tails

```
headtails.py
                                             0: heads
import numpy as np
np.random.seed(123)
                                             1: tails
outcomes = []
for x in range(10):
    coin = np.random.randint(0, 2)
    if coin == 0:
        outcomes.append("heads")
    else:
        outcomes.append("tails")
print(outcomes)
```

```
Output:
['heads', 'tails', 'heads', 'heads', 'heads',
'heads', 'heads', 'tails', 'tails', 'heads']
```



### Heads or Tails: Random Walk

```
import numpy as np
np.random.seed(123)
tails = [0]
for x in range(10):
    coin = np.random.randint(0, 2)
    tails.append(tails[x] + coin)
```

```
Output:
[0, 0, 1, 1, 1, 1, 1, 2, 3, 3]
```



## Step to Walk

#### outcomes

```
['heads', 'tails', 'heads', 'heads', 'heads',
'heads', 'tails', 'tails', 'heads']
```

#### tails

```
Output:
[0, 0, 1, 1, 1, 1, 1, 2, 3, 3]
```





# Let's practice!






## Distribution







100 X



\_^


Each random walk has an end point

Simulate 10,000 times: 10,000 end points




• +1

Distribution!



Calculate chances!







### Random Walk

```
import numpy as np
np.random.seed(123)
tails = [0]
for x in range(10):
    coin = np.random.randint(0,2)
    tails.append(tails[x] + coin)
```



### 100 runs

```
import numpy as np
np.random.seed(123)
final_tails = []
for x in range(100) :
    tails = [0]
    for x in range(10) :
        coin = np.random.randint(0,2)
        tails.append(tails[x] + coin)
    final_tails.append(tails[-1])
print(final_tails)
```

#### Output:


```
[3, 6, 4, 5, 4, 5, 3, 5, 4, 6, 6, 8, 6, 4, 7, 5, 7, 4, 3, 3, 4, 5, 8, 5, 6, 5, 7, 6, 4, 5, 8, 5, 8, 4, 6, 6, 3, 4, 5, 4, 7, 8, 9, 4, 3, 4, 5, 6, 4, 2, 6, 6, 5, 7, 5, 4, 5, 5, 6, 7, 6, 6, 6, 3, ..., 7]
```





## Histogram, 100 runs

```
distribution.py
import numpy as np
import matplotlib.pyplot as plt
np.random.seed(123)
final_tails = []
for x in range(100):
    tails = [0]
    for x in range(10):
        coin = np.random.randint(0,2)
        tails.append(tails[x] + coin)
    final_tails.append(tails[-1])
plt.hist(final_tails, bins = 10)
plt.show()
```








## Histogram, 1.000 runs


```
distribution.py
import numpy as np
import matplotlib.pyplot as plt
np.random.seed(123)
final_tails = []
for x in range (1000):
    tails = [0]
    for x in range(10):
        coin = np.random.randint(0,2)
        tails.append(tails[x] + coin)
    final_tails.append(tails[-1])
plt.hist(final_tails, bins = 10)
plt.show()
```





## Histogram, 10.000 runs

```
distribution.py
import numpy as np
import matplotlib.pyplot as plt
np.random.seed(123)
final_tails = []
for x in range(10000):
    tails = [0]
    for x in range(10):
        coin = np.random.randint(0,2)
        tails.append(tails[x] + coin)
    final_tails.append(tails[-1])
plt.hist(final_tails, bins = 10)
plt.show()
```







# Let's practice!