

Exercise 1: Implementing the Singleton Pattern

Scenario:

You need to ensure that a logging utility class in your application has only one instance throughout the application lifecycle to ensure consistent logging.

Steps:

1. **Create a New Java Project:**
 - Create a new Java project named **SingletonPatternExample**.
2. **Define a Singleton Class:**
 - Create a class named **Logger** that has a private static instance of itself.
 - Ensure the constructor of **Logger** is private.
 - Provide a public static method to get the instance of the **Logger** class.
3. **Implement the Singleton Pattern:**
 - Write code to ensure that the **Logger** class follows the Singleton design pattern.
4. **Test the Singleton Implementation:**
 - Create a test class to verify that only one instance of **Logger** is created and used across the application.

Exercise 2: Implementing the Factory Method Pattern

Scenario:

You are developing a document management system that needs to create different types of documents (e.g., Word, PDF, Excel). Use the Factory Method Pattern to achieve this.

Steps:

1. **Create a New Java Project:**
 - Create a new Java project named **FactoryMethodPatternExample**.
2. **Define Document Classes:**
 - Create interfaces or abstract classes for different document types such as **WordDocument**, **PdfDocument**, and **ExcelDocument**.
3. **Create Concrete Document Classes:**
 - Implement concrete classes for each document type that implements or extends the above interfaces or abstract classes.
4. **Implement the Factory Method:**
 - Create an abstract class **DocumentFactory** with a method **createDocument()**.

- Create concrete factory classes for each document type that extends `DocumentFactory` and implements the `createDocument()` method.

5. **Test the Factory Method Implementation:**

- Create a test class to demonstrate the creation of different document types using the factory method.

Exercise 3: Implementing the Builder Pattern

Scenario:

You are developing a system to create complex objects such as a Computer with multiple optional parts. Use the Builder Pattern to manage the construction process.

Steps:

1. **Create a New Java Project:**

- Create a new Java project named **BuilderPatternExample**.

2. **Define a Product Class:**

- Create a class **Computer** with attributes like **CPU**, **RAM**, **Storage**, etc.

3. **Implement the Builder Class:**

- Create a static nested Builder class inside Computer with methods to set each attribute.
- Provide a **build()** method in the Builder class that returns an instance of Computer.

4. **Implement the Builder Pattern:**

- Ensure that the **Computer** class has a private constructor that takes the **Builder** as a parameter.

5. **Test the Builder Implementation:**

- Create a test class to demonstrate the creation of different configurations of Computer using the Builder pattern.

Exercise 4: Implementing the Adapter Pattern

Scenario:

You are developing a payment processing system that needs to integrate with multiple third-party payment gateways with different interfaces. Use the Adapter Pattern to achieve this.

Steps:

1. **Create a New Java Project:**

- Create a new Java project named **AdapterPatternExample**.

2. Define Target Interface:

- Create an interface **PaymentProcessor** with methods like **processPayment()**.

3. Implement Adaptee Classes:

- Create classes for different payment gateways with their own methods.

4. Implement the Adapter Class:

- Create an adapter class for each payment gateway that implements **PaymentProcessor** and translates the calls to the gateway-specific methods.

5. Test the Adapter Implementation:

- Create a test class to demonstrate the use of different payment gateways through the adapter.

Exercise 5: Implementing the Decorator Pattern

Scenario:

You are developing a notification system where notifications can be sent via multiple channels (e.g., Email, SMS). Use the Decorator Pattern to add functionalities dynamically.

Steps:

1. Create a New Java Project:

- Create a new Java project named **DecoratorPatternExample**.

2. Define Component Interface:

- Create an interface **Notifier** with a method **send()**.

3. Implement Concrete Component:

- Create a class **EmailNotifier** that implements **Notifier**.

4. Implement Decorator Classes:

- Create abstract decorator class **NotifierDecorator** that implements **Notifier** and holds a reference to a **Notifier** object.
- Create concrete decorator classes like **SMSNotifierDecorator**, **SlackNotifierDecorator** that extend **NotifierDecorator**.

5. Test the Decorator Implementation:

- Create a test class to demonstrate sending notifications via multiple channels using decorators.

Exercise 6: Implementing the Proxy Pattern

Scenario:

You are developing an image viewer application that loads images from a remote server. Use the Proxy Pattern to add lazy initialization and caching.

Steps:

1. **Create a New Java Project:**
 - Create a new Java project named **ProxyPatternExample**.
2. **Define Subject Interface:**
 - Create an interface **Image** with a method **display()**.
3. **Implement Real Subject Class:**
 - Create a class **RealImage** that implements **Image** and loads an image from a remote server.
4. **Implement Proxy Class:**
 - Create a class **ProxyImage** that implements **Image** and holds a reference to **RealImage**.
 - Implement lazy initialization and caching in **ProxyImage**.
5. **Test the Proxy Implementation:**
 - Create a test class to demonstrate the use of **ProxyImage** to load and display images.

Exercise 7: Implementing the Observer Pattern

Scenario:

You are developing a stock market monitoring application where multiple clients need to be notified whenever stock prices change. Use the Observer Pattern to achieve this.

Steps:

1. **Create a New Java Project:**
 - Create a new Java project named **ObserverPatternExample**.
2. **Define Subject Interface:**
 - Create an interface **Stock** with methods to **register**, **deregister**, and **notify** observers.
3. **Implement Concrete Subject:**
 - Create a class **StockMarket** that implements **Stock** and maintains a list of observers.
4. **Define Observer Interface:**

- Create an interface **Observer** with a method **update()**.
- 5. **Implement Concrete Observers:**
 - Create classes **MobileApp**, **WebApp** that implement **Observer**.
- 6. **Test the Observer Implementation:**
 - Create a test class to demonstrate the registration and notification of observers.

Exercise 8: Implementing the Strategy Pattern

Scenario:

You are developing a payment system where different payment methods (e.g., Credit Card, PayPal) can be selected at runtime. Use the Strategy Pattern to achieve this.

Steps:

1. **Create a New Java Project:**
 - Create a new Java project named **StrategyPatternExample**.
2. **Define Strategy Interface:**
 - Create an interface **PaymentStrategy** with a method **pay()**.
3. **Implement Concrete Strategies:**
 - Create classes **CreditCardPayment**, **PayPalPayment** that implement **PaymentStrategy**.
4. **Implement Context Class:**
 - Create a class **PaymentContext** that holds a reference to **PaymentStrategy** and a method to execute the strategy.
5. **Test the Strategy Implementation:**
 - Create a test class to demonstrate selecting and using different payment strategies.

Exercise 9: Implementing the Command Pattern

Scenario: You are developing a home automation system where commands can be issued to turn devices on or off. Use the Command Pattern to achieve this.

Steps:

1. **Create a New Java Project:**
 - Create a new Java project named **CommandPatternExample**.
2. **Define Command Interface:**
 - Create an interface **Command** with a method **execute()**.

3. **Implement Concrete Commands:**

- Create classes **LightOnCommand**, **LightOffCommand** that implement **Command**.

4. **Implement Invoker Class:**

- Create a class **RemoteControl** that holds a reference to a **Command** and a method to execute the command.

5. **Implement Receiver Class:**

- Create a class **Light** with methods to turn on and off.

6. **Test the Command Implementation:**

- Create a test class to demonstrate issuing commands using the **RemoteControl**.

Exercise 10: Implementing the MVC Pattern

Scenario:

You are developing a simple web application for managing student records using the MVC pattern.

Steps:

1. **Create a New Java Project:**

- Create a new Java project named **MVCPatternExample**.

2. **Define Model Class:**

- Create a class **Student** with attributes like **name**, **id**, and **grade**.

3. **Define View Class:**

- Create a class **StudentView** with a method **displayStudentDetails()**.

4. **Define Controller Class:**

- Create a class **StudentController** that handles the communication between the model and the view.

5. **Test the MVC Implementation:**

- Create a main class to demonstrate creating a **Student**, updating its details using **StudentController**, and displaying them using **StudentView**.

Exercise 11: Implementing Dependency Injection

Scenario:

You are developing a customer management application where the service class depends on a repository class. Use Dependency Injection to manage these dependencies.

Steps:

1. **Create a New Java Project:**
 - Create a new Java project named **DependencyInjectionExample**.
2. **Define Repository Interface:**
 - Create an interface **CustomerRepository** with methods like **findCustomerById()**.
3. **Implement Concrete Repository:**
 - Create a class **CustomerRepositoryImpl** that implements **CustomerRepository**.
4. **Define Service Class:**
 - Create a class **CustomerService** that depends on **CustomerRepository**.
5. **Implement Dependency Injection:**
 - Use constructor injection to inject **CustomerRepository** into **CustomerService**.
6. **Test the Dependency Injection Implementation:**
 - Create a main class to demonstrate creating a **CustomerService** with **CustomerRepositoryImpl** and using it to find a customer.