

Tutorial 2: Distributed Query Processing

Semester 2, 2020

Question 1: At the global level, distributed query processing consists of three main steps: query decomposition, data localization and global optimization. Discuss these three steps, focusing on the input, output, objectives for each step.

Question 2: Consider the following database:

EMP			ASG			
ENO	ENAME	TITLE	ENO	PNO	RESP	DUR
E1	J. Doe	Elect. Eng	E1	P1	Manager	12
E2	M. Smith	Syst. Anal.	E2	P1	Analyst	24
E3	A. Lee	Mech. Eng.	E2	P2	Analyst	6
E4	J. Miller	Programmer	E3	P3	Consultant	10
E5	B. Casey	Syst. Anal.	E3	P4	Engineer	48
E6	L. Chu	Elect. Eng.	E4	P2	Programmer	18
E7	R. Davis	Mech. Eng.	E5	P2	Manager	24
E8	J. Jones	Syst. Anal.	E6	P4	Manager	48
			E7	P3	Engineer	36
			E8	P3	Manager	40

PROJ			PAY	
PNO	PNAME	BUDGET	TITLE	SAL
P1	Instrumentation	150000	Elect. Eng.	40000
P2	Database Develop.	135000	Syst. Anal.	34000
P3	CAD/CAM	250000	Mech. Eng.	27000
P4	Maintenance	310000	Programmer	24000

(a) Assume that relation PROJ is horizontally fragmented as follows:

$$PROJ_1 = \sigma_{PNO \leq "P2"} PROJ$$

$$PROJ_2 = \sigma_{PNO > "P2"} PROJ$$

Transform the following query into a reduced query on fragments:

```
SELECT ENO, PNAME
FROM   PROJ, ASG
WHERE  PROJ.PNO = ASG.PNO AND PNO = "P4"
```

(b) Assume PROJ is fragmented as above, and ASG is fragmented as below:

$$ASG_1 = \sigma_{PNO \leq "P2"} ASG$$

$$ASG_2 = \sigma_{"P2" < PNO \leq "P3"} ASG$$

$$ASG_3 = \sigma_{PNO > "P3"} ASG$$

Transform the following query into a reduced query on fragments, and determine whether it is better than the localized query:

```
SELECT RESP, BUDGET
FROM ASG, PROJ
WHERE ASG.PNO = PROJ.PNO AND PNAME = "CAD/CAM"
```

Question 3: Let R(A, B) and S(B, C, D) be two relations as shown below:

R(A, B)

A	B
1	4
1	5
2	4
2	6
3	7

S(B, C, D)

B	C	D
4	5	0
4	7	8
5	0	1
5	1	1

- Compute $R \bowtie S$
- Compute $S \bowtie R$
- Assume R is at site 1 and S is at site 2, and a query $R \bowtie S$ is issued at site 2. List the steps for a query processing strategy using semi-join, and check if the semi-join is a beneficial option in this case (ignore local processing cost).