NAME :Tejushree sanjeevikumar REGISTER NO: 230701360

EX 8: PERFORMING TREE TRAVERSAL TECHNIQUES

Tree traversal

```
#include <stdio.h>
#include <stdlib.h>
struct node
struct node *left;
int element;
struct node *right;
};
typedef struct node Node;
Node *Insert(Node *Tree, int e);
void Inorder(Node *Tree);
void Preorder(Node *Tree);
void Postorder(Node *Tree);
int main()
Node *Tree = NULL;
int n, i, e, ch;
printf("Enter number of nodes in the tree: ");
scanf("%d", &n);
printf("Enter the elements :\n");
for (i = 1; i \le n; i++)
scanf("%d", &e);
Tree = Insert(Tree, e);
}
do
printf("1. Inorder \n2. Preorder \n3. Postorder \n4. Exit\n");
printf("Enter your choice : ");
scanf("%d", &ch);
switch (ch)
{
case 1:
Inorder(Tree);
printf("\n");
break;
```

```
case 2:
Preorder(Tree);
printf("\n");
break;
case 3:
Postorder(Tree);
printf("\n");
break;
}
\} while (ch <= 3);
return 0;
Node *Insert(Node *Tree, int e)
Node *NewNode = malloc(sizeof(Node));
if (Tree == NULL)
NewNode->element = e;
NewNode->left = NULL;
NewNode->right = NULL;
Tree = NewNode;
}
else if (e < Tree->element)
Tree->left = Insert(Tree->left, e);
else if (e > Tree->element)
Tree->right = Insert(Tree->right, e);
return Tree;
void Inorder(Node *Tree)
if (Tree != NULL)
Inorder(Tree->left);
printf("%d\t", Tree->element);
Inorder(Tree->right);
void Preorder(Node *Tree)
if (Tree != NULL)
```

```
{
  printf("%d\t", Tree->element);
  Preorder(Tree->left);
  Preorder(Tree->right);
  }
} void Postorder(Node *Tree)
{
  if (Tree != NULL)
  {
    Postorder(Tree->left);
    Postorder(Tree->right);
    printf("%d\t", Tree->element);
  }
}
```