

INSTITUTE FOR DEFENSE ANALYSES

DATAWorks 2022: Topological Modeling of Human-Machine Teams

Dr. Vincent A. Lillard, Project Leader

Dr. Leonard D. Wilkins Ms. Caitlan A. Fealing Dr. John Haman

April 2022

Public release approved. Distribution is unlimited.

IDA Document NS D-33031

Log: H 2022-000121

INSTITUTE FOR DEFENSE ANALYSES 730 East Glebe Road Alexandria, Virginia 22305



The Institute for Defense Analyses is a nonprofit corporation that operates three Federally Funded Research and Development Centers. Its mission is to answer the most challenging U.S. security and science policy questions with objective analysis, leveraging extraordinary scientific, technical, and analytic expertise.

About This Publication

This work was conducted by the Institute for Defense Analyses (IDA) under contract HQ0034-19-D-0001, Task BD-9-229990, "Test Science Research and Applications," for the Office of the Director, Operational Test and Evaluation. The views, opinions, and findings should not be construed as representing the official position of either the Department of Defense or the sponsoring organization.

Acknowledgments

The IDA Technical Review Committee was chaired by Mr. Robert R. Soule and consisted of Dr. Elizabeth A. Green and Dr. Brian D. Vickers from the Operational Evaluation Division.

For more information: Dr. Vincent A. Lillard, Project Leader vlillard@ida.org • (703) 845-2230

Robert R. Soule, Director, Operational Evaluation Division rsoule@ida.org • (703) 845-2482

Copyright Notice
© 2022 Institute for Defense Analyses
730 East Glebe Road, Alexandria, Virginia 22305 • (703) 845-2000

This material may be reproduced by or for the U.S. Government pursuant to the copyright license under the clause at DFARS 252.227-7013 [Feb. 2014].

INSTITUTE FOR DEFENSE ANALYSES

IDA Document NS D-33031

DATAWorks 2022: Topological Modeling of Human-Machine Teams

Dr. Vincent A. Lillard, Project Leader

Dr. Leonard D. Wilkins Ms. Caitlan C. Fealing Dr. John Haman

Executive Summary

In support of its mission to advance test and evaluation (T&E) and engage colleagues in discussion and sharing of T&E methodologies, the Institute for Defense Analyses' Test Science group presents recommended evaluation strategies for human-machine teams¹ (HMTs), to be presented as a brief topic talk at DATAWorks 2022. The briefing proposes, describes, and advocates for topological models as a framework for characterizing and evaluating HMTs. It is the follow-up to the 2021 briefing *Characterizing Human-Machine Teaming Metrics for Test & Evaluation* (IDA Document D-14349), where IDA recommended a collection of metrics for evaluation and assessment of HMTs.

Any realistic model of teams should capture the emergent property that a team is more than the sum of its parts, meaning that analysts cannot predict or assess team performance solely from knowledge of the individual team agents. How a team is organized and works together is as much a factor of team performance as any single agent's performance measures. As such, methods for evaluating HMTs should account for the collective-level team performance and the individual-level performances. The

Every team or group of agents has a shape, and a topological model of a team is a set of metrics that describes that shape – the team's architecture, its organization, the interaction and information flow between agents and groups of agents, and the dynamics of how any of those metrics might change over time. All of these factors affect how well a team performs its tasks. For instance, simulations of search and rescue HMTs show that differences in team performance may be primarily due to topological characteristics, rather than individual performance metrics, which would be the traditional focus of a team analysis.

The data needed for such models will require some additions to current T&E data collection. In particular, data on team interaction – whether that be verbal communication, sensing and information flow, or some other means of agents working and

interactions between teammates add new predictors and new degrees of unpredictability, which exacerbates the issue of analyzing team performance. These interactions also enable comprehensive topological analysis, which is the recommended approach to modeling teams.

An HMT is a team of human and computer agents working together to accomplish a mission.

acting together — will be essential for building the team's underlying topological structure or shape. The shape itself provides some global characterizing parameters that can be used as predictors of team performance. From that point, there are a number of other topological parameters and metrics that can be computed to gain information on the nature of the team's organization and interaction. The metrics we discuss in Part II include the following.

- *Betti numbers* count the number of holes and connected components in a structure, which provides a signature of a team's architecture.
- *Clustering* is a measure of the intensity or magnitude of interaction among an agent's or subgroup's neighbors.
- *Embeddedness* scores the extent to which an interaction is contained within larger interactions.
- *Facets* are the dominant interacting subgroups within the team.

These measures can act as additional predictors of performance and efficiency, providing – for example – quantifying and locality information for redundancies, weak points, and anomalies in the team, where individuals or subgroups might be either removed or supplemented with additional personnel or resources to enhance performance. This, in turn, provides a foundation for performance and efficiency optimization, especially in the face of resource constraints a team would confront in defense scenarios.

The software needed for a full, topological HMT modeling framework are primarily already in place and widely used in various other applications. It would not require a significant effort to bring these capabilities together into a single computational tool that could allow users to simulate and test various HMT structures in different scenarios, particularly in an effort to build test plans for T&E applications.



An Introduction to Topological Modeling of Human-Machine Teams

Jay Wilkins, Caitlan Fealing, and John Haman

DATAWorks 2022

Institute for Defense Analyses


730 East Glebe Road • Alexandria, Virginia 22305

Topological models of teams can help analysts characterize team interaction and performance.

Here, we will discuss some applications of these ideas to human-machine teams (HMTs).



What is a *Human-Machine Team*? An HMT is a group of agents containing at least one human and one machine, functioning collaboratively towards one or more common objectives.




Human and UAV/UAS

reconnaissance and task teams



A *Topological Model* is a predictive framework for analyzing how team organization and interaction affect performance.

- A team is not just the sum of its parts: Team performance cannot accurately and realistically be predicted only using data from individual team agents.
- Traditional teaming models have really only shown how individual teammates affect collective performance.
- Topological models provide a groundwork for assessing how teammates collectively affect performance.




Example

Increased team connectivity and interaction may enhance team performance. In other cases, this may not be so.



Topological models provide more than just a geometric and statistical groundwork for analyzing performance as a function of the team's collective properties.

We can physically locate weak points in the team – e.g., specific subgroups of agents and interactions, certain lines or groupings of communication – yielding performance optimization strategies within resource constraints.



IDA published an HMT Evaluation Framework (2021), proposing metrics and metric categories for HMT evaluation, particularly in test & evaluation (T&E) scenarios.

- Team Measures -







Capability										
Communication structure	Structure-based interaction	Architecture								
Interaction										
Team perspective	Cooperative behavior	Workload								
	Performance									
Collective decision m	naking Collectiv	e task performance								

Depending on context and the specific choice of parameter, topological parameters may affect capability, interaction, or both together.

- Team Measures -








	Capability	
Communication structure	Structure-based interaction	Architecture
	Interaction	
Team perspective	Cooperative behavior	Werkload
	Performance	
Collective decision ma	aking Collectiv	e task performance

NOTE: The team's topology may also be the *response* in a testing scenario.



Example 1. A driver and a self-driving car.



This team consists of one human and one machine.

The team's mission is to simply navigate a course.


The result is a crash when the vehicle attempts to keep moving at a point where the driver manually applies the brakes.

Test Data													
Capability Interaction Performance													
Communication Structure	Broken Vehicle Driver Interface	Team Perspective	Accurate	Collective Decision Making	Moderate								
Structure-Based Interaction	Efficient	Cooperative Behavior	Cohesive	Collective Task Performance	Poor								
Architecture	Efficient	Workload	Low										


Vehicle could not communicate to driver that it had assessed the upcoming point of concern as safe.



Example 1. The obvious solution of fixing the broken interface is equivalent to a change in the team's topology of the team, from a one-way communicating line segment to a two-way communicating loop or circle.




Example 2. Four swarms of Shadows (RQ-7Bs) controlled by four human operators – a group leader and three subordinates, each operating independently from the other subordinates.



This team consists of four humans and twenty machines.


The team's mission is adversary detection, with each drone assigned to a coverage sector.

Example 2. We assess interaction and determine team structure in this case from communication data – counting the number of verbal or digital communications passed between agents.




For T&E scenarios, the data collection plan – including what specific data is to be used to determine team topology – needs to be addressed in the TEMP.

Example 2. Topological parameters and metrics will capture the team's organization and structure numerically. Those values are included with other performance predictors.



 h_i refers to human i; d_{jk} refers to drone k under operator j.

Example 2. Simulating again – but with the four human operators fully connected – yields better coverage per drone.




$$Performance = \alpha T + \beta \Phi + \varepsilon$$

T = Topological Parameters $\Phi = Other Numerical/CategoricalParameters$

	Performance Data																							
	h1	h2	h3	h4	d11	d12	d13	d14	d15	d21	d22	d23	d24	d25	d31	d32	d33	d34	d35	d41	d42	d43	d44	d45
Percentage of Sector Observed	85.8	76.8	63.4	74.6	100	84	70	90	85	60	92	80	100	52	72	56	40	85	64	88	90	20	100	75
Adversarial Detections	0	0	0	0	4	3	3	1	0	1	0	2	0	0	2	4	3	3	4	2	2	3	1	2
Adversarial Detections Relayed	11	3	10	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Performance With Greater Connectivity																							
	h1	h2	h3	h4	d11	d12	d13	d14	d15	d21	d22	d23	d24	d25	d31	d32	d33	d34	d35	d41	d42	d43	d44	d45
Percentage of Sector Observed	87.6	81.8	73.6	82.6	100	88	75	90	85	72	92	85	100	60	75	70	65	88	70	88	90	50	100	85
Adversarial Detections	0	0	0	0	4	3	3	2	0	1	1	2	1	0	3	4	3	3	4	2	3	3	1	3
Adversarial Detections Relayed	13	5	16	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Example 2. Topological Modeling tells us that changing the team structure will increase performance



OT Solution: All operators should communicate with each other instead of each communicating with one main operator

Note: If there are not enough resources to link all four humans, topological models can indicate other ways to increase performance within such constraints.

Summary

- Topological modeling can be a way to optimize team organization and, ultimately, performance in the face of resource constraints.
- Every team has a "shape" that can be modeled. That shape can and often does affect collective performance.
- Collect more interaction data at tests to most efficiently use topological modeling.
- Using topological modeling with IDA's HMT Evaluation Framework will find inefficiencies in teams and show how to fix them.

Thank you! Questions? Comments?


References

- 1. Wojton, H., Vickers, B., Carter, K., Sparrow, D., Wilkins, L., & Fealing, C. (2021). DATAWorks 2021: Characterizing Human-Machine Teaming Metrics for Test and Evaluation. Institute for Defense Analyses.
- 2. Arndt, C. (2001). Information Measures: Information and its Description in Science and Engineering. Springer Science & Business Media.
- 3. Boissonnat, J-D., Clement, M. (2012) The Simplex Tree: An Efficient Data Structure for General Simplicial Complexes. *Algorithmica, No.* 7993
- 3. Bryson, J. (2000) Cross-paradigm analysis of autonomous agent architecture. *Journal of Experimental & Theoretical Artificial Intelligence*, 12:2, pp. 165-189.
- 4. Canonico, L. (2019). Human-Machine Teamwork: An Exploration of Multi-Agent Systems, Team Cognition, and Collective Intelligence (2019). *All Dissertations*. 2490. https://tigerprints.clemson.edu/all_dissertations/2490
- 5. Chakraborti T., Kambhampati S., Scheutz M., Zhang Y. 2017. Al challenges in human-robot cognitive teaming. arXiv online preprint. https://arxiv.org/abs/1707.04775
- 6. Chauncey, H., Prasov, Z., Cunha, M. (2016) A Framework for Co-adaptive Human-Robot Interaction Metrics, *Proceedings of the Workshop on Human-Robot Collaboration: Towards Co-Adaptive Learning Through Semi-Autonomy and Shared Control (HRC)*. IEEE/RSJ International Conference on Intelligent Robots and Systems, pp. 1 5.
- 7. Damacharla, P., Javaid, A., Gallimore, J., Divabhaktuni, V. (2018) Common Metrics to Benchmark Human-Machine Teams (HMT): A Review, *IEEE Access*, Vol. 6.
- 8. Greening, B., Pinter-Wollman, N., Fefferman, N. (2015). Higher-Order Interactions: Understanding the knowledge capacity of social groups using simplicial sets. *Current Zoology*, 61(1), pp. 114 127.
- 10. Greening Jr, B. (2014). Higher-order analysis of knowledge capacity and learning potential in social animal groups (dissertation Rutgers University). Retrieved from https://doi.org/doi:10.7282/T3RB7325lacopini, I., Petri, G., Barrat, A., Latora, V. (2019). Simplicial Models of Social Contagion. *Nature Communications*, Nature Publishing Group, 2019-10, pp. 2485.
- 11. Jiang, B., Omer, I. (2007). Spatial Topology and its Structural Analysis based on the Concept of Simplicial Complex. *Transactions in GIS*, 11(6), pp. 943–960.
- 12. Laird, J., Ranganath, C., Gershman, S. (2019). Future Directions in Human Machine Teaming Workshop. Future Directions Workshop, Office of Under Secretary of Defense for Research & Engineering. https://basicresearch.defense.gov/Programs/Future-Directions-Workshops/
- 13. Madni, A., Madni, C. (2018). Architectural Framework for Exploring Adaptive Human-Machine Teaming Options in Simulated Dynamic Environments. *Systems*, 6(4), 44.
- 14. Moore, T., Drost, R., Basu, P., Ramanathan, R., Swami, A. (2012). Analyzing collaboration networks using simplicial complexes: A case study. *Proceedings IEEE INFOCOM Workshops*, pp. 238 243.
- 15. Piekenbrock, M., Brunson, J.C., Hinnant, H. *Package Simplex Tree* (R code package documentation), (2020). https://github.com/peekxc/simplextree
- 16. Singer, S., Akin, D. (2011) A Survey of Quantitative Team Performance Metrics for Human-Robot Collaboration, *41*st International Conference on Environmental Systems, online.
- 17. Steinfeld, A., Fong, D., Kaber, T., Lewis, M., Scholtz, J., Schultz, A., Goodrich, M. (2006) Common Metrics for Human-Robot Interaction, *Proc. 1st ACM SIGCHI/SIGART Conf. Human-Robot Interact.*, pp. 33 40.
- 18. "What Is Regression Analysis?" TIBCO Software, Tibco, https://www.tibco.com/reference-center/what-is-regression-analysis.
- 19. Wild, Cody Marie. "A Tale of Two Convolutions: Differing Design Paradigms for Graph Neural Networks." *Medium*, Towards Data Science, 27 Dec. 2018, https://towardsdatascience.com/a-tale-of-two-convolutions-differing-design-paradigms-for-graph-neural-networks-8dadffa5b4b0?gi=706997362359.

Backup


Topological Models analyze an accurate and complete team structure

Network Modeling



Network modeling measures connections only between connected pairs of teammates

Topological Modeling



Topological modeling can measure connections between more than two teammates at once, including subgroups

Team structure matters

Example 2. Complete Data Table

	Test Data																												
	Capabil	ity Data		Interaction Data											Performance Data														
	Human-Human Communication	Human-Machine Communication		Number of Communications Sent to Each Teammate												Percentage of Sector Observed	Adversarial Detections (Human, vehicle, etc.)	Adversarial Detections Relayed to Commander											
Agents	Radio	Display	h1	h2	h3	h4	d11	d12	d13	d14	d15	d21	d22	d23	d24	d25	d31	d32	d33	d34	d35	d41	d42	d43	d44	d45	PctS	AdvD	AdvDR
h1	1	1	NA	34	45	42	20	10	12	8	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	85.8	0	11
h2	1	1	48	NA	0	0	0	0	0	0	0	23	23	10	13	7	0	0	0	0	0	0	0	0	0	0	76.8	0	3
h3	1	1	52	0	NA	0	0	0	0	0	0	0	0	0	0	0	35	33	20	21	18	0	0	0	0	0	63.4	0	10
h4	1	1	54	0 0 NA 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0											74.6	0	7												
d11	0	1	10												100	4	0												
d12	0	1	6														84	3	0										
d13 d14	0	1	9	0	0	0																					70	3	0
d15	0	1	3	0	0	0																					90 85	0	0
d21	0	1	0	14	0	0																					60	1	0
d22	0	1	0	12	0	0																					92	0	0
d23	0	1	0	8	0	0																					80	2	0
d24	0	1	0	9	0	0																					100	0	0
d25	0	1	0	7	0	0						FA!	\	0	N- C												52	0	0
d31	0	1	0	0	37	0						[All	vaiue	s = U;	NO C	ommı	ınıcat	ion be	etwee	en Dro	nesj						72	2	0
d32	0	1	0	0	35	0																					56	4	0
d33	0	1	0	0	24	0																					40	3	0
d34	0	1	0	0	18	0																					85	3	0
d35	0	1	0	0	19	0																					64	4	0
d41	0	1	0	0	0	18																					88	2	0
d42	0	1	0	0	0	18																					90	2	0
d43	0	1	0	0	0 20												20	3	0										
d44	0	1	0	0	0	24																					100	1	0
d45	0	1	0	0	0	10																					75	2	0

Simple Technical Definitions of Topological Modeling Terms

- Betti Numbers

o Betti numbers $(\beta_0, \beta_1, \beta_2, ...)$ count the "holes" and connected components in a topological space.

Adjacency Matrices

- o An adjacency matrix (nondirected) expresses any interaction between agents, disregarding any possible notion of direction of interaction.
 - These matrices contain *pairwise* parameters.

- Clustering/Closure

 The proportion of an agent's neighbors that are also neighbors of each other in groups of comparable size.

- Facets

 Are interacting subgroups of maximal size – i.e. not part of a larger subgroup.

	F	REPOI	RT DOCUMENTATIO	N PAG			
PLEASE DO NOT RETURN	•	E ABOV	E ORGANIZATION				
1. REPORT DATE 04-2022	2. REPORT TYPE Final			3. DATE	S COVERED		
				START	DATE	END DATE Apr 2022	
4. TITLE AND SUBTITLE DATAWorks 2022: Topologica	al Modeling of Humar	n-Machin	e Teams				
5a. CONTRACT NUMBER HQ0034-19-D-0001		5b. GRA	ANT NUMBER		5c. PROGRAM ELI	EMENT NUMBER	
5d. PROJECT NUMBER BD-09-2299		5e. TAS 229990	K NUMBER		5f. WORK UNIT NU	JMBER	
6. AUTHOR(S) Wilkins, Leonard, D.; Fealing,	Caitlan, A.; Haman,	John, T.			•		
7. PERFORMING ORGANIZA Institute for Defense Analyse 730 East Glebe Road Alexandria, Virginia 22305		D ADDR	ESS(ES)	8. PERF NS D-33 H 2022-	8031	ATION REPORT NUMBER	
9. SPONSORING/MONITOR Director, Operational Test and 1700 Defense Pentagon Roo Washington, DC 20301-1700	d Evaluation	(S) AND	ADDRESS(ES)	10. SPO ACRON DOT&E	NSOR/MONITOR'S YM(S)	11. SPONSOR/MONITOR'S REPORT NUMBER	
12. DISTRIBUTION/AVAILAI Public release approved. Dist	-						
13. SUPPLEMENTARY NOT Lillard, Vincent	ES						
towards one or more commor need to effectively and accura Going along with that growing testing and evaluation scenar humans and machines – and Collective team or group performs substructures through which the team structure and interaction	n objectives. As industately model, simulate, preed, new methods ios. You cannot pred interaction between tormance, in turn, depiche agents in the team becoming more high into account but is account but in account bu	stry and of test, and are required team age ends head interact	sting of at least one human and defense find more helpful, creat devaluate HMTs will continue irred to evaluate whether a hur performance from knowledge ents, in general – increases the avily on how a team is structurat with one another – i.e. the teapped in recent years, we will puilt around the team's topologic	ative, and to grow an man-mach of the indictory of the in	difficult applications on the become even more ine team is performing vidual team agents, a space and adds a meganized, as well as the boy. With the tools and discuss a practical,	f Al-driven technology, the e essential. g effectively as a team in lone; interaction between the asure of unpredictability. e mechanisms, paths, and nd metrics for measuring topological HMT modeling	
15. SUBJECT TERMS artificial intelligence (AI); hum	an-machine teaming;	metrics	for human-machine teams; top	pological n	nodel		
16. SECURITY CLASSIFICA	TION OF:			17. LIMI	TATION OF	18. NUMBER OF PAGES	
a. REPORT Unclassified	b. ABSTRACT Unclassified		c. THIS PAGE Unclassified	ABSTR SAR		29	
19a. NAME OF RESPONSIB Vincent Lillard	LE PERSON		1	19b. PH 703-845	ONE NUMBER		