

Field Guide to Lancer Field Guides

Tetragramm

February 1, 2023

SECTION 0:**INTRODUCTION TO THE
FIELD GUIDE** **1**
FIRST QUESTIONS **3**

A TEMPLATE	3
WHY LATEX?	3
FIRST STEPS	3
ABOUT THE TEMPLATE	3
USEFUL AND CUSTOM COMMANDS	5
SECTIONS	5
LANCER SYMBOLS	5
SPACING	6
INFO BOXES	7
CUSTOM FRAMES	10
FAKEDRAKE	11
FAKEASSAULT	13
CARRIERS	14
IMAGES	17

SECTION 1:**GETTING STARTED** **23**
INTRODUCTION **25**

THE CAVALRY	26
PLAYING LANCER	27
WHAT YOU NEED	27
THE GOLDEN RULES	27
NARRATIVE PLAY AND MECH COMBAT	27
SKILL CHECKS, ATTACKS, AND SAVES	28
MISSIONS, DOWNTIME, AND SCENES	29

SECTION 0

INTRODUCTION TO THE FIELD GUIDE

FIRST QUESTIONS	3	
USEFUL AND CUSTOM COMMANDS	5	IMAGES
		17

FIRST QUESTIONS

A TEMPLATE

This document is produced using, and describes how to use, the Lancer Field Guide package for \LaTeX . It makes it (relatively) simple to create a document in the format of the official Lancer content.

It's important to know that \LaTeX is a text markup language that gets compiled to PDF files. It's very like a programming language. However, this package (the FieldGuide.sty file), hides as much of the complexity as possible so all you have to do is type in text, numbers, and image names.

WHY LATEX?

First of all, \LaTeX is free, both in the money sense, and in the information sense. You can download it on pretty much any computer and use it.

It's also capable of doing amazing things when formatting text. You'll see some of that below. To be truthful, I'm not a \LaTeX expert. I hope this template will be useful to you and help you make better Lancer content, without worrying about graphic design.

FIRST STEPS

There are two ways of using \LaTeX : Building it yourself or using a service that wants you to pay them. If you don't mind the second, go to [Overleaf](#) and upload every file and folder into a new project. It should compile and give you your pdf.

For everyone else, install \LaTeX . Go to: [TeX Live](#), download, and install it. It's going to take a while (no, seriously, get a book or go do something else for a bit), because there are a lot of useful packages it will download in tiny pieces.

Next, open up [Overleaf](#) and check it out. This website is a very good source on basic \LaTeX , and is very good to have open as you work.

Now, open Main.tex in your favorite text editor (or Overleaf's editor). VSCode is a popular, free choice, because it has extensions for \LaTeX that let you compile on save, intellisense, custom keyboard shortcuts, and things like that. But any text editor works, from notepad to vim to emacs.

It is import to note that \LaTeX uses a multi-pass compilation system. Typically, documents built with this template require three compilation runs. See [Compile.py](#) for an example call that can be easily modified to work with your document.

Common symptoms that indicate another compile is needed are log messages about "Package color Error: Argument not in range", and the triangles in the corners moving into the middle of the page. Don't Panic! Just run the compile again, and it should work. Overleaf is nice enough to run it the correct number of times automatically for you (so far as I've seen).

ABOUT THE TEMPLATE

The template is in two parts. Most important is the file FieldGuide.sty, which defines a lot of useful commands, symbols, and formatting. Second is the file Main.tex, which sets up the skeleton that you will be filling out.

Here is the full text of Main.tex, and we'll use this to explain what it does, then we'll get into FieldGuide.sty.

```
\documentclass[twoside,headings,letterpaper,
  twocolumn]{article}
\usepackage{FieldGuide}
% Set path for images
\graphicspath{{./images}} % or multiple paths \
  \graphicspath{{./images}{../../mystuff/Lancer/
  images}}
% Use this command to make the table of contents
  ALL UPPERCASE instead of exactly what you typed
  .
\renewcommand{\sectioncase}[2]{ \FillLine{
  MakeUppercase{#1}{#2}}
% Use this command to start at SECTION 0 like the
  core book does.
\setcounter{section}{-1}

\title{Your Title Here}
\author{Your Name Here}

\begin{document}
  \frontmatter
  \maketitle
  \clearpage
  \tableofcontents
  \mainmatter
\end{document}
```

First is the preamble, everything before `\begin{document}`. The first line you shouldn't mess with, as it defines the basic format of the book. The `\usepackage` command includes the FieldGuide.sty file, and you can also use it to import other \LaTeX packages. Next in the preamble are three settings.

- The `\graphicspath` defines where it looks for images. So if you've already got all the images in a specific folder, define it here.

- The renewcommand option exists to make the table of contents all uppercase. Whenever you define a section, subsection, or subsubsection, the name you type in gets used everywhere, but this makes it appear uppercase in the contents. If you turn it off, it will just be however you typed it. Either way works, just be consistent.
- The setcounter option makes the first Section number into 0, like the core Lancer book does. If you want to start at one, just comment it out.

After `\begin{document}`, there is the content of the document, which you will be modifying. The frontmatter command starts the roman numeral page numbering, and sets the style, while the maketitle command inserts the title page using the title and author set in the preamble. You may add additional text below the maketitle command to show other text, acknowledgements, ect.

One thing you may want to do is add a full-page cover. If you do, add a `fullpageimage` command, referencing your cover (see Adding Images).

The `tableofcontents` command inserts the table of contents. The `mainmatter` command switches to arabic page numbers and indicates you're ready to go by filling in empty space until the next left page.

After that, it's all yours. Next is what you put on all these wonderful blank pages.

USEFUL AND CUSTOM COMMANDS

BASIC FORMATTING

The basic text formatting commands are **bold** (\textbf{bold}), *italic* (\textit{italic}), and **KEYWORDS** (\KeyWord{KeyWords}). The last is defined by the FieldGuide template, and sets the text in small caps (plus a bit of spacing adjustment). Keyword is what is used for all of the, well, key words like **STUNNED**, **ENGAGED**, ect.

SECTIONS

You will be wanting to divide and sub-divide your Field Guide to keep things organized. This too is simple. The largest division is the section, like [INTRODUCTION TO THE FIELD GUIDE](#). These are created by typing \section{SECTION NAME}. You can also add images to the pages by doing \section[left-image][right-image]{SECTION NAME}. The section command forces the book to the next left page, occupies two facing pages, and everything after is on the next page.

A subsection starts on a left page and places a banner across the top of the page, like [USEFUL AND CUSTOM COMMANDS](#). You create it by, drumroll please... \subsection{SUBSECTION NAME}. A subsubsection, like [Sections](#) is created by \subsubsection{SubSubSection Name}, and a named paragraph, like [Damage Symbols](#), is created with \paragraph{Title}.

WARNING! The text of the sections needs to be plain-text. No \LaTeX macros, no spacing, nothing that uses the \ and so forth. There's probably a way to make it safe for you to do that, but I haven't figured it out.

LANCER SYMBOLS

Lancer has a great deal of custom symbols, contained in a custom font, which is automatically included.

DAMAGE SYMBOLS

✖ \CCKinetic{}	⚡ \CCEnergy{}
* \CCExplosive{}	🔥 \CCBurn{}
🔥 \CCHeat{}	⚡ \CCVariable{}

MECH SIZE SYMBOLS

SIZE 1 \CCSizeOne{}	SIZE 2 \CCSizeTwo{}
SIZE 3 \CCSizeThree{}	SIZE 4 \CCSizeFour{}
SIZE 1/2 \CCSizeHalf{}	SIZE SQUAD \CCSquad{}

ATTACK SYMBOLS

✖ \CCThreat{}	🗡 \CCRage{}
🗡 \CCLine{}	💣 \CCBlast{}
💥 \CCBurst{}	⚠ \CCCone{}
⚔ \CCMelee{}	📍 \CCThrown{}
⊕ \CCAccuracy{}	⊖ \CCDifficulty{}
💣 \CCGrenade{}	✳ \CCMine{}
⬇ \CCDeployable{}	🚁 \CCDrone{}

ACTION SYMBOLS

📦 \CCQuick{}	📦 \CCFull{}
🚀 \CCQuickTech{}	🚀 \CCFullTech{}
✳ \CCReaction{}	🔗 \CCProtocol{}
👉 \CCFreeAction{}	🕒 \CCDowntime{}
⌚ \CCActivationQuick{}	⌚ \CCActivationFull{}

STATUS SYMBOLS

❖ \CCSlowed{}	⦿ \CCIimmobilized{}
🛡 \CCShredded{}	⊗ \CCStunned{}
利用您的武器 \CCLockOn{}	利用您的武器 \CCJammed{}
利用您的武器 \CCProne{}	利用您的武器 \CCEngaged{}
利用您的武器 \CCHidden{}	利用您的武器 \CCIinvisible{}
利用您的武器 \CCDangerZone{}	利用您的武器 \CCExposed{}
利用您的武器 \CCDownAndOut{}	利用您的武器 \CCShutdown{}

TALENT SYMBOLS

❖ \CCTalent{}	⭐ \CCRankOne{}
⭐ \CCRankTwo{}	⭐ \CCRankThree{}
⭐ \CCRankCustom{}	⭐ \CCSquad{}

NPC SYMBOLS

⌚ \CCNPCTemplate{}	✚ \CCNPCFeature{}
❖ \CCNPClass{}	▲ \CCArtillery{}
❤ \CCBiological{}	◎ \CCController{}
🛡 \CCDefender{}	^K \CCSupport{}
⚡ \CCStriker{}	
♦ \CCTierOne{}	❖ \CCTierTwo{}
❖ \CCTierThree{}	♦ \CCTierCustom{}

UNUSED SYMBOLS

🕒 \CCOrbit{}	♾ \CCOrbital{}
🦅 \CCLargeBeam{}	💣 \CCBarrage{}
✿ \CCBalance{}	◉ \CCReticule{}
☀ \CCEclipse{}	🔥 \CCBurning{}
✿ \CCSpikes{}	⚔ \CCSwordsArray{}

SPACING

The most useful tool for spacing is the `\pagebreak` command. It has an optional argument ranging from 0-4 (ie: `\pagebreak[2]`) that indicates how important it is to break right here. A 0 means don't break the column here, no matter what. A 4 means break right now, and is the default value, if you supply none. If you're in the second column of a page, it moves to the next page. You can also force it to go all the way to the next page with `\clearpage` or to the next left page (IE: if you had a physical book) using `\cleardoublepage`.

For a space like the indentation of this paragraph, use the `\quad` command, or `\qquad` for twice the space. To add a gap that pushes text all of the way to the right, use `\hfill` like so.

ACTIVE SYMBOLS

⬢ \CCMovement{}	⬢ \CCHex{}
❖ \CCStructure{}	◎ \CCStress{}
🛡 \CCArmor{}	♥ \CCHP{}
⬡ \CCHollowHex{}	● \CCCircle{}
✳ \CCRepair{}	■ \CCCP{}
⦿ \CCTrait{}	❖ \CCSystem{}
❖ \CCEvasion{}	✳ \CCEDEF{}
❖ \CCActivation{}	❖ \CCDeactivation{}
✳ \CCOvercharge{}	✳ \CCOvershield{}
❖ \CCSystemPoint{}	⌚ \CCSensors{}
☒ \CCRoll{}	㉚ \CCDTwenty{}

GUI SYMBOLS

⚔ \CCWeapon{}	🔫 \CCWeaponProfile{}	📦 \CCGenericItem{}
⚙ \CCGear{}	🏭 \CCManufacturer{}	🎫 \CCLicense{}
❖ \CCCoreBonus{}	⌚ \CCFrame{}	↗ \CCMechSystem{}
👤 \CCPilotGear{}	➕ \CCSkillTrigger{}	🔗 \CCBond{}
* \CCStatusAndCondition{}	🏷 \CCEquipmentTag{}	⚡ \CCWeaponMod{}
🔒 \CCClock{}	✳ \CCSkill{}	ammo \CCAmmo{}
⌚ \CCReserveTactical{}	⌚ \CCReserveMech{}	📦 \CCReserveResource{}
✳ \CCReserveBonus{}	📋 \CCCompendium{}	📦 \CCContentManager{}
🚀 \CCCampaign{}	📍 \CCEncounter{}	✈ \CCShip{}
🚗 \CCVehicle{}	❖ \CCMarker{}	hexagon \CCNestedHexagons{}

... Really, you want *more* control? How specific do you want to get? Fine. `\hspace{x}` and `\vspace{x}` both add arbitrary amounts of space. *x* can be in several units, pt, mm, cm, in, em, and even things like `0.5\baselineskip`, or half the height of a line. L^AT_EX has a great many pre-defined lengths, so read the [documentation](#) to find out what is available.

COLUMNS

Switching between one and two column mode is simple, use the commands `\onecolumn` and `\twocolumn`. Making sure you don't end up with an empty page is trickier. Each of these starts the new column mode on an empty page, or the empty page it's already on. So `\onecolumn\section{blah}` ends in two column again, because the section command sets it. `\section{blah}\onecolumn` and `\onecolumn\subsection{blah}` work fine though, because `onecolumn` creates an empty page and the subsection starts at the top of the empty page.

INFO BOXES

The Lancer rules have several types of fancy boxes. Most of the special box options have a color variable, and ones that Lancer uses have been pre-defined. More are available, and check out the [documentation](#) for instructions on how to define your own (the `xcolor` package).

COLORED BOX

The most basic is the flat, rectangular, colored box. There are two arguments. Box color, and text. You can format the text as usual for L^AT_EX, including spacing and setting your own text color (ie: use `\textcolor{black}{Blah}` if you think it looks better.) This box is what you use when defining terms, such as on page 20 of the core book, or for Talents.

Here is where you can see the predefined colors and what they are used for, one box for each color.

```
\lancercolorbox{lightestred}{\textbf{lightestred}}
ect, for each color
```

lightestred

License I Header, some footers

cherryred

Some Sidebars, some footers, some table borders
(Sitrep diagrams)

red

General Use (Default Color)

deepred

License II Header, some footers

darkred

Read Aloud Text

darkerred

License III Header, some Footers

darkestred

Some Footers

tablegrey

Banded table backgrounds

grey

Subtle text

gearbrown

Pilot Gear

downtimetan

Downtime Headers

combatcharcoal

Combat Headers

weaponblack

Weapon infoboxes

protocolororange

Protocol infoboxes

actiongreen

Quick Action and Full Action infoboxes

reactionteal

Reaction infoboxes, example text

talentblue

Talent Headers

techactionplum

Tech Action infoboxes

narrativepurple

Backgrounds, Mission Hooks

TITLED CORNER BOX

One of the types is the one used on Page 30 of the Core book, here called the "Titled Corner Box". The command for it has three options: Color, Title Text, and Body Text.

```
\titledcornerbox{red}{
  \textbf{THE TITLE}
}{

  This is the text inside the box.
}
```

produces the output

THE TITLE

This is the text inside the box.

CORNER BOX

Another type of box is very similar to the previous, but with no title. It's used on page 66 of the Core book. The command has two options: Color, and Body Text. The color is automatically shaded towards white, so it has the same color as the body of a similar titledcornerbox.

```
\cornerbox{red}{
    This is the text inside the box.
}
```

produces the output

This is the text inside the box.

MOUNT BOX

Similar, but not quite, is a series of commands for the mount boxes used creating Lancer Frames.

```
\MainMount\MainAuxMount\FlexMount\HeavyMount\
    AuxAuxMount
```

produces the output

**INFO BOX**

And probably the most common type of box in the book, here called the "infobox". It is what you use to define the weapons, systems, tech attack options, and most everything else to do with a Frame. An infobox has four arguments: the color, the title, (optionally) the mechanical text, and (optionally) the flavor text. If you don't have an optional text, just leave that argument empty, like so: {}.

```
\infobox{weaponblack}{
    \textbf{\large Weapon Name}\\
    {\TechnicalText Superheavy Cannon\\
    {[CCRange{8}[1d6\CKinetic{}]}]}
}
Mechanical text looks like so.
}
Flavor Text looks all special like this.
}
```

Weapon Name

Superheavy Cannon
[✓8][1d6¤]

Mechanical text looks like so.

Flavor Text looks all special like this.

Weapon Name

Superheavy Cannon
[✓8][1d6¤]

Mechanical text looks like so.

Weapon Name

Superheavy Cannon
[✓8][1d6¤]

Flavor Text looks all special like this.

Weapon Name

Superheavy Cannon
[✓8][1d6¤]

You can also mark a section for special emphasis, like the **Invade** box from the core book on page 70.

```
\infobox{techactionplum}{

    \textbf{Invade}

}
When you \KeyWord{Invade}, you mount a direct
electronic attack against a target. To \
KeyWord{Invade}, make a tech attack against
a character within \KeyWord{Sensors} and
line of sight.\\
On a success, your target takes \textbf{2\CCheat
{}}
and you choose one of the \KeyWord{
Invasion} options available to you.\\
<snip text>
\infoemphasis{
    \KeyWord{Fragment Signal.} You feed false
    information, obscene messages, or
    phantom signals to your 'targets'
    computing core. They become \KeyWord{
    Impaired} and \KeyWord{Slowed} until the
    end of their next turn.
}
You can also <snip text>
}
\%No Flavor Text
}
```

Invade

When you **INVADE**, you mount a direct electronic attack against a target. To **INVADE**, make a tech attack against a character within **SENSORS** and line of sight.

On a success, your target takes **2 ⚔** and you choose one of the **INVASION** options available to you.

FRAGMENT SIGNAL is available to all characters, and additional options are granted by certain systems and equipment with the **INVADE** tag.

FRAGMENT SIGNAL. You feed false information, obscene messages, or phantom signals to your target's computing core. They become **IMPAIRED** and **SLOWED** until the end of their next turn.

You can also **INVADE** willing allied characters to create certain effects. If your target is willing and allied, you are automatically successful, it doesn't count as an attack, and your target doesn't take any heat.

TABLES

If you're making your own random roll tables, you'll need to know how to make a table. `\begin{NiceTabular}` is for single column tables and `\begin{NiceTabular*}` spans the entire page. The multicolumn and multirow commands let you merge cells.

IDENTITY ROLL 1D20

- 1** An infamous private military corporation.
- 2** Glory-seeking warriors.
- 3** Union regulars, career soldiers.

```
\begin{NiceTabular}{|1X|}\CodeBefore\rowcolors{0}{white}{tablegrey}\Body\\Hline\\Block[1]{1-2}{\textbf{\Large IDENTITY}}\\\textcolor{grey}{\textbf{ROLL 1D20}}\\\\textbf{1} & An infamous private military\\\corporation. \\\textbf{2} & Glory-seeking warriors. \\\textbf{3} & Union regulars, career soldiers.\\\\Hline\\end{NiceTabular}
```

CUSTOM FRAMES

While not strictly a box, the page for a new Lancer Frame is an important thing to automate. It is significantly more complicated than anything else, and takes up one or two pages. There are a total of 5 arguments, which will be shown separately, so commentary can be interspersed.

The first argument is the a set of key=value pairs representing Frame stats, name, and, in truth, all the things that can be described in a single value. The only two truly optional values are the Background Image and the Facing Image. Background Image is a full screen image, placed behind everything like the company logos in the core book. Facing Image is the optional image on the facing page, like the Drake in the core book. It is optional because some mechs may not have art, and you simply want to start in on the License Levels. If you don't want them, simply don't provide the argument.

Everything else is required. If you forget to put one of the values in, then the result will be a magenta colored box. As an example, the Speed option has been removed from the next page. If you *really* want to have a blank space, fill the argument with {} instead.

You can have dual class Frames. For example:
 Class=Defender\slash{}Controller
 Class Icon={\CCDefender{}\\CCController{}}.

```
\LancerFrame[Stats]{Traits}{Mounts}{Core Power}{{Flavor Text}

\LancerFrame[Manufacturer=IPS-N, Name=FAKEDRAKE,
Size=2, Class=Defender, Class Icon=\CCDefender{},
Armor=3, HP=8, SP=5, Evasion=6, E-Defense
=6, Heat Cap=5, Sensors=10, Tech Attack=+0,
Repair Cap=5, Save Target=10, Speed=3,
Background Image=IPS-N-Background, Facing Image
=Drake-Facing]
```

The second argument is the Traits of the frame. Usually it's a set of saying what the frame does. Honestly, not too complicated.

```
{\titledcornerbox{red}{HEAVY FRAME}{The Drake can't
be pushed, pulled, knocked \KeyWord{Prone}, or
knocked back by smaller characters.}
\titledcornerbox{red}{BLAST PLATING}{The Drake has
\KeyWord{Resistance} to \textbf{damage}, \
CCBurn{} and \CCHeat{} from \CCBlast{}, \
CCBurst{}, \CCLine{}, and \CCCone{} attacks.}
\titledcornerbox{red}{SLOW}{The Drake receives \
\textbf{+1 CCDifficulty{}} on \KeyWord{Agility}
checks and saves.}
\titledcornerbox{red}{GUARDIAN}{Adjacent allied
characters can use the Drake for \textbf{hard
cover}. }
```

Neither is the list of mounts. Just look at the available ones HERE.
 {\MainMount\MainMount\HeavyMount}

Fourth, the Core System is marginally more complicated, but usually just because it has more content. Insert the typical boxes and infoboxes and such as needed to make up that content.

```
{\Large\textbf{FORTRESS}
\infobox{protocolorange}{
\textbf{Fortress Protocol}\\
{\TechnicalText\normalsize Active (1CP), Protocol}
}
{You deploy heavy stabilizers and your mech
becomes more like a fortified emplacement
than a vehicle. When activated, two sections of
hard cover (\textbf{\CCLine{}}2, \KeyWord{Size} 1)
unfold from your
mech, drawn in any direction. These cover
sections have \KeyWord{Immunity} to all damage.}
```

Additionally, the following effects apply while active:

```
\begin{itemize}
\item You become \KeyWord{Immobilized}.
\item Snipped for size
\end{itemize}
This system can be deactivated as a \textbf{
protocol}.
Otherwise, it lasts until the end of the current
scene.}{\No Flavor Text
}
```

Last is the Frame's flavor text. There's no example. It's just text, and if you wanted to you could put bold, boxes, or other fancy effects, go right ahead. Maybe some pretty colors?



IPS-N FAKEDRAKE

Defender

The Drake, IPS-N's first foray into military-grade mech design, is the backbone of any proactive trade-security or anti-piracy force. Its massive, simian frame is built around a single-cast bulkhead, sloped and reinforced to handle sustained fire and the vagaries of vessel-proximal hardvac travel. The Drake is an imposing chassis, its frame evoking the might of ancient armored infantry from a time when greater numbers guaranteed victory.

The standard fleet license for the IPS-N Drake outfits each chassis with IPS-N's high-velocity, high-projectile fragment assault cannon for suppressing and overwhelming targets, and a heavy kinetic-ablative shield for defense. Advanced models feature upgraded weapons and armor including the formidable Leviathan Heavy Assault Cannon, a high-rpm anti-materiel weapon.

CORE STATS

Size: 2

Armor: 3

HULL

HP: 8

Repair Cap: 5

AGILITY

Evasion: 6

Speed: 4

Save Target: 10

Sensors: 10

SYSTEMS

E-Defense: 6

Tech Attack: +0

SP: 5

ENGINEERING

Heat Cap: 5

TRAITS

HEAVY FRAME

The Drake can't be pushed, pulled, knocked PRONE, or knocked back by smaller characters.

BLAST PLATING

The Drake has RESISTANCE to damage, ▲ and △ from ⊕, ⊖, ⊚, and △ attacks.

SLOW

The Drake receives +1 ⊖ on AGILITY checks and saves.

GUARDIAN

Adjacent allied characters can use the Drake for hard cover.

MOUNTS

MAIN
MOUNT

MAIN
MOUNT

HEAVY
MOUNT

CORE SYSTEM FORTRESS

Fortress Protocol

Active (1CP), Protocol

You deploy heavy stabilizers and your mech becomes more like a fortified emplacement than a vehicle. When activated, two sections of hard cover (↗2, SIZE 1) unfold from your mech, drawn in any direction. These cover sections have IMMUNITY to all damage.

Additionally, the following effects apply while active:

- You become IMMOBILIZED.
- You benefit from hard cover, even in the open, and gain IMMUNITY to KNOCKBACK, PRONE, and all involuntary movement.
- When you BRACE, you may take a full action on your next turn instead of just a quick action.
- Any character that gains hard cover from you or your cover sections gains IMMUNITY to KNOCKBACK, PRONE, and all involuntary movement, and gains the benefits of Blast Plating.

This system can be deactivated as a protocol. Otherwise, it lasts until the end of the current scene.



**SIZE
1**

FAKEASSAULT

Striker



Assault mechs are the most common primary battle frames found throughout the galaxy. Fitted with a heavy rifle, a sidearm, and a suite of systems that enhance movement, targeting, and defensibility, they are straightforward, reliable, and hardy combatants. The pilots of Assault mechs are also the cheapest to train and outfit, but that doesn't make them any less dangerous.

TIER 1 MECH SKILLS	TIER 2 MECH SKILLS	TIER 3 MECH SKILLS			
Hull: +1 Agility: +1 System: +1	Engineering: +1	Hull: +2 Agility: +2 System: +2	Engineering: +2	Hull: +3 Agility: +3 System: +3	Engineering: +3
CORE STATS		CORE STATS		CORE STATS	
HP: 15 Evasion: 8 Speed: 4 Heat Cap: 8 Sensors: 8 Armor: 1	E-Defense: 8 Size: 1 Save Target: 10	HP: 18 Evasion: 10 Speed: 4 Heat Cap: 8 Sensors: 8 Armor: 1	E-Defense: 9 Size: 1 Save Target: 12	HP: 21 Evasion: 12 Speed: 4 Heat Cap: 8 Sensors: 8 Armor: 1	E-Defense: 10 Size: 1 Save Target: 14

Unsurprisingly, the NPC command is simpler than the Frame command. It has two arguments. The second is just the flavor text at the top, same as the Frames, but the first argument has its own quirks.

```
\LancerNPC[Stats]{Flavor Text}
```

```
\LancerNPC[Name=FAKEASSAULT, Size=1, Class=
    Striker, Class Icon=\CCStriker{}, 
    Tier1={Hull=+1, Systems=+1, Agility=+1,
        Engineering=+1, HP=15, Evasion=8, Speed
        =4, Heat Cap=8, Sensors=8, Armor=1, E-
        Defense=8, Size=1, Save Target=10},
    Tier2={Hull=+2, Systems=+2, Agility=+2,
        Engineering=+2, HP=18, Evasion=10, E-
        Defense=9, Save Target=12},
    Tier3={Hull=+3, Systems=+3, Agility=+3,
        Engineering=+3, HP=21, Evasion=12, E-
        Defense=10, Save Target=14}] {Flavor
text goes here.}
```

The first few key values are the same as the Lancer-Frame command. The Tiers are different. At Tier 1, you need to specify all the values, or you get a magenta box. For Tiers 2 and 3, you only need to specify the values that change from Tier 1.

CARRIERS


This is where your flavor text goes. Image credit JWST. Thanks NASA!

You create this by the command shiptoc with four arguments. The title at the top of the page, the color of the first column, the flavor text under the image, and the background image.

```
\shiptoc{Carriers}{blue}{This is where your flavor text goes. Image credit JWST. Thanks NASA! <snip recursion>}{JWST-Jupiter}
```

GMS Tongass-class

A versatile carrier for coordinating both strike craft and submarine vessels, with fleetwide command-and-control integration.



GMS TONGASS-CLASS LINE CARRIER

POINTS	HP	DEFENSE	OPTIONS
4	14	14	2 Auxiliary, 2 Escorts

Contemporary doctrines recognize two distinct uses for carriers in naval combat: launching strike craft and supporting subline vessels. Subline ships, those smaller than so-called "ships of the line", typically require additional logistical support to maintain effective combat readiness. Carriers built to support squadrons of low- to mid-tonnage subline combat vessels do so not necessarily by housing them in launch bays, but by transporting them and their crews to deployment areas, then providing tactical coordination and a base for resupply and rearmament once engaged. The Tongass-class line carrier is Union's mainstay subline support vessel, and both its dorsal and ventral umbilical berths and streamlined logistics suites allow it to maintain its escorts on fire-support missions without returning to second- or third-echelon shipyards.

Close Support

Trait

Allied battlegroups in your range band may use tactics granted by this ship's **Escorts** as if they were under their control.

The Ship command is even simpler. With only three stats, a few pieces of text, and an image, it's the shortest of all. The infoboxes aren't even in the command, just following it, like NPCs. The next text after the command gets inserted into the second column of the page.

```
\LancerShip[Name=Tongass, Manufacturer=GMS, Points
=4, HP=14, Defense=14, Options={2 Auxiliary, 2
Escorts}, Image=Tongass, Class=Line Carrier]
{<snip flavor text>}
\infobox{protocolorange}{\textbf{\large Close
Support}\{\TechnicalText Trait\}}
{<snip trait text>}{}

---


```


IMAGES

Adding images is somewhat complicated. \LaTeX is good, but it doesn't easily contour text around the contents of images the way the core book does many times. Instead, a few useful commands are provided.

First is adding an image to the bottom of the page, across both columns. The command for this is `\bottomimage{imgname}`. It is important that this command be included with the text in the left column, or \LaTeX won't know how much space at the bottom of the page to reserve. Don't worry, it will always be pushed to the bottom of the page, even if that means moving text from after the command to before the image.

The command `\topimage{imgname}` works the same way, just at the top of the page. In the mean-time, have some filler text to show how the text wraps until we describe the next image type.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.



The next type is the full column image. The command is `\colimage{imgname}`, and it breaks the column (and possibly the page), fills the next, and then breaks again. It scales the image to half the page width, so make your image's aspect ratio accordingly. It also turns off page numbers, headers, and footers for the page, because they would draw over the image and look odd. It will automatically detect which column it is in and align it appropriately.



The next type is the column width image. \colwidthimage{imgname} This image is the same width as a paragraph of text, and can be positioned vertically the same as any paragraph, using vfill and the like.


Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.



And last, the full page image.
\\fullpageimage{imgname} and
\\fullpageimagewframe{imgname}. These use the
entire width of the page, edge to edge, with no margins.
This is what you use for full-page art. The first has
no page styling, best used for solid full page images,
like book covers. The second still has section names,
page numbers, and edge styling, and is best for shaped
images with transparent edges. Both trigger the new
page commands, so you just put them where you want
the break to be. You might wish to put one before
\\maketitle to be the cover of the book, as an example.



The section after this is a duplication of the Lancer core book's Section 0. The purpose is to demonstrate how you would replicate a larger section, formatting and all. Obviously, at this length, the source code is not provided, so you'll need to check out the source on the github: [HERE](#).



SECTION 1

GETTING STARTED



INTRODUCTION

It is 5016u, and the galaxy is home to trillions. At the core of humanity's territory there is a golden age, but outside of this newly won utopia the revolutionary project continues.

You are a lancer, an exceptional mech pilot among already exceptional peers, and you live in a time where the future hangs as a spinning coin at the apex of its toss – the fall is coming, and how the coin lands is yet to be determined.

Far now from our humble beginnings, humanity has spread out among and between the stars for thousands of years. We have set empty worlds and barren moons alight with civilization, tamed asteroids and gas giants – even built lives in the hard vacuum of space itself. We have taken root in our arm of the Milky Way; life – in its infinite diversity – thrives and expands.

For some, life in this time is as a river – forever moving, with the land and time of their birth left somewhere far behind. For most, life is spent on their home world, moon, or station, linked to the rest of humanity via fantastic technologies, or isolated to the politics, stories, and histories of their own lands. The trillions that make up humanity live, for the most part, as you or I do now.

But wonders tie the galaxy together in this age.

Connecting all worlds is blinkspace – an unknowably vast and strange plane parallel to the one in which we live, pierced by blink gates that allow us to travel with speed and safety. Thanks to these massive, star-bound doors, every corner of space is open to the daring. These portals are common wonders: thousands of ships travel through them every day seeking trade, migration, travel, war, and myriad other aims.

Filling the lonely void is the omninet, a data-sharing network built off the blink that connects every computer, every server – everything – to everything else. The omninet is much more than a way to send messages or a means for people on far-flung worlds to read the galaxy's news; it overlays all human communications, facilitating government, industry, culture, and realms more esoteric still. Data is the new wealth, and the omninet means that all wealth can be shared.

The form of that wealth is manna. Uniting the disparate nations of the human diaspora outside the Core, manna is the universal currency accepted by every market on every planet. When a galaxy's wealth of raw resources are available for exploitation, a community's wealth comes from both its past and its potential.

The vast mass of humanity is administered by a single sprawling government: Union, the galactic hegemony. Luna and Mars, Mercury and Venus. Saturn, Jupiter, Neptune, and Uranus. Phobos and Deimos. Io, Europa, Ganymede, and Callisto. Titan and Enceladus. These worlds strung in their orbit around Sol are the diadem atop which Cradle rests, the seat of Union's power and humanity's ancient heart. From Cradle, Union controls the three levers of the galaxy: the blink gates, the omninet, and manna. Without these levers, and without Union, the galaxy would fall into chaos.

Union is a new kind of utopia. A new state – communal and post-capital – for a New Humanity. Union was born from the ashes and ice of the Fall: the collapse that felled Old Humanity, boiling Cradle and withering her colonies entirely. Though it has been thousands of years since Union was founded – and thousands more since the Fall – New Humanity knows only one truth among ten thousand unknowns: if we are to survive, then we must come together in solidarity and mutual aid.

Despite Union's conviction – and despite its successes so far – the sheer size of this collective project is daunting. Union is distant to most people: fictionalized in omninet dramas and novels; dreamed about by children and wanderers; hailed as the promised kingdom or damned as the pit by religions across the galaxy. For all its authority, Union prefers to rule from a distance. Few have ever seen one of Union's administrators, let alone suffered one of its naval campaigns. For those who have never seen its flag, Union is all but a myth; for those whose skies have been darkened by Union's ships, the hegemony may have brought liberty – but it brought death first.

The galaxy remains a dangerous place outside the Core. Rebellions, insurrections, piracy, wars – civil and interplanetary – continue to flare and burn their way through space, though only the most desperate conflicts require Union's intervention. Disputes between Union's subject states are common enough that there is still a need for militaries, militias, and mercenaries. Five major suppliers offer arms and armor to states and entities outside the Core that desire them. These manufacturers exist in delicate balance with Union: though the administrators regulate and the suppliers comply, these two philosophies – one of post-capital utopia and the other of permanent and wild growth – rush toward an irreconcilable end.

You are one person, alive in this time of tumult and peace – a time of promise that was built on the sacrifice of those who came before and is threatened still by the heirs of old adversaries. You are one whose life is lived in the great river, where lives cross stars and time; where one person in the right place at the right time can divert the course of history; where the collective action of comrades can save worlds, lives, and better define Union's utopian dream.

You are a mech pilot – one of the best, a lancer – and yours is the story of this spinning coin at the apex of its toss. At this pivotal moment in history, what will you and your comrades do when fate, foresight, and luck – good or bad – puts you in the right place at the right time?

On which side will you fall?

THE CAVALRY

Your character in the world of Lancer is a mechanized cavalry pilot of particular note – a lancer. Whatever the mission, whatever the terrain, whatever the enemy, your character is the one who is called in to break the siege or hold the line. When the drop klaxons sound, it's up to them to save the day.

Your lancer hails from a world and culture of your choice, but is human. They might come from Earth – or Cradle, as it is now called – but to hail from Earth in the age of Union is exceedingly rare. No, it is far more likely that your pilot hails from somewhere in the vastness of the human diaspora. In Lancer, it has been millennia since we left Earth, and most of humanity lives among the stars in our arm of the Milky Way.

This humanity is familiar and strange in equal measure. As far as we know, the only sentient, sapient beings in our stellar neighborhood are other humans, but don't take this as a limitation – there are many roads to becoming a lancer. Your character might be the product of significant technological and capital investment on the part of their employers; or, they could be a born prodigy – a wunderkind who commands a mech with innate grace and ability, perhaps discovered by a secretive recruiter. Your character might be a lucky conscript – a battle-proven draftee who managed to survive their first drop, promoted by desperate commanders looking for a hero. They could also be the scion of an ancient, atemporal monarchy, destined to inherit the chassis of their polypatriarch. Your character could be a jaded volunteer from a Union liberator team, motivated by a closely-guarded ember of hope for a better future; or an anointed Loyal Wing of the Albatross; or a facsimile of a long-dead pilot, grown in batches of thousands; a spacer who has spent too long listening to the deep whispers of the void.

Whatever led your character to the cockpit of their mech, they are the sum of many parts: enhanced through a combination of training, natural skill, battlefield experience, and neural or physical augmentation, a lancer is the equivalent of a knight of old, a flying ace, or another class of elite warrior.

Lancers, many proudly declare, are a cut above other pilots.

They aren't entirely wrong. The recruitment, training, and maintenance of a mech pilot demand the investment of much more time and capital than your average soldier. To operate a mech at peak efficiency, a pilot needs extensive physical and mental training, or advanced (and expensive) physiological and ontological augmentations. Washout and injury rates are high thanks to the demanding training process, but a high bar is necessary: once a candidate attains their final certifications and ships out to their first posting, they face only the most dangerous missions. Mechs aren't sent in to keep the peace – they're sent in when all other options have failed. Your character, a lancer, represents the best of this exceptional corps.

Remember, whatever their history, your pilot is ultimately human. They're just as flawed as the rest of us, just as perfect. Pilots are heroes and villains; brave souls and cowards; lovers and fighters, all. Some of them stand strong when everyone else runs, or are the first to face danger – our best and brightest. But they, too, break under the pressure; they fail; they kill, even when they could have spared a life.

Pilots and lancers are from all walks of life. Every station, criminal history, and economic class is represented in their ranks.

PLAYING LANCER

Your character in *Lancer* is, first and foremost, a pilot – a dynamic, larger than life presence on and off the battle-field who inspires and terrifies in equal measure – but your character also has a second component: your mech. Though you can define their identities separately, pilot and mech are two parts of the same whole.

The first section of this book talks you through ??.

The second section, ??, is about narrative play, choosing missions, and playing during downtime.

The third section, ??, is about fighting in and with mechs.

The fourth section is the ??, in which all character options can be found.

The fifth section is the ??, which offers advice for tweaking rules, creating non-player characters (NPCs), and running missions.

The sixth and final section is the Setting Guide, ??, an in-depth reference on the canon setting.

WHAT YOU NEED

This game uses two sorts of dice: twenty-sided dice (**d20**) and six-sided dice (**d6**). You'll roll these dice to determine the outcome of uncertain situations, such as firing a weapon, hacking a computer, or climbing a sheer cliff face. When the rules call for you to make a roll, it will also tell you how many dice to roll. For example, **1d20** means you need to roll a single **d20**, whereas **2d6** means you need to roll two **d6s**.

Sometimes the rules will call for you to roll **1d3**. That's just a shorthand way of saying you should roll **1d6** and **halve the results** (rounded up). When you're called on to roll **1d3**, a result of 1 or 2 on a **d6** equals 1, 3 or 4 equals 2, and 5 or 6 equals 3.

Lancer is best played with 3-6 players, but can be played with as little as two or as many as you feel comfortable with. Each player needs at least one **d20**, a **number of d6s**, and **some paper or a character sheet** to write down information. If you're playing online, or welcome computers at the table, the **COMP/CON CHARACTER BUILDING TOOL** is recommended.

This game makes use of grid-based tactical combat, so it can be helpful to have paper with square or hexagonal grids, such as graph paper or pre-prepared battle maps. Miniatures aren't necessary to play this game but they can sometimes make combat easier to visualize.

Most of the players take on the role of pilots - these are the player characters, or **PCs** - but one player is the **Game Master**, or **GM**. The GM acts as a narrative guide, facilitator, and the arbitrator of the game's rules. They help create the story and narrative your group will explore and portray all of the NPCs. For more information on the GM role and a list of rules, tips, and tools for GMs to use, refer to the ??.

Finally, we recommend that all players download our free companion app, **Comp/Con**; it isn't necessary to have the app to play the game, but it can make it more accessible to players who aren't able or don't wish to thumb through this book.

THE GOLDEN RULES

There are two golden rules to remember when playing *Lancer*:

I: Specific rules override general statements and rules.

For example, when you shoot at an enemy, your roll is normally influenced by whether they're in cover; however, SEEKING weapons ignore cover. Because the SEEKING tag is a specific rule, it supersedes the general rules governing cover.

II: Always round up (to the nearest whole number).

NARRATIVE PLAY AND MECH COMBAT

Lancer makes a distinction between freeform **narrative play** and **mech combat**, in which tracking individual turns and actions is important.

During narrative play, players act naturally and spontaneously as needed. Time might pass more quickly, scenes might be shorter, and individual rolls might count for more or less. Most of your game's story and interaction between characters will take place during narrative play. In mech combat, players act on their turn and are restricted in what they can do and how often, making each action much more impactful and tactical. Swapping between mech combat and narrative play is fairly natural, especially if you've played other games with turn-based combat.

The reason there are two types of play is that they represent different approaches to storytelling in roleplaying games. One, narrative play, is focused on the story and characters, with a rules-light approach to conflict resolution; the other, mech combat, relies more on rules and tactics, like a board game. Depending on your GM and group of players, you could spend a whole session in one type of play or the other, or with some of both.

Neither of these is the “correct” way to play the game. Groups will find a balance between the two that works for them. *Lancer* provides rules for both so that both people who like to explore stories or who enjoy tactical combat will have an enjoyable experience.

SKILL CHECKS, ATTACKS, AND SAVES

There are three types of dice rolls in *Lancer*: **skill checks**, **attacks**, and **saves**.

In narrative play, you will only need to worry about the first of these. In mech combat you will use all three.

You make **skill checks** when your character is in a challenging or tense situation that requires effort to overcome. When you want to act in such a situation, state your objective (e.g., break down the door, decrypt the data, or sweet-talk the guard), then roll **1d20**, and add any relevant bonuses. On a total of **10+**, you succeed. A result of **9 or less** means you failed to accomplish your goal and may suffer consequences as a result. Although the GM can’t change the target number (**10**), they have access to several tools that are explained later (p. ??), such as declaring a skill challenge or deciding that your action is **DIFFICULT** or **RISKY**.

In mech combat, **attacks** are any offensive actions against other characters, like firing a weapon or hacking into an opponent’s mech. Attack rolls are similar to skill checks – you roll **1d20** and add any bonuses – but the target number isn’t always 10, and usually depends on the defensive capabilities of your target. For an attack to be successful it needs to equal or exceed the target’s defense. Successful attacks are described as “**hits**” - so if the rules tell you that an effect happens “**on hit**”, that means it takes place when you make a successful attack. Some attacks also result in **critical hits**. On a roll of **20+** you perform a critical hit, which allows you to deal more damage or sometimes trigger extra effects.

Although there are different types of attacks, including ranged, melee, and tech attacks, they all use the same basic rules described here.

Lastly, **saves** are rolls made to avoid or resist negative effects in mech combat. You might roll a save to prevent a hacker wrecking your systems, to avoid being blinded by a flash grenade, or to dive away from an explosion. To save, you roll **1d20** and add any bonuses, but the target number can differ from **10** as it can with attacks. The target number for a save usually depends on the abilities of the attacker. If you equal or exceed this number, you succeed; if your roll is lower, you fail. The outcome of each result will depend on what you are trying to avoid.

CONTESTED CHECKS

In some cases, the rules will tell you to make a **contested check**, representing a challenge between two parties. In a contested check, both participants make skill checks and add any bonuses. Whoever has the highest result wins. If the result is a tie, the attacker – the one who initiated the contest – wins.

You might make contested checks in both narrative play and mech combat.

CHOOSING TO FAIL

You may always choose to fail a skill check or save. You might do this if an ally is trying to help you out or even just because you think failing would create a more interesting story.

BONUSES

There are three kinds of bonuses that can be applied to rolls in *Lancer*:

- **ACCURACY** (Represented as ☀)
- **DIFFICULTY** (Represented as ☇)
- **Statistic Bonuses**

ACCURACY and **DIFFICULTY** represent momentary advantages or disadvantages (see below). **Statistic bonuses** come from three sources: your pilot’s talent and experience (**triggers**), their skill with mechs (**mech skills**), and their **GRIT**. Each roll can only benefit from one statistic bonus at a time. In many cases, none of these bonuses will apply and you will just roll **1d20**.

ACCURACY AND DIFFICULTY

ACCURACY and **DIFFICULTY** are temporary modifiers gained and lost in rapid, chaotic moments of action.

For example, two mech pilots, equally matched, duel amidst the shifting debris of a shattered frigate. Attempting to land a shot, they dodge to avoid incoming fire and floating, slagged bulkheads. The debris makes it unlikely that either will land a clean hit; however, one of the pilots, thinking quickly, hides among the floating metal. When their enemy gets close, the pilot springs forth from hiding and catches their opponent unaware – making the shot much easier than normal.

Situations like this can cause pilots to gain **ACCURACY** or **DIFFICULTY**.

- Each point of **ACCURACY** adds **1d6** to a roll.
- Each point of **DIFFICULTY** subtracts **1d6** from a roll.
- **ACCURACY** and **DIFFICULTY** cancel each other out on a **1:1** basis.

If you are lucky enough to be rolling several of the same bonus dice, whether **ACCURACY** or **DIFFICULTY**, you don't add them together to determine the result. Instead, find the highest number rolled and apply it to the final roll. Because of this, no roll can ever receive more than **-6** or **+6** from **ACCURACY** or **DIFFICULTY**.

For example:

- For an attack with **2 ACCURACY**, roll **2d6** and choose the highest of the two dice, then add that number to your attack roll. If you roll **3** on one die and **4** on the other, you add **+4** to the roll, not **+7**.
- For an attack with **2 ACCURACY** and **1 DIFFICULTY**, you only add **1d6** to your attack roll as **1 DIFFICULTY** and **1 ACCURACY** cancel each other out.
- For an attack with **1 ACCURACY** and **1 DIFFICULTY**, you don't add anything to the roll – the dice cancel each other out.

GRIT

Pilots are lucky and unique individuals, multi-talented and resilient. Even so, brand-new pilots don't measure up to tempered, battle-hardened veterans when push comes to shove. The benefits of experience are measured by **GRIT**, a bonus that reflects your pilot's deep reservoirs of resolve and will to live.

GRIT is half of your character's license level, rounded up. It improves attack bonuses, hit points, and save targets for both your pilot and your mech.

MISSIONS, DOWNTIME, AND SCENES

Ongoing games of *Lancer* are usually divided into **missions**, each of which might encompass one play session or several, separated by periods of **downtime**.

Missions have specific goals or objectives that can be completed within a discrete amount of time: destroying a building, breaking into a secure facility to recover vital data, evacuating civilians, uncovering a conspiracy, or holding the line against enemy attack, for example. Missions also provide some preparation time in which you can establish goals, stakes, and equipment for your characters.

If your character isn't on a mission, you're in **downtime**. This is the narrative space between missions, in which moment-to-moment action doesn't matter as much and roleplaying matters much more. During downtime you can progress plots, projects, or personal stories, moving the clock forward as much or as little as you want. Days, months, and even years can pass in downtime, depending on the pace of your game.

In both missions and downtime, play is divided into **scenes**. A scene is a period of continuous dialogue, action, or activity that has a discrete starting and stopping point. This is called a scene because it's helpful to think about it in cinematic terms: as long as the focus (or 'camera') is on the players and their action, a scene is happening. When the focus cuts away from the current scene, or the current action naturally ends, that's when the scene should end too.

A single combat encounter or a dialogue between characters are both great examples of scenes, but a scene can also be something like a montage.

It's important to pay attention to the beginning and end of scenes, as many special character and mech abilities end or reset at the end of a scene.

