MECH230 - Fall 2024
Recommended Problems - Set 01

Theresa Honein

August 26, 2024

The problems are taken from J. L. Meriam, L. G. Kraige, and J. N. Bolton (MKB), Engineering Mechanics: Dynamics, Ninth Edition, Wiley, New York, 2018.

1. [MKB 2/24]

2/24 A particle moving along a straight line has an acceleration which varies according to position as shown. If the velocity of the particle at the position $x = -5$ ft is $v = 4$ ft/sec, determine the velocity when $x = 9$ ft.



PROBLEM 2/24

 Compiled on 08/27/2024 at 3:32pm

2. [MKB 2/25] Take the unit vector $\mathbf{E}_x$ to be pointed vertically upwards and take the origin to be located at the initial position of the rocket.

2/25 A model rocket is launched from rest with a constant upward acceleration of 3 m/s^2 under the action of a small thruster. The thruster shuts off after 8 seconds, and the rocket continues upward until it reaches its apex. At apex, a small chute opens which ensures that the rocket falls at a constant speed of 0.85 m/s until it impacts the ground. Determine the maximum height h attained by the rocket and the total flight time. Neglect aerodynamic drag during ascent, and assume that the mass of the rocket and the acceleration of gravity are both constant.



PROBLEM 2/25

3. [MKB 2/28] Take the unit vector $\mathbf{E}_x$ to point along the horizontal. You make take the origin to coincide with the location of the plane when the parachute deploys (ie. when $v = 200$ mi/hr). Be careful to convert mi to ft and hr to sec.

2/28 The 230,000-lb space-shuttle orbiter touches down at about 220 mi/hr. At 200 mi/hr its drag parachute deploys. At 35 mi/hr, the chute is jettisoned from the orbiter. If the deceleration in feet per second squared during the time that the chute is deployed is $-0.0003v^2$ (speed v in feet per second), determine the corresponding distance traveled by the orbiter. Assume no braking from its wheel brakes.



PROBLEM 2/28