

	X	Y	Z
!	separator		
!	(transpose) / permute	rot90	system
!	for	repmat	repelem (run-length decoding)
#	specify outputs	display stack (debug)	sound, soundsc, audiowrite
\$	specify inputs	char(vpa(...))	fopen, fwrite, fclose
%	comment	class	cast
&	alternative default input/output spec	intersect	and
'	Not used. String delimiter		bitand
'		run-length encoding	now / clock
(() assignment indexing / split	() assignment ind. with final : / split	() assignment ind. with initial : / split
)	() reference indexing	() reference ind. with final :	() reference ind. with initial :
*	*	kron	matrix product
+	+		Cartesian product
+		conv2	conv2(..., 'same') / cconv
-	do twice	cos	sin
-	-	setdiff	deconv
-	break	continue	pause
/	/	angle	matrix /
0	Not used	predefined literals	predefined literals
1	Not used	predefined literals	predefined literals
2	Not used	predefined literals	predefined literals
3	Not used	predefined literals	predefined literals
4	Not used	predefined literals	predefined literals
5	Not used	predefined literals	predefined literals
6	Not used	predefined literals	predefined literals
7	Not used	predefined literals	predefined literals
8	Not used	predefined literals	
9	Not used	predefined literals	
:	colon (range)	linearize array	comma-separated list
:		acos	asin
<	<	min	cummin
=	==	isequal	strcmp
>	>	max	cummax
?	if		why
@	"for" / "do twice" value / "while" index	"for" index	
A	all	all(..., 1)	perms
B	logical(dec2bin(...)-'0')	bin2dec(char(...+'0'))	dec2base. Larger base, any symbols
C			dec2bin
D	disp(num2str(..., ...)) / mat2str	disp(num2str(...))	im2col
E	multiply by 2	replace elements in array	sprintf / fprintf
F	Not used. False (literal)		
G	Paste from clipboard G (user-input)		exponents of prime factorization
H	Paste from clipboard H	Copy to clipboard H	imwrite / imagesc / image / imshow
I	Paste from clipboard I	Copy to clipboard I	
J	Paste from clipboard J	Copy to clipboard J	
K	Paste from clipboard K	Copy to clipboard K	
L	Paste from clipboard L (multi-level)	Copy to clipboard L (multi-level)	
M	Paste from clipboard M (function-input)	Copy to clipboard L (multi-level)	gallery
N	stack size	mode	
O	zeros	nchoosek (array)	NaN
P	flip	datestr	isnan
Q	increment by 1	datevec	datevec
R	triu	flipud	pi
S	sort	accumarray	rat
T	Not used. True (literal)	triu(...,1) / build matrix	polyval / roots / polyfit / inpolygon
U	str2num / string to array / square	sortrows	tril(...,-1) / build matrix
V	num2str	str2double	circshift
W	2 raised to input		toeplitz
X	Not used		
Y	Not used	regex	regexprep
Z	Not used		inf
[Not used. Array delimiter		
\	mod	ind2sub	
]	end (loops or conditional branches)	mod(...-1)+1	matrix \
^	unary minus / normalize uint8	sub2ind	divisors
-	do...while	sqrt	
a	any		matrix ^
b	bubble		Cartesian power
c	char (also for cell array)		
d	diff		
e	reshape / squeeze		
f	find		
g	logical / cell2mat		
h	horzcat		
i	input		
j	input(...,'s')		
k	lower / floor		
l	ones		
m	ismember		
n	numel / size		
o	double / cell array to numeric / parity		
p	prod		
q	decrement by 1		
r	rand		
s	sum		
t	duplicate elements		
u	unique		
v	vertcat		
w	swap		
x	delete from stack		
y	duplicate element		
z	nnz		
{	Not used. Cell array delimiter		
	abs / norm / determinant		
}	else / finally		
~	Not		