

Index

[Numerals]

| | |
|-----------------|----|
| 1's complement | 14 |
| 2's complement | 14 |
| 9's complement | 14 |
| 10's complement | 14 |

[A]

| | |
|-------------------------------|------------|
| absolute path | 106 |
| access | 53 |
| access arm | 57 |
| access control | 108 |
| access right | 56 |
| access time | 54, 60 |
| account column | 158 |
| accounting information system | 184 |
| accounting period | 154 |
| accounts | 158 |
| accrual basis | 175 |
| accrual principle | 174 |
| accumulator | 42 |
| acid test ratio | 181 |
| active matrix type | 81 |
| actuator | 86, 145 |
| addition circuit | 51 |
| address | 53 |
| address bus | 39, 68 |
| address format | 38 |
| address modification | 43, 44 |
| address specification method | 44 |
| after-closing trial balance | 161 |
| agent | 127 |
| AI | 127 |
| ALU | 37, 40 |
| analysis of profitability | 178 |
| analysis of safety | 180 |
| AND circuit | 49 |
| AND operation | 49 |
| AR | 127 |
| arithmetic and logic unit | 37, 40 |
| arithmetic operation | 37 |
| arithmetic shift | 20 |
| arithmetic unit | 34, 37 |
| ASCII code | 24 |
| asset turnover | 180 |
| assets | 155 |
| ATIS | 204 |
| audio representation | 25 |
| authoring tool | 123, 126 |
| auxiliary storage device | 34, 54, 56 |
| auxiliary units | 5 |
| availability | 211 |

| | |
|---------------------|----|
| average search time | 60 |
| average seek time | 60 |

[B]

| | |
|-----------------------------------|----------|
| back-end processor | 138, 139 |
| balance sheet | 154, 155 |
| balance sheet integrity principle | 168 |
| balance sheet principles | 168 |
| banking system | 200 |
| bar code | 76, 198 |
| bar code reader | 76 |
| base address register | 43 |
| base address specification | 45 |
| basic software | 92 |
| batch processing | 142 |
| batch processing system | 142 |
| BCD code | 11 |
| BEP | 139 |
| bias | 19 |
| binary-coded decimal code | 11 |
| binary numbers | 2 |
| Bipolar IC | 35 |
| bit | 3 |
| bookkeeping | 157 |
| borrow | 6 |
| borrowed capital | 155 |
| bottom-up decision-making system | 197 |
| boundary address method | 102 |
| branch | 37 |
| break-even analysis | 182 |
| break-even chart | 183 |
| break-even point | 182 |
| break-even sales revenue | 182 |
| B-to-B | 207 |
| B-to-C | 207 |
| buffer | 54 |
| bus | 67 |
| business accounting principles | 168 |
| byte | 3 |

[C]

| | |
|------------------|--------------|
| CAD | 84, 193, 194 |
| CAE | 193, 194 |
| CAI | 83, 122 |
| CALS | 207 |
| CAM | 84, 193, 194 |
| cancellation | 23 |
| CAP | 194 |
| capital equation | 155 |
| capital reserve | 167 |
| capital stock | 167 |

| | |
|-----------------------------------|---------|
| CAPP | 194 |
| carry | 3, 6 |
| CASE tool | 84, 114 |
| cash basis | 175 |
| CCD | 79 |
| CD | 63 |
| CD-ROM | 63 |
| center batch processing | 143 |
| central processing unit | 34 |
| Centronics interface | 71 |
| CG | 127 |
| character representation | 23 |
| CIM | 195 |
| clicking | 77 |
| client | 133 |
| client/server system | 133 |
| clock | 52 |
| closing adjustment | 160 |
| closing adjustment entries | 160 |
| closing day | 154 |
| cluster | 105 |
| CMOS IC | 35 |
| code | 23 |
| codes for information interchange | 23 |
| cold site | 139 |
| cold standby mode | 137 |
| command | 106 |
| Commercial Code | 176 |
| common key cryptosystem | 212 |
| communication server | 135 |
| Compact Disc | 63 |
| compaction | 101 |
| comparison | 37 |
| complement | 14 |
| complement register | 44 |
| computer five main units | 34 |
| computer network | 140 |
| computer security | 108 |
| computer virus | 215 |
| confidentiality | 211 |
| control bus | 68 |
| control unit | 34, 36 |
| CORBA | 115 |
| corporation accounting principles | 177 |
| Corporation Tax Law | 177 |
| cost of goods sold | 170 |
| CPI | 53 |
| CPU | 34 |
| CRC code | 55 |
| cross-check | 136 |
| CRT display | 80 |
| C-to-C | 207 |

| | | | | | |
|-------------------------------|-------------|---------------------------------|----------|----------------------------------|--------------|
| current assets | 163 | [E] | | firm banking | 202 |
| current directory | 106 | eavesdropping | 215 | first-in first-out method | 171 |
| current liabilities | 166 | EBCDIC code | 24 | fiscal year | 154 |
| current ratio | 181 | EC | 207 | fixed assets | 164 |
| cycle time | 55 | ECC | 55 | fixed assets to long-term equity | |
| cylinder | 57 | EDI | 205 | ratio | 181 |
| | | EDIFACT | 206 | fixed cost ratio | 182 |
| [D] | | EEPROM | 36 | fixed costs | 182 |
| daisy chain | 71 | effective address | 44 | fixed disk | 57 |
| DASD | 58 | eight-column work sheet | 160 | fixed liabilities | 166 |
| DAT | 103 | electronic banking | 201 | fixed point | 16 |
| data bus | 68 | electronic bulletin board | 196 | fixed point operation | 37 |
| data transfer time | 61 | electronic mail | 196 | fixed point operation mechanism | 40 |
| database server | 135 | Electronic Ordering System | 199 | fixed ratio | 181 |
| DBMS | 113 | engineering workstation | 84 | flag register | 43 |
| <i>de facto</i> standard | 24, 71, 112 | EOR circuit | 50 | flash memory | 36, 79 |
| De Morgan's law | 28 | EOR operation | 50 | flip-flop | 35 |
| deadlock | 100 | EOS | 199 | flip-flop circuit | 52 |
| debt/equity ratio | 181 | EPROM | 36 | floating point | 17 |
| debt ratio | 181 | equity turnover | 180 | floating point operation | 37 |
| decimal arithmetic system | 12 | error | 23 | floating point operation | |
| decimal operation | 37 | Error Correcting Code | 55 | mechanism | 40 |
| decimal operation mechanism | 40 | Excess 64 | 17 | floppy disk | 62 |
| decoder | 39 | exclusive control | 99, 145 | floppy disk unit | 61 |
| dedicated cluster | 139 | exclusive logical sum operation | | flow control | 108 |
| deferred assets | 165 | circuit | 50 | FMC | 195 |
| defragmentation | 60 | exclusive OR | 27 | FMS | 195 |
| depreciation and amortization | 164 | executable status | 97 | folder | 107 |
| desk-top type | 83 | execution control | 97 | fragmentation | 60, 101 |
| destruction | 215 | execution control of the | | free software OS | 112 |
| device driver | 112 | instruction | 46 | front-end processor | 138, 139 |
| digital camera | 79 | execution cycle | 47 | FTP | 134 |
| digitalization | 121 | execution order | 99 | full adder circuit | 51, 52 |
| digitizer | 79 | expenses | 156, 170 | | |
| direct access | 58 | exponent | 5 | [G] | |
| direct access storage device | 58 | extension | 107 | general ledger | 158 |
| direct address specification | 44 | external analysis | 178 | general-purpose computer | 85 |
| directory | 105 | external interrupt | 98 | general-purpose register | 37 |
| disk mirroring | 67 | extraordinary gain | 170 | GPIB | 72 |
| dispatcher | 97 | extraordinary loss | 172 | Green Book | 65 |
| dispatching | 97 | | | gross amount principle | 168, 174 |
| display device | 74, 80 | [F] | | gross income | 173 |
| distributed cluster | 139 | F cycle | 47 | gross income on sales | 173 |
| distributed processing system | 140 | FA | 194 | groupware | 196 |
| DMA method | 69 | fail-safe system | 211 | GUI | 77, 123, 124 |
| dot impact printer | 82 | fail-soft system | 211 | | |
| double clicking | 77 | failure recovery | 145 | [H] | |
| double-entry bookkeeping | 157 | falsification | 215 | half-adder circuit | 51 |
| double precision | 22 | fault tolerant system | 138 | hamming code | 55 |
| dragging | 77 | FEP | 139 | hard copy | 74 |
| DRAM | 35 | fetch cycle | 47 | hard disk | 57 |
| DSTN liquid crystal display | 81 | FIFO method | 104 | hardwired-logic control system | 48 |
| dual system | 136 | file server | 135 | hexadecimal system | 4 |
| duplex system | 137 | financial accounting | 176 | home directory | 106 |
| DVD | 65 | financial statements | 154 | horizontally distributed | |
| dynamic address translation | 103 | firewall | 212 | configuration | 141 |
| dynamic allocation | 102 | | | | |

| | | | | | |
|--------------------------------|---------------|--------------------------------|-------------|-------------------------------|----------|
| hot site | 139 | [J] | | magnetic disk | 57 |
| hot standby mode | 137 | Japanese Industrial Standards | 24 | magnetic disk unit | 57 |
| human interface | 109, 111, 121 | Japanese language processing | 109 | magneto optical disk unit | 66 |
| HyperText | 126 | JCL | 95, 143 | main storage unit | 34, 53 |
| | | JIS | 24 | mainframe | 85 |
| [I] | | JIS 7-bit code | 24 | management accounting | 177 |
| I cycle | 47 | JIS 8-bit code | 24 | manufacturing process control | 194 |
| IC | 34 | JIS code | 24 | marginal profit | 183 |
| IC card | 76 | job control language | 95, 96, 143 | marginal profit chart | 184 |
| IC memory | 35 | job scheduling | 96 | marginal profit ratio | 183 |
| icon | 77, 123 | journal | 158 | marksheet | 75 |
| IEEE1394 | 70 | journalizing | 158 | Mask ROM | 36 |
| illegal input | 215 | joystick | 77 | memory | 53 |
| image representation | 25 | | | memory hierarchical structure | 54 |
| image scanner | 79 | [K] | | memory leak | 102 |
| image sensor | 79 | kernel | 98, 110 | memory protection | 55, 102 |
| immediate specification | 44 | keyboard | 74 | microcomputer | 86 |
| impact printer | 81 | keylock method | 102 | microprogramming control | 48 |
| income (profit and loss) | | K-NET | 205 | middleware | 113 |
| statement | 154 | | | MIL symbol | 49 |
| income planning | 182 | | | MIPS | 52 |
| income statement equation | 156 | | | mirror site | 139 |
| income statement integrity | | | | MIS | 194 |
| principle | 174 | [L] | | MO | 66 |
| income statement principles | 174 | LAN control | 114 | mobile computing | 122 |
| index address specification | 45 | lap-top type | 83 | mouse | 77 |
| index register | 43 | laser printer | 83 | moving average method | 171 |
| indirect address specification | 46 | last-in first-out method | 171 | MRP | 194 |
| infinite binary fraction | 8 | LCMP | 138 | MS-DOS | 111 |
| information security | 108 | ledger | 158 | MTTR | 108 |
| ink-jet printer | 82 | liabilities | 155 | multimedia | 121 |
| input device | 73 | light pen | 78 | multimedia operating system | 124 |
| input/output interface | 69 | line printer | 81 | multimedia processing | 109 |
| input unit | 34 | Linux | 112 | multimedia service | 121 |
| instruction cycle | 47 | liquid assets | 163 | multimedia system | 121 |
| instruction execution control | 39 | liquid crystal display | 81 | multimedia title | 123, 125 |
| instruction register | 37, 38 | load | 103 | multiprocessing | 97 |
| instruction set | 46 | local-government information | | multiprocessing function | 111 |
| intangible fixed assets | 164 | delivery system | 205 | multiprocessor system | 138 |
| integrated circuit | 34 | logical circuit | 48 | multi-programming | 93, 99 |
| integrity | 211 | logical operation | 26, 37, 48 | multi scan monitor | 81 |
| interactive processing system | 146 | logical product | 26 | multitasking | 97 |
| interactivity | 121 | logical product operation | 49 | multi-user function | 111 |
| internal analysis | 178 | logical shift | 21 | MVS | 109 |
| internal interrupt | 98 | logical sum | 27 | | |
| internally programmed system | 53 | logical sum operation | 49 | [N] | |
| International Organization for | | logical symbol | 26 | NAND circuit | 51 |
| Standardization | 24 | long-term safety ratios | 181 | NAND operation | 51 |
| interruption | 98 | loosely coupled multiprocessor | | negation | 26 |
| inventories | 163 | system | 138 | negation operation | 50 |
| investments | 165 | loss of information | 23 | negative AND | 27 |
| IR | 38 | LRU method | 104 | negative logical sum | 27 |
| IrDA | 70 | | | net income | 156, 173 |
| ISO | 24 | [M] | | net income before taxes | 173 |
| ISO code | 24 | MacOS | 112 | net loss | 156 |
| | | macro virus | 215 | networking | 121 |
| | | magnetic card reader | 76 | | |

| | | | | | |
|-------------------------------|----------|----------------------------------|----------|----------------------------------|----------|
| NFS | 134 | page replacement | 104 | RAM | 35, 54 |
| non-impact printer | 81 | paging | 103 | RAS | 211 |
| non-operating expenses | 172 | paging algorithm | 104 | ratio approach | 178 |
| non-operating revenue | 170 | palm-top type | 83 | ratio of expenses to sales | 179 |
| nonvolatility | 36 | parallel interface | 71 | ratio of income to sales | 179 |
| NOR circuit | 51 | parallel transfer | 71 | ratio of income to stockholders' | |
| NOR operation | 51 | parity check system | 55 | equity | 178 |
| normal operating cycle rule | 163, 166 | partition method | 100 | realization basis | 175 |
| normalization | 18 | passive matrix type | 81 | real-time control | 145 |
| NOT circuit | 50 | path | 106 | real-time monitor | 146 |
| NOT operation | 50 | pattern recognition | 127 | real-time processing system | 145 |
| notebook type | 83 | PDA | 122 | Red Book | 65 |
| n-tier architecture | 135 | peripheral device | 34 | redundancy system | 211 |
| | | personal computer | 83 | reentrant program | 145 |
| [O] | | platform | 123, 134 | refreshing | 35 |
| OCR | 75 | pointing device | 76 | register | 41, 42 |
| OCR font | 75 | POS information management | | register address specification | 45 |
| OLTP | 144 | system (system to manage | | relative address specification | 46 |
| OMR | 75 | information at the point of | | relative path | 106 |
| one-time password | 212 | sale) | 197 | relative ratio method | 178 |
| one-year rule | 162, 166 | POS system | 197 | remote batch processing | 143 |
| online transaction processing | | posting | 158 | remote job entry | 143 |
| system | 144 | precision | 22 | research and development | 194 |
| open system | 134 | precision of fixed point | | response time | 94 |
| operating income | 173 | representation | 23 | revenue | 156, 169 |
| operating revenue | 170 | precision of floating point | | ring protection method | 102 |
| operating system | 92 | representation | 23 | risk analysis | 214 |
| operation planning | 194 | preemption | 97 | risk control | 214 |
| optical character reader | 75 | preemptive multi-tasking | 124 | risk evaluation | 214 |
| optical disk | 63 | principle of matching costs with | | risk finance | 214 |
| optical disk unit | 63 | revenues | 175 | risk management | 213 |
| optical mark reader | 75 | print server | 135 | RJE | 143 |
| OR circuit | 49 | printer | 74, 81 | roll in | 101 |
| OR operation | 49 | process | 110 | roll out | 101 |
| Orange Book | 65 | process control computer | 86 | ROM | 36 |
| ORB | 115 | process design | 194 | root directory | 105 |
| ordinary income | 173 | processing unit | 34, 36 | round robin | 97 |
| OS | 92 | processor | 34, 36 | rounding error | 18 |
| OSI basic reference model | 141 | product design | 194 | router | 212 |
| other current assets | 164 | production planning | 194 | RS-232C | 70 |
| output device | 73 | profit and loss chart | 183 | | |
| output unit | 34 | profit reserve | 167 | [S] | |
| overflow | 16, 23 | program counter | 41, 42 | sales revenue | 170 |
| overlay | 102 | program relocation | 101 | schedule management software | 196 |
| owner's equity | 155 | PROM | 36 | scheduling | 194 |
| owner's equity ratio | 181 | proposition | 25 | screen saver | 80 |
| owner's equity to fixed asset | | proposition logic | 26 | SCSI | 71 |
| ratio | 181 | protective boundary register | | SDRAM | 35 |
| | | system | 56 | search time | 60 |
| [P] | | protocol | 125 | section and arrangement | |
| packed decimal format | 13 | PSW | 43 | principles | 168 |
| page | 103 | public key cryptosystem | 212 | section principle | 174 |
| page frame | 103 | | | sector | 59 |
| page in | 103 | [R] | | sector type | 59 |
| page out | 103 | radix | 5 | Securities and Exchange Law | 177 |
| page printer | 81 | radix conversion | 7, 8 | seek time | 60 |
| | | RAID | 66 | segment | 102, 104 |

| | | | | | |
|--------------------------------|--------|----------------------------------|----------|-------------------------|-----|
| selling, general and | | swap in | 101 | UNIX | 110 |
| administrative expenses | 171 | swap out | 101 | unpacked decimal format | 12 |
| semaphore | 99 | swapping | 101 | USB | 70 |
| semiconductor disk unit | 56, 66 | | | user authentication | 212 |
| semiconductor memory | 35 | [T] | | user interface server | 135 |
| sequential access | 58 | tablet | 79 | user programmable ROM | 36 |
| sequential circuit | 48, 52 | tandem multiprocessor system | 138 | | |
| sequential control system | 36 | tangible fixed assets | 164 | [V] | |
| serial interface | 69 | TCMP | 138 | value approach | 178 |
| serial printer | 81 | terminator | 71 | variable cost ratio | 182 |
| serial transfer | 69 | TFT liquid crystal display | 81 | variable costs | 182 |
| server | 133 | thermal printer | 82 | variable type | 59 |
| shell | 110 | thermal transfer printer | 82 | vector processor | 85 |
| shell script | 110 | three-address format | 38 | Venn diagram | 49 |
| shift | 18 | three-tier architecture | 135 | vertically distributed | |
| shift JIS code | 24 | tightly coupled multiprocessor | | configuration | 141 |
| shift operation | 20 | system | 138 | VICS | 202 |
| short-term safety ratio | 181 | titles of account | 158 | videoconferencing | 196 |
| simple execution time | 99 | TLB system | 56 | virtual reality | 122 |
| simplex system | 136 | touch panel | 78 | volatility | 35 |
| simultaneous execution control | 145 | touch screen | 78 | voluntary reserve | 168 |
| single-address format | 38 | touch typing | 74 | VR | 127 |
| single precision | 22 | track ball | 77 | | |
| six-column work sheet | 160 | transaction | 157 | [W] | |
| slashing | 103 | Translation Look-aside Buffer | | wait status | 97 |
| slip | 158 | system | 56 | Web computing | 147 |
| slot | 103 | trend method | 178 | wild card | 107 |
| SNMP | 113 | trial balance | 158 | Windows | 111 |
| soft copy | 74 | trial balance of balances | 159 | Windows NT | 111 |
| SPOOL | 144 | trial balance of totals | 158 | word | 3 |
| SRAM | 35 | trial balance of totals and | | work sheet | 160 |
| stand-alone system | 83 | balances | 159 | workstation | 84 |
| state transition | 97 | truth table | 26, 49 | | |
| statements of accounts | 154 | TSS | 99, 146 | [Y] | |
| STN liquid crystal display | 81 | two-address format | 38 | Yellow Book | 65 |
| stockholders' equity | 155 | two-tier architecture | 135 | | |
| storage unit | 34 | | | [Z] | |
| stored procedure | 135 | | | zero-address format | 38 |
| stored-program system | 53 | [U] | | Zip | 62 |
| structural ratio method | 178 | UHD | 62 | zoned decimal format | 12 |
| sub-directory | 105 | UN/EDIFACT | 206 | | |
| supercomputer | 85 | unappropriated retained earnings | 168, 173 | | |
| supervisor | 109 | | | | |
| supervisor call | 109 | underflow | 23 | | |
| surplus | 168 | unicode | 25 | | |
| SVC | 109 | | | | |